SONNEMAN

A WAY OF LIGHT

Decorative
Architectural
Catalog

VOL. 3

SONNEMAN®

A WAY OF LIGHT



About SONNEMAN

SONNEMAN – A Way of Light is a modern lighting atelier at the intersection of architectural and design innovation. Our brand is built on the pioneering work of Robert Sonneman, who brought European modernist design principles of form and function to the art of lighting. Today, our New York-based Design Studio, under creative direction of Nuno Pires da Silva, extends the ethos of modern design for contemporary living.

Our minimalist, straightforward, and technically-driven designs are conceived to radiate comfort for a range of residential, hospitality, and commercial spaces. The SONNEMAN collection celebrates lighting as a way of thinking with designs of unparalleled flexibility, detail, and durability. Driven by what's next, we illuminate spaces with architecturally inspired lighting.

◀ **Fig. 1**
V Panels 6-Light Thin Chandelier
SKU. 3095.14 (Page 136)
Designed to celebrate the transformative quality of light, V Panels reveal linear spatial compositions, refracting LED illumination outward as well as downward through the bottom panel edge.

SONNEMAN®
A WAY OF LIGHT



Our Design Studio

Our talented creative team collaborates in our new Manhattan studio, where we explore the combinatorial effect of innovative design, inventive engineering, and new technologies. Referencing Robert Sonneman's approaches to clean modern design, we embrace the dimensions of light, celebrating geometry, form, and utility. Today, under creative direction of Nuno Pires da Silva, our Design Studio celebrates timeless principles to create cutting-edge lighting.



About Robert Sonneman

Robert Sonneman, "Lighting's Modern Master," pioneered modern lighting in the 1960s and 1970s, making it an art form. His work has been exhibited internationally in museums, galleries, and design shows. Utilizing innovative approaches to clean modern design, he has been instrumental in redefining the industry. Today, SONNEMAN – A Way of Light's designs build on the pioneering work of Robert Sonneman, extending through the modern architectural and decorative genres of the 20th century and forward to the contemporary diversity of the 21st.

◀ **Fig. 2**
Chimes 3-Tier Chandelier
SKU. 2048.38 (Page 128)
Unified and balanced, Chimes chandeliers offer an elegant decorative rhythm of angular slashed LED-illuminated tubes composed to maximize the optical effects of metal finishes and light.

Capabilities and Applications

We are committed to provide our range of commercial, hospitality, and residential clients with lighting that offers unparalleled flexibility, detail, and durability.

Contact our team to explore SONNEMAN's range of customizable and scalable applications. Our designs feature a systems approach, including decorative architectural systems that have been designed as individual LED lighting sculptures with the capability to be interconnected into scalable works of art for limitless expansion across the vastness of a space.



In 2022, we opened our newly built, fully-dedicated warehouse in Middletown, NY.

Our space is equipped with several technological advancements, including state-of-the-art racking and distribution machinery and an Integrating Sphere used for photometric testing. In addition to these features, the warehouse includes training and demonstration spaces and an engineering testing center.

We are proud of the high quality and efficient end-to-end service that we are able to provide to our clients and partners.

Contact us at:
Customer.Care@sonneman.com



Architect: Krieger + Associates Architects, Inc
Interior Designer: Michelle Miller Interiors
Photographer: Jeffrey Totaro



Custom Builder: 3rd Street Custom Homes
Broker: Stegich Group Brokerage
Photography: 3rd Street Custom Homes



Designer and Blogger: Patricia Davis Brown
Photographer: Stephanie Davis



SonnemanHaus

SONNEMAN celebrates the marriage of modernist design principles and contemporary living. In addition to our countless applications for commercial spaces, we showcase the breadth of our designs to illuminate every space inside and outside the home with innovative, decorative architectural lighting – from iconic modern chandeliers for dramatic entry spaces, living and dining rooms, to contemporary luminaires for kitchens and bathrooms.

Our brand is built on the pioneering work of Robert Sonneman, who brought European modernist design principles of form and function to the art of lighting. Today, our Design Studio, under creative direction of Nuno Pires da Silva, extends the ethos of modern design for contemporary living.

Welcome to SonnemanHaus: Where modern lighting meets contemporary living.

Visit us at:

SonnemanHaus

Explore our showrooms, which display our modern designs in contemporary living spaces.

New York Design Center
200 Lexington Avenue, Suite 201
New York, NY 10016
Contact: jasona@sonneman.com

Dallas Market Center
2100 N Stemmons Fwy #4804
Dallas, TX 75207
Contact: amyf@sonneman.com

Collections

Systems

Suspenders 12
INTERVALS Recesssed 18
INTERVALS Linear 20
Constellation 26
Cubix 38
Ola 44
Purolinear 360 58
Tik-Tak 66
ALC 188
Coral Surface 192
Abstract 193

Pendants + Chandeliers

Suspenders 12
INTERVALS Linear 20
Constellation 26
Cubix 38
Ola 44
Systema Staccato 48
Labyrinth 62
Tik-Tak 66
Thin-Line 72
Stix 76
Keel 80
Arctic Rings 84
Corona Ring 88
Double Corona 90
Luna 92
Stiletto 96
Grapes 100
Fino 104
Nebula 108
Sabon 113
Liquid 114
Proton 116
Counterpoint 117
Malibu Discs 118
Pi 122
Koma 126
Chimes 128
V Panels 134
Hemisphere 140
Pillows 144
Bubbles 152
Champagne Bubbles 154
Atelier 156
Chelsea 158
Mela 160
Vines 161
Urban Edge 163
Light Guide Ring 164
Ballet 166
Papillons 168
Cantina 170
Tela 184
Torc 185
ALC 188
Dazzle 194
Abstraction 196
Micro Tube 197

Surface Mounts

Cubix 40
Sabon 113
Offset 120
Pi 124
Hemisphere 142
Haim 151
Vines 161
Ilios 172
Zoom 183
ALC 191
Coral Surface 192
Abstract 193
Dazzle 194
Vuoto 195
Marue 198
REALS 222

Wall Lamps

Suspenders 14
Turo 54
Purolinear 360 58
Thin-Line 68
Keel 82
Sabon 112
Malibu Discs 118
Chimes 133
Hemisphere 142
Pillows 147
Haim 148
Atelier 156
Chelsea 159
Aileron 162
Urban Edge 163
Light Guide Ring 164
Piccolo Encore 178
Planes 181
Abstract Panels 186
Meclisse 187
ALC 190
Coral Surface 192
Abstract 193
Vuoto 195
Jazz Notes 200
Stripe 201
Angled Plane 202
Flat Box 203
Folds 204
Flue 205
Prisma 206
Reveal 207
Midtown 208
Sword 209
Sideways 210
Offset Panels 211
Tawa 212
Mezza vetro 214
Mezza Cupola 215
Dotwave 216
Backgate 218
Kengo 219
Light Frames 220
Square Column 221
REALS 222
Shear 224
Triform Compact 225
Box 227

Bath + Vanity

Purolinear 360 58
Thin-Line 68
Stix 77
Keel 83
Stiletto 98
Fino 106
Chelsea 159
Tubo Slim 174
SQ-bar 175
Vanity 176
Piccolo Encore 178
Solid Glass Bar 179
New Edge 180
Planes 181
Bauhaus Columns 182
Dazzle 194

Indoor + Outdoor

Jazz Notes 200
Stripe 201
Angled Plane 202
Flat Box 203
Folds 204
Flue 205
Prisma 206
Reveal 207
Midtown 208
Sword 209
Sideways 210
Offset Panels 211
Tawa 212
Mezza vetro 214
Mezza Cupola 215
Dotwave 216
Backgate 218
Kengo 219
Light Frames 220
Square Column 221
REALS 222
Shear 224
Triform Compact 225
Box 226



See our **SUSPENDERS COLLECTION** by visiting our website sonnemanlight.com.

S1D48K-JC06XX18-RP01

Suspenders®

A delicately scaled, modular system of interconnected elements and suspended LED Luminaires. Suspenders can be configured and customized as individual lighting sculptures or as a tiered web of infinite scope and variety. The system is composed of three primary types of elements: horizontal elements called Power Bars, vertical elements called Hangers, and luminous LED elements called Luminaires. These elements are combined and connected to a Power Feed to form a limitless number of LED lighting sculptures.



See our **SUSPENDERS COLLECTION** by visiting our website sonnemanlight.com.

Custom Configuration



Custom Configuration



See our **SUSPENDERS COLLECTION** by visiting our website sonnemanlight.com.

SLS1144



S1B48K-JR181212-RP08



SLS0212



INTERVALS

Recessed Downlights

INTERVALS high-performance recessed downlights are available in four sizes: 1", 2", 3", and 4", with performance capabilities increasing with scale. The light engines, optics, trims, ceiling applications, and housings are all interchangeable within each size providing unparalleled flexibility in the field.
The same sophisticated design and specification-grade performance is available throughout the range, with all sizes offered with multiple round and square trim options in Satin Black, Satin White, and Satin Aluminum trim finishes.

Fixed **Adjustable** **Wall Wash**



2" ADJUSTABLE



1" LOW-VOLTAGE FIXED

Offering the smallest possible aperture, the 1" fixed downlight is built as a low-voltage system, with multiple downlights powered by a remote 24V power supply. Available in four static white color temperatures and three beam angles.



2" FIXED

Offering high-performance in a minimal aperture, the 2" downlight is available in fixed and adjustable versions, with five static white color temperatures and a warm dimming option. Optics available in four beam angles. Also available with below-the-ceiling decorative trim accessories, for use alone or coordinating with an Intervals Suspended Beam installation.



3" WALL WASH



4" WALL WASH



3" ADJUSTABLE



4" ADJUSTABLE



3" FIXED

Offering the optimal balance of size and performance, the 3" downlight is available in fixed, adjustable, and wall wash versions, with five static white color temperatures, and a warm dimming option. Optics available in four beam angles. Also available with below-the-ceiling decorative trim accessories, for use alone or coordinating with an Intervals Suspended Beam installation.



4" FIXED

Offering maximum performance for commercial and high-ceilinged spaces, the 4" downlight is available in fixed, adjustable, and wall wash versions, with five static white color temperatures, and a warm dimming option. Optics available in four beam angles.



INTERVALS®

Linear System

INTERVALS is a uniquely integrated linear architectural lighting system of rhythmically aligned bidirectional illumination with a range of available decorative and functional trims. Architecturally scaled, the suspended horizontal beams span long lengths within a space, supported from ceiling-mounted cables or stems, forming a dramatically powerful approach to illuminating architecturally expansive locations.



20QWL08C



See **INTERVALS** system trims and light engine components at sonnemanlight.com.



Custom Configuration

INTERVALS®

An INTERVALS system is composed of Linear Beams and multiple Connectors. Any combination of 4′ and 8′ beam lengths can be used with any of five Hanger Connector options to create linear, rectangular, perpendicular, and grid configurations that define the volume and utility of a space.
For details on how to order INTERVALS, see our website.



20QxL04B

INTERVALS 4' Linear LED Pendant
with Clear w/Cone Uplight Trim

Dimensions:

Height: 11.5" Width: 48.25" Length: 4"
Canopy/Backplate/Base: 4.5"
Hanging Details: 10' Adjustable Cable
Shape: Clear w/Cone Uplight Trim
Size: 4'

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 3
Input Voltage: 120-277VAC
Wattage: 14
Initial Lumens: 4330
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 2
Power Supply Location: Fixture
Dimming Type: TRIAC & ELV @120V / 0-10V

Satin Black **20QKL04B**
Satin White **20QWL04B**



20QxL08B

INTERVALS 8' Linear LED Pendant
with Clear w/Cone Uplight Trim

Dimensions:

Height: 11.5" Width: 96.25" Length: 4"
Canopy/Backplate/Base: 4.5"
Hanging Details: 10' Adjustable Cable
Shape: Clear w/Cone Uplight Trim
Size: 8'

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 6
Input Voltage: 120-277VAC
Wattage: 27
Initial Lumens: 8670
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 2
Power Supply Location: Fixture
Dimming Type: TRIAC & ELV @120V / 0-10V

Satin Black **20QKL08B**
Satin White **20QWL08B**



20QxS04B

INTERVALS 4' Square LED Pendant
with Clear w/Cone Uplight Trim

Dimensions:

Height: 11.5" Width: 56" Length: 56"
Canopy/Backplate/Base: 4.5"
Hanging Details: 10' Adjustable Cable
Shape: Clear w/Cone Uplight Trim
Size: 4' x 4'

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 12
Input Voltage: 120-277VAC
Wattage: 56
Initial Lumens: 17320
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 8
Power Supply Location: Fixture
Dimming Type: TRIAC & ELV @120V / 0-10V

Satin Black **20QKS04B**
Satin White **20QWS04B**



20QxR48B

INTERVALS 4' x 8' Rectangle LED Pendant
with Clear w/Cone Uplight Trim

Dimensions:

Height: 11.5" Width: 104" Length: 56"
Canopy/Backplate/Base: 4.5"
Hanging Details: 10' Adjustable Cable
Shape: Clear w/Cone Uplight Trim
Size: 4' x 8'

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 18
Input Voltage: 120-277VAC
Wattage: 82
Initial Lumens: 26000
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 8
Power Supply Location: Fixture
Dimming Type: TRIAC & ELV @120V / 0-10V

Satin Black **20QKR48B**
Satin White **20QWR48B**



20QxZ46B

INTERVALS 4' x 16' Zig-Zag LED Pendant
with Clear w/Cone Uplight Trim

Dimensions:

Height: 11.5" Width: 204" Length: 56"
Canopy/Backplate/Base: 4.5"
Hanging Details: 10' Adjustable Cable
Shape: Clear w/Cone Uplight Trim
Size: 4' x 16'

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 21
Input Voltage: 120-277VAC
Wattage: 96
Initial Lumens: 30330
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 10
Power Supply Location: Fixture
Dimming Type: TRIAC & ELV @120V / 0-10V

Satin Black **20QKZ46B**
Satin White **20QWZ46B**



20QxL04C

INTERVALS 4' Linear LED Pendant
with Etched Cylinder Uplight Trim

Dimensions:

Height: 11.5" Width: 48.25" Length: 4"
Canopy/Backplate/Base: 4.5"
Hanging Details: 10' Adjustable Cable
Shape: Etched Cylinder Uplight Trim
Size: 4'

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 3
Input Voltage: 120-277VAC
Wattage: 14
Initial Lumens: 4330
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 2
Power Supply Location: Fixture
Dimming Type: TRIAC & ELV @120V / 0-10V

Satin Black **20QKL04C**
Satin White **20QWL04C**



20QxL08C

INTERVALS 8' Linear LED Pendant
with Etched Cylinder Uplight Trim

Dimensions:

Height: 11.5" Width: 96.25" Length: 4"
Canopy/Backplate/Base: 4.5"
Hanging Details: 10' Adjustable Cable
Shape: Etched Cylinder Uplight Trim
Size: 8'

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 6
Input Voltage: 120-277VAC
Wattage: 27
Initial Lumens: 8670
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 2
Power Supply Location: Fixture
Dimming Type: TRIAC & ELV @120V / 0-10V

Satin Black **20QKL08C**
Satin White **20QWL08C**



20QxS04C

INTERVALS 4' Square LED Pendant
with Etched Cylinder Uplight Trim

Dimensions:

Height: 11.5" Width: 56" Length: 56"
Canopy/Backplate/Base: 4.5"
Hanging Details: 10' Adjustable Cable
Shape: Etched Cylinder Uplight Trim
Size: 4' x 4'

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 12
Input Voltage: 120-277VAC
Wattage: 56
Initial Lumens: 17320
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 8
Power Supply Location: Fixture
Dimming Type: TRIAC & ELV @120V / 0-10V

Satin Black **20QKS04C**
Satin White **20QWS04C**



20QxR48C

INTERVALS 4' x 8' Rectangle LED Pendant
with Etched Cylinder Uplight Trim

Dimensions:

Height: 11.5" Width: 104" Length: 56"
Canopy/Backplate/Base: 4.5"
Hanging Details: 10' Adjustable Cable
Shape: Etched Cylinder Uplight Trim
Size: 4' x 8'

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 18
Input Voltage: 120-277VAC
Wattage: 82
Initial Lumens: 26000
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 8
Power Supply Location: Fixture
Dimming Type: TRIAC & ELV @120V / 0-10V

Satin Black **20QKR48C**
Satin White **20QWR48C**



20QxZ46C

INTERVALS 4' x 16' Zig-Zag LED Pendant
with Etched Cylinder Uplight Trim

Dimensions:

Height: 11.5" Width: 204" Length: 56"
Canopy/Backplate/Base: 4.5"
Hanging Details: 10' Adjustable Cable
Shape: Etched Cylinder Uplight Trim
Size: 4' x 16'

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 21
Input Voltage: 120-277VAC
Wattage: 96
Initial Lumens: 30330
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 10
Power Supply Location: Fixture
Dimming Type: TRIAC & ELV @120V / 0-10V

Satin Black **20QKZ46C**
Satin White **20QWZ46C**



2158.13C



Constellation®

Ursa

A group of stars in a fixed relationship to each other combine to form patterns along a running path. A series of Constellations can be joined in an a limitlessly expandable, interconnected arrangement of celestial imagery. Constellation Ursa is available in sizes Minor and Major.



2158

Constellation Ursa Major

Dimensions:

Height: 22.25" Width: 92.75" Length: 35"
Canopy: Diameter: 4.5" Height: 0.5"
Hanging Details: 10' Adjustable Cord/Cable
Size: Major

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 44
Input Voltage: 100-277VAC
Wattage: 92
Initial Lumens: 11000
Delivered Lumens: 7690
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Remote
Dimming Type: 0-10V
Bulb Max Wattage: 92

- Satin Nickel w/Clear Faceted Acrylic* **2158.13C**
- Satin Nickel w/White Optical Acrylic* **2158.13W**
- Satin Brass w/Clear Faceted Acrylic* **2158.38C**
- Satin Brass w/White Optical Acrylic* **2158.38W**

**For 2700K add -27 at the end of the SKU number.*



2155

Constellation Ursa Minor

Dimensions:

Height: 13" Width: 55" Length: 17.25"
Canopy: Diameter: 4.5" Height: 0.5"
Hanging Details: 10' Adjustable Cord/Cable
Size: Minor

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 25
Input Voltage: 100-277VAC
Wattage: 50
Initial Lumens: 7560
Delivered Lumens: 4200
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Remote
Dimming Type: 0-10V
Bulb Max Wattage: 50

- Satin Nickel w/Clear Faceted Acrylic* **2155.13C**
- Satin Nickel w/White Optical Acrylic* **2155.13W**
- Satin Brass w/Clear Faceted Acrylic* **2155.38C**
- Satin Brass w/White Optical Acrylic* **2155.38W**



2152.38W

Constellation®

Aquila

The eagle that carried Zeus's thunderbolts embodies the mythological reference to this stunning sculptural configuration. Aquila is available in two sizes, and can be suspended as individual sculptures or clustered with others to form a spectacular arrangement of magical Constellations.



2151

Constellation Aquila Minor

Dimensions:

Height: 32" Diameter: 25.75"
Canopy: Height: 0.5" Diameter: 4.5"
Hanging Details: 10' Adjustable Cord/Cable
Size: Minor

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 13
Input Voltage: 120-277VAC
Wattage: 26
Initial Lumens: 3280
Delivered Lumens: 2270
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Remote
Dimming Type: 0-10V
Bulb Max Wattage: 26

- Satin Nickel w/Clear Faceted Acrylic* **2151.13C**
- Satin Nickel w/White Optical Acrylic* **2151.13W**
- Satin Brass w/Clear Faceted Acrylic* **2151.38C**
- Satin Brass w/White Optical Acrylic* **2151.38W**



2152

Constellation Aquila Major

Dimensions:

Height: 39.25" Diameter: 37.75"
Canopy: Height: 0.5" Diameter: 4.5"
Hanging Details: 10' Adjustable Cord/Cable
Size: Major

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 20
Input Voltage: 120-277VAC
Wattage: 41
Initial Lumens: 5040
Delivered Lumens: 3500
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Remote
Dimming Type: 0-10V
Bulb Max Wattage: 41

- Satin Nickel w/Clear Faceted Acrylic* **2152.13C**
- Satin Nickel w/White Optical Acrylic* **2152.13W**
- Satin Brass w/Clear Faceted Acrylic* **2152.38C**
- Satin Brass w/White Optical Acrylic* **2152.38W**

**For 2700K add -27 at the end of the SKU number.*



21Q13-RC5512

Constellation®

Aquarius

Aquarius is "The Great One;" it is a broad constellation of uniform brightness across a vast space of sky. Expansive, covering a large range of space, Constellation Aquarius is available in sizes: Minor, Medius, and Major.



21Qxx-Rx3312

Constellation Aquarius Minor

Dimensions:

Height: 1.5" Width: 66.75" Length: 28"
Canopy: Height: 0.5" Diameter: 4.5"
Hanging Details: 10' Adjustable Cord/Cable
Size: Minor

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 100-277VAC
Wattage: 18
Initial Lumens: 2230
Delivered Lumens: 1560
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Remote
Dimming Type: TRIAC @ 120VAC / 0-10V
Bulb Max Wattage: 18

- Satin Nickel w/Clear Faceted Acrylic* **21Q13-RC3312**
- Satin Nickel w/White Optical Acrylic* **21Q13-RW3312**
- Satin Brass w/Clear Faceted Acrylic* **21Q38-RC3312**
- Satin Brass w/White Optical Acrylic* **21Q38-RW3312**



21Qxx-Rx5512

Constellation Aquarius Medius

Dimensions:

Height: 1.5" Width: 121.75" Length: 50.5"
Canopy: Height: 0.5" Diameter: 4.5"
Hanging Details: 10' Adjustable Cord/Cable
Size: Medius

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 100-277VAC
Wattage: 50
Initial Lumens: 6190
Delivered Lumens: 4330
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Remote
Dimming Type: TRIAC @ 120VAC / 0-10V
Bulb Max Wattage: 50

- Satin Nickel w/Clear Faceted Acrylic* **21Q13-RC5512**
- Satin Nickel w/White Optical Acrylic* **21Q13-RW5512**
- Satin Brass w/Clear Faceted Acrylic* **21Q38-RC5512**
- Satin Brass w/White Optical Acrylic* **21Q38-RW5512**



21Qxx-Rx7712

Constellation Aquarius Major

Dimensions:

Height: 1.5" Width: 177" Length: 73"
Canopy: Height: 0.5" Diameter: 4.5"
Hanging Details: 10' Adjustable Cord/Cable
Size: Major

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 100-277VAC
Wattage: 98
Initial Lumens: 12120
Delivered Lumens: 8490
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Remote
Dimming Type: TRIAC @ 120VAC / 0-10V
Bulb Max Wattage: 98

- Satin Nickel w/Clear Faceted Acrylic* **21Q13-RC7712**
- Satin Nickel w/White Optical Acrylic* **21Q13-RW7712**
- Satin Brass w/Clear Faceted Acrylic* **21Q38-RC7712**
- Satin Brass w/White Optical Acrylic* **21Q38-RW7712**

**For 2700K add -27 at the end of the SKU number.*



2162.38C-T

Constellation®

Andromeda

LED hubs connected in linear strands of various lengths are suspended to form dramatically powerful luminance within a vertical space. Available in a variety of sizes and configurations, with lens options of crystal facets or soft white, Constellation Andromeda can also be customized for your project.



2161-T

Constellation Andromeda Tall
6" Round LED Chandelier

Dimensions:

Height: 76" Diameter: 6"
Canopy: Height: 0.5" Diameter: 6"
Hanging Details: 10' Adjustable Cord
Size: Tall 6"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 18
Input Voltage: 100-277VAC
Wattage: 36
Initial Lumens: 3970
Delivered Lumens: 2790
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Remote
Dimming Type: TRIAC/ELV/0-10V
Bulb Max Wattage: 36

- Satin Nickel w/Clear Faceted Acrylic* **2161.13C-T**
- Satin Nickel w/White Optical Acrylic* **2161.13W-T**
- Satin Brass w/Clear Faceted Acrylic* **2161.38C-T**
- Satin Brass w/White Optical Acrylic* **2161.38W-T**

**For 2700K add -27 at the end of the SKU number.*



2161-S

Constellation Andromeda Short
6" Round LED Chandelier

Dimensions:

Height: 34" Diameter: 6"
Canopy: Height: 0.5" Diameter: 6"
Hanging Details: 10' Adjustable Cord
Size: Short 6"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 8
Input Voltage: 100-277VAC
Wattage: 16
Initial Lumens: 1770
Delivered Lumens: 1240
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Remote
Dimming Type: TRIAC/ELV/0-10V
Bulb Max Wattage: 16

- Satin Nickel w/Clear Faceted Acrylic* **2161.13C-S**
- Satin Nickel w/White Optical Acrylic* **2161.13W-S**
- Satin Brass w/Clear Faceted Acrylic* **2161.38C-S**
- Satin Brass w/White Optical Acrylic* **2161.38W-S**



2162-S

Constellation Andromeda Short
12" Round LED Chandelier

Dimensions:

Height: 39" Diameter: 12"
Canopy: Height: 1" Diameter: 12"
Hanging Details: 10' Adjustable Cord
Size: Short 12"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 26
Input Voltage: 100-277VAC
Wattage: 52
Initial Lumens: 5730
Delivered Lumens: 4030
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Remote
Dimming Type: TRIAC/ELV/0-10V
Bulb Max Wattage: 52

- Satin Nickel w/Clear Faceted Acrylic* **2162.13C-S**
- Satin Nickel w/White Optical Acrylic* **2162.13W-S**
- Satin Brass w/Clear Faceted Acrylic* **2162.38C-S**
- Satin Brass w/White Optical Acrylic* **2162.38W-S**



2162-T

Constellation Andromeda Tall
12" Round LED Chandelier

Dimensions:

Height: 78" Diameter: 12"
Canopy: Height: 1" Diameter: 12"
Hanging Details: 10' Adjustable Cord
Size: Tall 12"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 55
Input Voltage: 100-277VAC
Wattage: 110
Initial Lumens: 12120
Delivered Lumens: 8530
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Remote
Dimming Type: 0-10V
Bulb Max Wattage: 110

- Satin Nickel w/Clear Faceted Acrylic* **2162.13C-T**
- Satin Nickel w/White Optical Acrylic* **2162.13W-T**
- Satin Brass w/Clear Faceted Acrylic* **2162.38C-T**
- Satin Brass w/White Optical Acrylic* **2162.38W-T**



2164

Constellation Andromeda
25" Round LED Chandelier

Dimensions:

Height: 94" Diameter: 25"
Canopy: Height: 1" Diameter: 25"
Hanging Details: 10' Adjustable Cord
Size: 25"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 156
Input Voltage: 100-277VAC
Wattage: 312
Initial Lumens: 34380
Delivered Lumens: 24180
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Remote
Dimming Type: 0-10V
Bulb Max Wattage: 312

- Satin Nickel w/Clear Faceted Acrylic* **2164.13C**
- Satin Nickel w/White Optical Acrylic* **2164.13W**
- Satin Brass w/Clear Faceted Acrylic* **2164.38C**
- Satin Brass w/White Optical Acrylic* **2164.38W**

**For 2700K add -27 at the end of the SKU number.*



2165

Constellation Andromeda
24" Square LED Chandelier

Dimensions:

Height: 67" Width: 24" Length: 24"
Canopy: Height: 1" Diameter: 24"
Hanging Details: 10' Adjustable Cord
Size: 24"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 96
Input Voltage: 100-277VAC
Wattage: 192
Initial Lumens: 21120
Delivered Lumens: 12460
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Remote
Dimming Type: 0-10V
Bulb Max Wattage: 192

- Satin Nickel w/Clear Faceted Acrylic* **2165.13C**
- Satin Nickel w/White Optical Acrylic* **2165.13W**
- Satin Brass w/Clear Faceted Acrylic* **2165.38C**
- Satin Brass w/White Optical Acrylic* **2165.38W**



2166

Constellation Andromeda
36" Rectangle LED Chandelier

Dimensions:

Height: 75" Width: 36" Length: 8"
Canopy: Height: 1" Diameter: 36"
Hanging Details: 10' Adjustable Cord
Size: 36"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 69
Input Voltage: 100-277VAC
Wattage: 138
Initial Lumens: 15210
Delivered Lumens: 10700
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Remote
Dimming Type: 0-10V
Bulb Max Wattage: 138

- Satin Nickel w/Clear Faceted Acrylic* **2166.13C**
- Satin Nickel w/White Optical Acrylic* **2166.13W**
- Satin Brass w/Clear Faceted Acrylic* **2166.38C**
- Satin Brass w/White Optical Acrylic* **2166.38W**



Constellation®

Cosmic Cube

Connected in linear strands, a dramatically suspended array of LED hubs forms the geometry of a bold cube of dazzling luminance. Scaled in two sizes, Cosmic Cube can be ordered in 20” and 30” configurations, or customized for your project.



2168.38W



2169

Constellation Cosmic Cube
30" LED Chandelier

Dimensions:

Height: 45" Width: 30" Length: 30"
Canopy: Height: 2" Width: 30" Length: 30"
Hanging Details: 10' Adjustable Cord
Size: 30"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 245
Input Voltage: 100-277VAC
Wattage: 490
Initial Lumens: 53990
Delivered Lumens: 37980
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 2
Power Supply Location: Canopy
Dimming Type: 0-10V
Bulb Max Wattage: 490

- Satin Nickel w/Clear Faceted Acrylic* **2169.13C**
- Satin Nickel w/White Optical Acrylic* **2169.13W**
- Satin Brass w/Clear Faceted Acrylic* **2169.38C**
- Satin Brass w/White Optical Acrylic* **2169.38W**



2168

Constellation Cosmic Cube
20" LED Chandelier

Dimensions:

Height: 36" Width: 20.5" Length: 20.5"
Canopy: Height: 2" Width: 20.5" Length: 20.5"
Hanging Details: 10' Adjustable Cord
Size: 20"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 100
Input Voltage: 100-277VAC
Wattage: 200
Initial Lumens: 22040
Delivered Lumens: 15500
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 2
Power Supply Location: Canopy
Dimming Type: 0-10V
Bulb Max Wattage: 200

- Satin Nickel w/Clear Faceted Acrylic* **2168.13C**
- Satin Nickel w/White Optical Acrylic* **2168.13W**
- Satin Brass w/Clear Faceted Acrylic* **2168.38C**
- Satin Brass w/White Optical Acrylic* **2168.38W**

*For 2700K add -27 at the end of the SKU number.



2170.37C

Constellation®

Hedron

Hedron is composed of triangular frames connected in tension by illuminated LED hubs to form a spectacular structure of large circumference with dazzling scale and precision.



2170

Constellation Hedron

Dimensions:

Height: 45.75" Diameter: 45"
Canopy: Height: 2" Diameter: 8"
Hanging Details: 6' Adjustable Cord/Cable

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 40
Input Voltage: 100-277VAC
Wattage: 80
Initial Lumens: 8850
Delivered Lumens: 5200
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Canopy
Dimming Type: TRIAC/ELV/0-10V
Bulb Max Wattage: 80

- Satin Nickel w/White Optical Acrylic **2170.13W**
- Polished Black Nickel w/Clear Faceted Acrylic **2170.37C**



2172.38C



2172

48" Centaurus Cylinder LED Chandelier

Dimensions:

Height: 47" Diameter: 48"
Canopy: Height: 2.5" Diameter: 48"
Hanging Details: 10' Adjustable Cord
Size: Cylinder

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 390
Input Voltage: 100-277VAC
Wattage: 780
Initial Lumens: 86000
Delivered Lumens: 60500
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 3
Power Supply Location: Canopy
Dimming Type: TRIAC @ 120VAC /ELV @ 120VAC /0-10V

- Satin Nickel w/Clear Faceted Acrylic* **2172.13C**
- Satin Nickel w/White Optical Acrylic* **2172.13W**
- Satin Brass w/Clear Faceted Acrylic* **2172.38C**
- Satin Brass w/White Optical Acrylic* **2172.38W**



2174

48" Centaurus Pyramid LED Chandelier

Dimensions:

Height: 60.25" Diameter: 48"
Canopy: Height: 2.5" Diameter: 48"
Hanging Details: 10' Adjustable Cord
Size: Pyramid

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 204
Input Voltage: 100-277VAC
Wattage: 408
Initial Lumens: 45000
Delivered Lumens: 31600
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 3
Power Supply Location: Canopy
Dimming Type: TRIAC @ 120VAC /ELV @ 120VAC /0-10V

- Satin Nickel w/Clear Faceted Acrylic* **2174.13C**
- Satin Nickel w/White Optical Acrylic* **2174.13W**
- Satin Brass w/Clear Faceted Acrylic* **2174.38C**
- Satin Brass w/White Optical Acrylic* **2174.38W**

**For 2700K add -27 at the end of the SKU number.*



2174.38W

Constellation®

Centaurus

Vertically suspended linear strands of silver or brass rods support multiple luminous hubs of dazzling radiance. Arranged in tiered or cylindrical volumes, the Centaurus chandeliers provide a spectacular, exciting, and dramatically luxurious presence to a modern or transitional environment.



1885.16C

Constellation®

Galaxy Matrix

The dazzling luminance of double-sided lensed LED hubs are captured in a mesh-like weave. These expansive triangular or rectilinear arrays can be suspended vertically or captured within tubular frames to span space horizontally across a plane. The points of light radiate illumination through the option of faceted crystal or soft white lenses. Galaxy Matrix can also be customized for your project.



1884

Constellation Galaxy Matrix
Small Arrow LED Chandelier

Dimensions:

Height: 71" Diameter: 58"
Canopy: Height: 2.25" Diameter: 14"
Hanging Details: 20' Adjustable Cable
Size: Small

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 120
Input Voltage: 100-277VAC
Wattage: 150
Initial Lumens: 14000
Delivered Lumens: 12000
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 2
Power Supply Location: Canopy
Dimming Type: TRIAC @ 120VAC /ELV @ 120VAC /0-10V

Bright Satin Aluminum
w/Clear Faceted Acrylic **1884.16C**



1885

Constellation Galaxy Matrix
Arrow LED Chandelier

Dimensions:

Height: 95.25" Diameter: 78"
Canopy: Height: 2.25" Diameter: 14"
Hanging Details: 20' Adjustable Cable
Size: Standard

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 224
Input Voltage: 100-277VAC
Wattage: 280
Initial Lumens: 26250
Delivered Lumens: 22400
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 4
Power Supply Location: Canopy
Dimming Type: TRIAC @ 120VAC /ELV @ 120VAC /0-10V

Bright Satin Aluminum
w/Clear Faceted Acrylic **1885.16C**



1899.16C



1897

Constellation Galaxy Matrix
36" Round LED Chandelier

Dimensions:

Height: 9.5" Diameter: 38"
Canopy: Height: 2.25" Diameter: 8"
Hanging Details: 20' Adjustable Cable
Size: 36"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 29
Input Voltage: 100-277VAC
Wattage: 36
Initial Lumens: 3400
Delivered Lumens: 2900
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Canopy
Dimming Type: TRIAC @ 120VAC /ELV @ 120VAC /0-10V

Bright Satin Aluminum
w/Clear Faceted Acrylic **1897.16C**



1898

Constellation Galaxy Matrix
48" Round LED Chandelier

Dimensions:

Height: 9.5" Diameter: 49"
Canopy: Height: 2.25" Diameter: 8"
Hanging Details: 20' Adjustable Cable
Size: 48"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 37
Input Voltage: 100-277VAC
Wattage: 47
Initial Lumens: 4400
Delivered Lumens: 3700
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Canopy
Dimming Type: TRIAC @ 120VAC /ELV @ 120VAC /0-10V

Bright Satin Aluminum
w/Clear Faceted Acrylic **1898.16C**



1899

Constellation Galaxy Matrix
60" Round LED Chandelier

Dimensions:

Height: 9.5" Diameter: 60.75"
Canopy: Height: 2.25" Diameter: 8"
Hanging Details: 20' Adjustable Cable
Size: 60"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 55
Input Voltage: 100-277VAC
Wattage: 69
Initial Lumens: 6500
Delivered Lumens: 5500
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Canopy
Dimming Type: TRIAC @ 120VAC /ELV @ 120VAC /0-10V

Bright Satin Aluminum
w/Clear Faceted Acrylic **1899.16C**



Left: 24Z0003 Top: 24Z0004



24Z0003

Cubix

Chandelier

Cubix LED Chandelier brings volume and constructive interest to modern space. Arrayed in precisely interconnected relationships, these suspended cubes are joined to each other by a shared leg on each frame. With each cube set at one of four vertical positions to the next, the construction allows for expansive horizontal and vertical arrays across the plane and height of a space.

Cubix

Surface

Low-profile Cubix Surface allows for ceiling surface mounting or suspended installation where a minimal height is desired across the plane of a space. Used as single fixtures, clusters, linear patterns, or configured for expansive arrangements across larger spaces, Cubix Surface expands the utility and aesthetic application of the Cubix lighting system.





24Z0006



24Z0001

Cubix 4-Light LED Chandelier

Dimensions:

Height: 28.5" Width: 48.5" Length: 36.5"
Canopy: Height: 0.5" Width: 4.5" Length: 4.5"
Hanging Details: 6' Adjustable Cord/Cable
Size: 4-Light

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 4
Input Voltage: 120-277VAC
Wattage: 50
Initial Lumens: 4600
Delivered Lumens: 2000
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Remote
Dimming Type: TRIAC / ELV
Bulb Max Wattage: 50

Satin Black **24Z0001**



24Z0003

Cubix 12-Light LED Chandelier

Dimensions:

Height: 44.5" Width: 120.5" Length: 60.5"
Canopy: Height: 0.5" Width: 4.5" Length: 4.5"
Hanging Details: 6' Adjustable Cord/Cable
Size: 12-Light

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 12
Input Voltage: 100-277VAC
Wattage: 148
Initial Lumens: 13800
Delivered Lumens: 6000
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 2
Power Supply Location: Remote
Dimming Type: TRIAC @ 120VAC /ELV @ 120VAC /0-10V
Bulb Max Wattage: 148

Satin Black **24Z0003**



24Z0002

Cubix 6-Light LED Chandelier

Dimensions:

Height: 28.5" Width: 72.5" Length: 36.5"
Canopy: Height: 0.5" Width: 4.5" Length: 4.5"
Hanging Details: 6' Adjustable Cord/Cable
Size: 6-Light

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 6
Input Voltage: 100-277VAC
Wattage: 74
Initial Lumens: 6900
Delivered Lumens: 3000
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Remote
Dimming Type: TRIAC @ 120VAC /ELV @ 120VAC /0-10V
Bulb Max Wattage: 74

Satin Black **24Z0002**



24Z0004

Cubix 9-Light Vertical LED Chandelier

Dimensions:

Height: 72.5" Width: 36.5" Length: 36.5"
Canopy: Height: 0.5" Width: 4.5" Length: 4.5"
Hanging Details: 6' Adjustable Cord/Cable
Size: 9-Light Vertical

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 9
Input Voltage: 100-277VAC
Wattage: 112
Initial Lumens: 10400
Delivered Lumens: 4500
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Remote
Dimming Type: TRIAC @ 120VAC /ELV @ 120VAC /0-10V
Bulb Max Wattage: 112

Satin Black **24Z0004**



24Z0005

Cubix 1-Light Short LED Surface Mount

Dimensions:

Height: 4.75" Width: 12.5" Length: 12.5"
Canopy: Height: 0.75" Width: 12.5" Length: 12.5"
Size: 1-Light Short

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 12
Initial Lumens: 1150
Delivered Lumens: 500
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC / ELV
Bulb Max Wattage: 12

Satin Black **24Z0005**



24Z0008

Cubix 1-Light Medium LED Surface Mount

Dimensions:

Height: 8.75" Width: 12.5" Length: 12.5"
Canopy: Height: 0.75" Width: 12.5" Length: 12.5"
Size: 1-Light Medium

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 12
Initial Lumens: 1150
Delivered Lumens: 500
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC / ELV
Bulb Max Wattage: 12

Satin Black **24Z0008**



24Z0009

Cubix 1-Light Tall LED Surface Mount

Dimensions:

Height: 12.75" Width: 12.5" Length: 12.5"
Canopy: Height: 0.75" Width: 12.5" Length: 12.5"
Size: 1-Light Tall

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 12
Initial Lumens: 1150
Delivered Lumens: 500
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC / ELV
Bulb Max Wattage: 12

Satin Black **24Z0009**



24Z0006

Cubix 3-Light LED Surface Mount

Dimensions:

Height: 8.75" Width: 36.5" Length: 24.5"
Canopy: Height: 0.75" Width: 12.5" Length: 12.5"
Size: 3-Light

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 3
Input Voltage: 100-277VAC
Wattage: 37
Initial Lumens: 3500
Delivered Lumens: 1500
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Remote
Dimming Type: TRIAC @ 120VAC /ELV @ 120VAC /0-10V
Bulb Max Wattage: 37

Satin Black **24Z0006**



24Z0007

Cubix 7-Light LED Surface Mount

Dimensions:

Height: 12.75" Width: 84.5" Length: 36.5"
Canopy: Height: 0.75" Width: 12.5" Length: 12.5"
Size: 7-Light

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 7
Input Voltage: 100-277VAC
Wattage: 87
Initial Lumens: 8100
Delivered Lumens: 3500
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Remote
Dimming Type: TRIAC @ 120VAC /ELV @ 120VAC /0-10V
Bulb Max Wattage: 87

Satin Black **24Z0007**



22QKRR01120PHA



Ola

Ola is a softly flowing modular system of linear elements that can be suspended individually or connected in multiple arrangements. Connected end to end they can form a continuous ribbon of light in a nearly limitless linear configuration.



Custom Configuration



22QKRT01120PHA



22QxRL01120PHA

Ola Single Linear LED Pendant

Dimensions:

Height: 7.5" Width: 28" Length: 2.5"
Canopy: Height: 0.5" Diameter: 4.5"
Hanging Details: 6' Adjustable Cord/Cable
Size: Single Linear

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 12
Initial Lumens: 1100
Delivered Lumens: 700
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
Bulb Max Wattage: 12

Satin Black **22QKRL01120PHA**
Satin White **22QWRL01120PHA**



22QxCL02120PHA

Ola Double Linear LED Pendant

Dimensions:

Height: 7.5" Width: 55" Length: 2.5"
Canopy: Height: 2" Diameter: 6"
Hanging Details: 6' Adjustable Cord/Cable
Size: Double Linear

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 2
Input Voltage: 120VAC
Wattage: 24
Initial Lumens: 2200
Delivered Lumens: 1400
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Canopy
Dimming Type: TRIAC/ELV
Bulb Max Wattage: 24

Satin Black **22QKCL02120PHA**
Satin White **22QWCL02120PHA**



22QxCL03120PHA

Ola Triple Linear LED Pendant

Dimensions:

Height: 7.5" Width: 82" Length: 2.5"
Canopy: Height: 2" Diameter: 6"
Hanging Details: 6' Adjustable Cord/Cable
Size: Triple Linear

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 3
Input Voltage: 120VAC
Wattage: 36
Initial Lumens: 3300
Delivered Lumens: 2100
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Canopy
Dimming Type: TRIAC/ELV
Bulb Max Wattage: 36

Satin Black **22QKCL03120PHA**
Satin White **22QWCL03120PHA**



22QxCT01120PHA

Ola Tri-Star LED Pendant

Dimensions:

Height: 7.5" Diameter: 55"
Canopy: Height: 2" Diameter: 6"
Hanging Details: 6' Adjustable Cord/Cable
Size: Tri-Star

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 3
Input Voltage: 120VAC
Wattage: 36
Initial Lumens: 3600
Delivered Lumens: 2100
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Canopy
Dimming Type: TRIAC/ELV
Bulb Max Wattage: 36

Satin Black **22QKCT01120PHA**
Satin White **22QWCT01120PHA**



22QxRR01120PHA

Ola Single Ring LED Pendant

Dimensions:

Height: 7.5" Diameter: 54"
Canopy: Height: 2" Diameter: 6"
Hanging Details: 6' Adjustable Cord/Cable
Size: Single Ring

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 6
Input Voltage: 100-277VAC
Wattage: 72
Initial Lumens: 6600
Delivered Lumens: 4200
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Remote
Dimming Type: TRIAC @ 120VAC /ELV @ 120VAC /0-10V
Bulb Max Wattage: 72

Satin Black **22QKRR01120PHA**
Satin White **22QWRR01120PHA**



1785.16-CYL

Systema Staccato

Lightly scaled geometric elements form expansive intersecting or linear constructions of modern minimalism in a variety of configurations with a range of available luminaires. Crisp rectilinear bars support minimal tubular elements with luminous trims, extensions, or shaded reflectors for general and directed lighting functionality.



1785.25-PAN



1785.14-CON

Systema Staccato

Linear Pendant

Systema Staccato Linear Pendants are available in multiple sizes and are easy to customize with cone, pan, or drum shades. The Systema Staccato Linear Pendant includes Drum Trims. If you are not using a configuration with shades, you can select alternate trims, which can be ordered separately.



1783

Systema Staccato 3-Light Linear Pendant

Dimensions:

Height: 6" Width: 29.25" Length: 1.25"
Canopy: Height: 0.5" Diameter: 4.5"
Hanging Details: 20' Adjustable Cable
Size: 3-Light

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 3
Input Voltage: 120VAC
Wattage: 12
Initial Lumens: 900
Delivered Lumens: 450
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC / ELV

Brass Finish	**1783.14**
Bright Satin Aluminum	**1783.16**
Satin Black	**1783.25**



1784

Systema Staccato 4-Light Linear Pendant

Dimensions:

Height: 6" Width: 43" Length: 1.25"
Canopy: Height: 2" Width: 16.75" Length: 5.25"
Hanging Details: 20' Adjustable Cable
Size: 4-Light

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 4
Input Voltage: 120VAC
Wattage: 18
Initial Lumens: 1200
Delivered Lumens: 600
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Canopy
Dimming Type: TRIAC / ELV

Brass Finish	**1784.14**
Bright Satin Aluminum	**1784.16**
Satin Black	**1784.25**



1785

Systema Staccato 5-Light Linear Pendant

Dimensions:

Height: 6" Width: 57" Length: 1.25"
Canopy: Height: 0.5" Diameter: 4.5"
Hanging Details: 20' Adjustable Cable
Size: 5-Light

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 5
Input Voltage: 120VAC
Wattage: 21
Initial Lumens: 1500
Delivered Lumens: 750
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC / ELV

Brass Finish	**1785.14**
Bright Satin Aluminum	**1785.16**
Satin Black	**1785.25**

Shades

Alternate Trims and Shades are ordered separately



Drum Shade

SHD.1783.14-CYL
SHD.1783.16-CYL (Shown)
SHD.1783.25-CYL



Pan Shade

SHD.1783.14-PAN (Shown)
SHD.1783.16-PAN
SHD.1783.25-PAN



Shallow Cone Shade

SHD.1783.14-CON
SHD.1783.16-CON
SHD.1783.25-CON (Shown)



1791.25

Systema Staccato

Chandelier

Lightly scaled geometric elements form expansive intersecting or linear constructions of modern minimalism in a variety of configurations with a range of available luminaires. Crisp rectilinear bars support minimal tubular elements with luminous trims, extensions, or shaded reflectors for general and directed lighting functionality.



1788.14





1788

Systema Staccato Offset Chandelier

Dimensions:

Height: 24" Width: 57" Length:57"
Canopy: Height: 2" Width: 16.75" Length: 7.5"
Hanging Details: 20' Adjustable Cable
Size: Standard

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 28
Input Voltage: 120-277VAC
Wattage: 84
Initial Lumens: 8400
Delivered Lumens: 4200
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Canopy
Dimming Type: TRIAC @ 120VAC /ELV @ 120VAC /0-10V

Brass Finish	**1788.14**
Bright Satin Aluminum	**1788.16**
Satin Black	**1788.25**

1791

Systema Staccato Hash Chandelier

Dimensions:

Height: 16.5" Width: 71" Length: 71"
Canopy: Height: 2" Width: 15.75" Length: 15.75"
Hanging Details: 20' Adjustable Cable
Size: Standard

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 28
Input Voltage: 120-277VAC
Wattage: 84
Initial Lumens: 8400
Delivered Lumens: 4200
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Canopy
Dimming Type: TRIAC @ 120VAC /ELV @ 120VAC /0-10V

Brass Finish	**1791.14**
Bright Satin Aluminum	**1791.16**
Satin Black	**1791.25**



3445.25



3442.03

Turo

Turo elemental building blocks—rail bars and modular adjustable LED sconce planes—create sculptural vertical surface and compositional unity with light and shadow.
Scaled for residential, hospitality, and commercial settings for an enduring modern presence.



3445.03



3440

Turo Small Sconce

Dimensions:

Height: 6.5" Width: 6.5"
Minimum Extension: 2.75"
Maximum Extension: 4"
Size: Small

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 100-277VAC
Wattage: 5
Initial Lumens: 450
Delivered Lumens: 140
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Remote
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V
ADA
Optional 4.5" outlet box cover available, which enables outlet box mounting of LED driver.

Satin Black **3440.25**
Satin White **3440.03**



3441

Turo Medium Sconce

Dimensions:

Height: 6.5" Width: 10"
Minimum Extension: 2.75"
Maximum Extension: 4"
Size: Medium

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 100-277VAC
Wattage: 7
Initial Lumens: 650
Delivered Lumens: 260
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Remote
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V
ADA
Optional 4.5" outlet box cover available, which enables outlet box mounting of LED driver.

Satin Black **3441.25**
Satin White **3441.03**



3442

Turo Large Sconce

Dimensions:

Height: 6.5" Width: 13"
Minimum Extension: 2.75"
Maximum Extension: 4"
Size: Large

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 100-277VAC
Wattage: 9
Initial Lumens: 790
Delivered Lumens: 360
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Remote
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V
ADA
Optional 4.5" outlet box cover available, which enables outlet box mounting of LED driver.

Satin Black **3442.25**
Satin White **3442.03**



3445

Turo 55" Rail Kit

Dimensions:

Height: 6.5" Width: 55.25"
Minimum Extension: 2.75"
Maximum Extension: 4"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 6
Input Voltage: 100-277VAC
Wattage: 41
Initial Lumens: 3440
Delivered Lumens: 1520
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Remote
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V
ADA
Optional 4.5" outlet box cover available, which enables outlet box mounting of LED driver.

Satin Black **3445.25**
Satin White **3445.03**



Custom Configuration

Purolinear 360

A system of linear tubes, set within the geometry of surface-mounted cylinder brackets, rotate individually to direct LED illumination in 360 degrees along their axis. Arranged in a linear pattern or along a single path, the possibilities for compositions are endless and unlimited in scalability. Set on a wall, in line behind a bed, the rotatable luminaires provide the variability of direct or indirect illumination. Arranged along a large wall in an extensive intersecting pattern, the composition forms a dramatic sculptural light-scape.
In a bath, the rotatable light tubes of Purolinear 360 can be arranged to surround a mirror on all four sides. This system creates dramatically variable illumination across large planes or narrow lengths of surfaces. Its rotatable light can run along a narrow hallway or around the perimeter of a large ceiling, the perfect geometry of light as an architectural element of a modern space.



23QxxL120B120PHA

Purolinear 360 24" Linear Wall Bar

Dimensions:

Height: 1.25" Width: 24.75"
Extends: 2.75"
Wall Plate Diameter: 4.5"
Size: 24"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 7
Initial Lumens: 690
Delivered Lumens: 490
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
Bulb Max Wattage: 7
ADA

Polished Chrome	**23QPCL120B120PHA**
Satin Chrome	**23QSCL120B120PHA**
Satin Black	**23QSKL120B120PHA**
Satin White	**23QSWL120B120PHA**

23QxxL233R120PHA

Purolinear 360 36" Double Linear Wall Bar

Dimensions:

Height: 1.25" Width: 73.25"
Extends: 2.75"
Wall Plate Diameter: 1.25"
Size: 36"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 2
Input Voltage: 100-277VAC
Wattage: 20
Initial Lumens: 1820
Delivered Lumens: 1300
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Remote
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V
Bulb Max Wattage: 20
ADA

Polished Chrome	**23QPCL233R120PHA**
Satin Chrome	**23QSCL233R120PHA**
Satin Black	**23QSKL233R120PHA**
Satin White	**23QSWL233R120PHA**



23QxxL244B120PHA

Purolinear 360 36" Double Linear Wall Bar

Dimensions:

Height: 1.25" Width: 97.25"
Extends: 2.75"
Wall Plate Diameter: 4.5"
Size: 48"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 2
Input Voltage: 120VAC
Wattage: 24
Initial Lumens: 2240
Delivered Lumens: 1600
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
Bulb Max Wattage: 24
ADA

Polished Chrome	**23QPCL244B120PHA**
Satin Chrome	**23QSCL244B120PHA**
Satin Black	**23QSKL244B120PHA**
Satin White	**23QSWL244B120PHA**



23QxxN122R120PHA

Purolinear 360 24" Single N Wall Bar

Dimensions:

Height: 24.75" Width: 24.75"
Extends: 2.75"
Wall Plate Diameter: 2"
Size: 24"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 3
Input Voltage: 100-277VAC
Wattage: 7
Initial Lumens: 2070
Delivered Lumens: 1470
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Remote
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V
Bulb Max Wattage: 7
ADA

Polished Chrome	**23QPCN122R120PHA**
Satin Chrome	**23QSCN122R120PHA**
Satin Black	**23QSKN122R120PHA**
Satin White	**23QSWN122R120PHA**



23QxxN222R120PHA

Purolinear 360 24" Double N Wall Bar

Dimensions:

Height: 24.75" Width: 49.25"
Extends: 2.75"
Wall Plate Diameter: 2"
Size: 24"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 4
Input Voltage: 100-277VAC
Wattage: 7
Initial Lumens: 2760
Delivered Lumens: 1960
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Remote
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V
Bulb Max Wattage: 7
ADA

Polished Chrome	**23QPCN222R120PHA**
Satin Chrome	**23QSCN222R120PHA**
Satin Black	**23QSKN222R120PHA**
Satin White	**23QSWN222R120PHA**



23QxxSR22R120PHA

Purolinear 360 24" Square Wall Bar

Dimensions:

Height: 24.75" Width: 24.75"
Extends: 2.75"
Wall Plate Diameter: 2"
Size: 24"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 4
Input Voltage: 100-277VAC
Wattage: 7
Initial Lumens: 2760
Delivered Lumens: 1960
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Remote
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V
Bulb Max Wattage: 7
ADA

Polished Chrome	**23QPCSR22R120PHA**
Satin Chrome	**23QSCSR22R120PHA**
Satin Black	**23QSKSR22R120PHA**
Satin White	**23QSWSR22R120PHA**



23QSKSR24R120PHA



23QxxSR24R120PHA

Purolinear 360 24"/48" Rectangle Wall Bar

Dimensions:

Height: 48.75" Width: 24.75"
Extends: 2.75"
Wall Plate Diameter: 2"
Size: 24"/48"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 4
Input Voltage: 100-277VAC
Wattage: 36
Initial Lumens: 3620
Delivered Lumens: 2590
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Remote
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V
Bulb Max Wattage: 36
ADA

Polished Chrome	**23QPCSR24R120PHA**
Satin Chrome	**23QSCSR24R120PHA**
Satin Black	**23QSKSR24R120PHA**
Satin White	**23QSWSR24R120PHA**

Labyrinth

Timely and timeless, Labyrinth's systematic structure—an intersecting tubular LED framework in combination with cast pin connections—creates dynamic geometric order.





2099.14



2105.25



2102.25



2099

Labyrinth Intersections Chandelier

Dimensions:

Height: 44.75" Width: 101.25" Length:65.75"
Canopy: Width: 10.5" Depth: 10.5" Height: 2"
Hanging Details: 20' Adjustable Cable
Size: Large

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120-277VAC
Wattage: 136
Initial Lumens: 12700
Delivered Lumens: 9825
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 2
Power Supply Location: Canopy
Dimming Type: TRIAC @ 120VAC /ELV @ 120VAC /0-10V
Bulb Max Wattage: 190

Brass Finish	**2099.14**
Satin Black	**2099.25**



2102

Labyrinth Intersections Medium Chandelier

Dimensions:

Height: 44.75" Width: 63" Length:52.72"
Canopy: Diameter: 5" Height: 2"
Hanging Details: 20' Adjustable Cable
Size: Medium

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120-277VAC
Wattage: 56
Initial Lumens: 5250
Delivered Lumens: 3530
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Canopy
Dimming Type: TRIAC @ 120VAC /ELV @ 120VAC /0-10V
Bulb Max Wattage: 56

Brass Finish	**2102.14**
Satin Black	**2102.25**



2105

Labyrinth Square Medium Chandelier

Dimensions:

Height: 18.75" Width: 74.25" Length:69"
Canopy: Diameter: 5" Height: 2"
Hanging Details: 20' Adjustable Cable
Size: Medium

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120-277VAC
Wattage: 112
Initial Lumens: 10500
Delivered Lumens: 6710
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 2
Power Supply Location: Canopy
Dimming Type: TRIAC @ 120VAC /ELV @ 120VAC /0-10V
Bulb Max Wattage: 112

Brass Finish	**2105.14**
Satin Black	**2105.25**



2806.25

Tik-Tak®

LED rods are suspended in tandem pairs on multiple levels, perpendicular to each other. Each rod can be independently positioned as up or down light, and adjusted with infinite variability to any height along the suspension cables. Dramatic in the precision of their orientation and range of verticality, Tik-Tak brings a crisp presence to the volume of space.



2801

Tik-Tak Tandem Chandelier

Dimensions:

Height: 0.75" Width: 47.5" Length: 7.25"
Canopy: Height: 1" Width: 7.75" Length:7.75"
Hanging Details: 10' Adjustable Cable
Size: Tandem

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 4
Input Voltage: 100-277VAC
Wattage: 20
Initial Lumens: 2280
Delivered Lumens: 1250
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Remote
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V
Bulb Max Wattage: 20

Polished Chrome	**2801.01**
Satin White	**2801.03**
Satin Nickel	**2801.13**
Satin Black	**2801.25**



2802

Tik-Tak Stack 2-Tier Chandelier

Dimensions:

Height: 4.25" -73.5" Max Width: 47.5" Length: 47.5"
Canopy: Height: 1" Width: 7.75" Length:7.75"
Hanging Details: 10' Adjustable Cable
Size: Stack 2-Tier

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 81
Input Voltage: 100-277VAC
Wattage: 41
Initial Lumens: 4550
Delivered Lumens: 2500
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Remote
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V
Bulb Max Wattage: 41

Polished Chrome	**2802.01**
Satin White	**2802.03**
Satin Nickel	**2802.13**
Satin Black	**2802.25**



2803

Tik-Tak Stack 3-Tier Chandelier

Dimensions:

Height: 5.5" -73.5" Max Width: 47.5" Length: 47.5"
Canopy: Height: 1" Width: 7.75" Length:7.75"
Hanging Details: 10' Adjustable Cable
Size: Stack 3-Tier

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 12
Input Voltage: 100-277VAC
Wattage: 61
Initial Lumens: 6820
Delivered Lumens: 3750
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Remote
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V
Bulb Max Wattage: 61

Polished Chrome	**2803.01**
Satin White	**2803.03**
Satin Nickel	**2803.13**
Satin Black	**2803.25**



2804

Tik-Tak Stack 4-Tier Chandelier

Dimensions:

Height: 6.75" -73.5" Max Width: 47.5" Length: 47.5"
Canopy: Height: 1" Width: 7.75" Length:7.75"
Hanging Details: 10' Adjustable Cable
Size: Stack 4-Tier

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 16
Input Voltage: 100-277VAC
Wattage: 82
Initial Lumens: 9100
Delivered Lumens: 5000
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Remote
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V
Bulb Max Wattage: 82

Polished Chrome	**2804.01**
Satin White	**2804.03**
Satin Nickel	**2804.13**
Satin Black	**2804.25**



2805

Tik-Tak Stack 5-Tier Chandelier

Dimensions:

Height: 8" -73.5" Max Width: 47.5" Length: 47.5"
Canopy: Height: 1" Width: 7.75" Length:7.75"
Hanging Details: 10' Adjustable Cable
Size: Stack 5-Tier

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 20
Input Voltage: 100-277VAC
Wattage: 102
Initial Lumens: 11370
Delivered Lumens: 6250
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Remote
Dimming Type: 0-10V
Bulb Max Wattage: 102

Polished Chrome	**2805.01**
Satin White	**2805.03**
Satin Nickel	**2805.13**
Satin Black	**2805.25**



2806

Tik-Tak Stack 6-Tier Chandelier

Dimensions:

Height: 9.25" -73.5" Max Width: 47.5" Length: 47.5"
Canopy: Height: 1" Width: 7.75" Length:7.75"
Hanging Details: 10' Adjustable Cable
Size: Stack 6-Tier

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 24
Input Voltage: 100-277VAC
Wattage: 123
Initial Lumens: 13640
Delivered Lumens: 7500
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Remote
Dimming Type: 0-10V
Bulb Max Wattage: 123

Polished Chrome	**2806.01**
Satin White	**2806.03**
Satin Nickel	**2806.13**
Satin Black	**2806.25**

Thin-Line

Wall Bar

A system of minimally scaled LED uplight/downlight wall bars, indirect light wall bars, and pendants, Thin-Line is offered in a variety of lengths, finishes, and lighting configurations. One-sided configurations direct light in a single direction, and can be mounted in an uplight or downlight orientation. Two-sided configurations direct light both up and down. Indirect configurations reflect light back onto the wall or mounting surface to radiate indirect illumination.



2814.03-6



2812.03-8

One-Sided Wall Bars

2810-3

3' One-Sided LED Wall Bar

Dimensions:

Height: 1" Width: 36" Length: 0.75"
Wall Plate: Height: 1" Width: 1"
Extension: 3.5"
Size: 3' One-Sided

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 19
Initial Lumens: 1110
Delivered Lumens: 670
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Remote
Dimming Type: TRIAC/ELV
ADA

Satin White	**2810.03-3**
Bright Satin Aluminum	**2810.16-3**
Satin Black	**2810.25-3**

2810-4

4' One-Sided LED Wall Bar

Dimensions:

Height: 1" Width: 48" Length: 0.75"
Wall Plate: Height: 1" Width: 1"
Extension: 3.5"
Size: 4' One-Sided

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 22
Initial Lumens: 1540
Delivered Lumens: 900
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Remote
Dimming Type: TRIAC/ELV
ADA

Satin White*	**2810.03-4**
Bright Satin Aluminum*	**2810.16-4**
Satin Black*	**2810.25-4**

2810-6

6' One-Sided LED Wall Bar

Dimensions:

Height: 1" Width: 72" Length: 0.75"
Wall Plate: Height: 1" Width: 1"
Extension: 3.5"
Size: 6' One-Sided

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 36
Initial Lumens: 2220
Delivered Lumens: 1350
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Remote
Dimming Type: TRIAC/ELV
ADA

Satin White	**2810.03-6**
Bright Satin Aluminum	**2810.16-6**
Satin Black	**2810.25-6**

2810-8

8' One-Sided LED Wall Bar

Dimensions:

Height: 1" Width: 96" Length: 0.75"
Wall Plate: Height: 1" Width: 1"
Extension: 3.5"
Size: 8' One-Sided

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 47
Initial Lumens: 3120
Delivered Lumens: 1800
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Remote
Dimming Type: TRIAC/ELV
ADA

Satin White	**2810.03-8**
Bright Satin Aluminum	**2810.16-8**
Satin Black	**2810.25-8**



2814.03-3

Two-Sided Wall Bars

2812-3

3' Two-Sided LED Wall Bar

Dimensions:

Height: 1" Width: 36" Length: 0.75"
Wall Plate: Height: 1" Width: 1"
Extension: 3.5"
Size: 3' Two-Sided

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 2
Input Voltage: 120VAC
Wattage: 38
Initial Lumens: 2220
Delivered Lumens: 1350
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 2
Power Supply Location: Remote
Dimming Type: TRIAC/ELV
ADA

Satin White	**2812.03-3**
Bright Satin Aluminum	**2812.16-3**
Satin Black	**2812.25-3**

2812-4

4' Two-Sided LED Wall Bar

Dimensions:

Height: 1" Width: 48" Length: 0.75"
Wall Plate: Height: 1" Width: 1"
Extension: 3.5"
Size: 4' Two-Sided

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 2
Input Voltage: 120VAC
Wattage: 44
Initial Lumens: 2910
Delivered Lumens: 1800
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 2
Power Supply Location: Remote
Dimming Type: TRIAC/ELV
ADA

Satin White*	**2812.03-4**
Bright Satin Aluminum*	**2812.16-4**
Satin Black *	**2812.25-4**

2812-6

6' Two-Sided LED Wall Bar

Dimensions:

Height: 1" Width: 72" Length: 0.75"
Wall Plate: Height: 1" Width: 1"
Extension: 3.5"
Size: 6' Two-Sided

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 2
Input Voltage: 120VAC
Wattage: 72
Initial Lumens: 4440
Delivered Lumens: 2700
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 2
Power Supply Location: Remote
Dimming Type: TRIAC/ELV
ADA

Satin White	**2812.03-6**
Bright Satin Aluminum	**2812.16-6**
Satin Black	**2812.25-6**

2812-8

8' Two-Sided LED Wall Bar

Dimensions:

Height: 1" Width: 96" Length: 0.75"
Wall Plate: Height: 1" Width: 1"
Extension: 3.5"
Size: 8' Two-Sided

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 2
Input Voltage: 120VAC
Wattage: 94
Initial Lumens: 6240
Delivered Lumens: 3590
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 2
Power Supply Location: Remote
Dimming Type: TRIAC/ELV
ADA

Satin White	**2812.03-8**
Bright Satin Aluminum	**2812.16-8**
Satin Black	**2812.25-8**

**For 2700K or 3500K add -27 or -35 at the end of the SKU number.*

Indirect Wall Bars

2814-3

3' Indirect LED Wall Bar

Dimensions:

Height: 0.75" Width: 36" Length: 1"
Wall Plate: Height: 0.75" Width: 1"
Extension: 3.5"
Size: 3'

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 19
Initial Lumens: 1110
Delivered Lumens: 670
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Remote
Dimming Type: TRIAC/ELV
ADA

Satin White	**2814.03-3**
Bright Satin Aluminum	**2814.16-3**
Satin Black	**2814.25-3**

2814-4

4' Indirect LED Wall Bar

Dimensions:

Height: 0.75" Width: 48" Length: 1"
Wall Plate: Height: 0.75" Width: 1"
Extension: 3.5"
Size: 4'

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 22
Initial Lumens: 1450
Delivered Lumens: 900
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Remote
Dimming Type: TRIAC/ELV
ADA

Satin White*	**2814.03-4**
Bright Satin Aluminum*	**2814.16-4**
Satin Black*	**2814.25-4**

2814-6

6' Indirect LED Wall Bar

Dimensions:

Height: 0.75" Width: 72" Length: 1"
Wall Plate: Height: 0.75" Width: 1"
Extension: 3.5"
Size: 6'

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 36
Initial Lumens: 2220
Delivered Lumens: 1350
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Remote
Dimming Type: TRIAC/ELV
ADA

Satin White	**2814.03-6**
Bright Satin Aluminum	**2814.16-6**
Satin Black	**2814.25-6**

2814-8

8' Indirect LED Wall Bar

Dimensions:

Height: 0.75" Width: 96" Length: 1"
Wall Plate: Height: 0.75" Width: 1"
Extension: 3.5"
Size: 8'

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 47
Initial Lumens: 3120
Delivered Lumens: 1800
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Remote
Dimming Type: TRIAC/ELV
ADA

Satin White	**2814.03-8**
Bright Satin Aluminum	**2814.16-8**
Satin Black	**2814.25-8**

**For 2700K or 3500K add -27 or -35 at the end of the SKU number.*



2818.03-6



Thin-Line

Pendant

A system of minimally scaled LED linear pendants, uplight/downlight wall bars, and indirect light wall bars, Thin-Line is offered in a variety of lengths, finishes, and lighting configurations. Thin-Line pendants are available in single- and double-sided configurations; the single-sided configurations can be installed as a downlight or up-light, providing direct or indirect illumination.

One-Sided Pendants

2816-3

3' One-Sided LED Pendant

Dimensions:

Height: 5" Width: 36" Length: 0.75"
Canopy: Height: 0.5" Diameter: 4.5"
Hanging Details: 6' Adjustable Cord
Size: 3' One-Sided

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 11
Initial Lumens: 1110
Delivered Lumens: 670
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Remote
Dimming Type: TRIAC/ELV
Bulb Max Wattage: 11

Satin White	**2816.03-3**
Bright Satin Aluminum	**2816.16-3**
Satin Black	**2816.25-3**

2816-4

4' One-Sided LED Pendant

Dimensions:

Height: 5" Width: 48" Length: 0.75"
Canopy: Height: 0.5" Diameter: 4.5"
Hanging Details: 6' Adjustable Cord
Size: 4' One-Sided

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 14
Initial Lumens: 1450
Delivered Lumens: 900
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Remote
Dimming Type: TRIAC/ELV
Bulb Max Wattage: 14

Satin White*	**2816.03-4**
Bright Satin Aluminum*	**2816.16-4**
Satin Black*	**2816.25-4**

2816-6

6' One-Sided LED Pendant

Dimensions:

Height: 5" Width: 72" Length: 0.75"
Canopy: Height: 0.5" Diameter: 4.5"
Hanging Details: 6' Adjustable Cord
Size: 6' One-Sided

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 21
Initial Lumens: 2220
Delivered Lumens: 1350
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Remote
Dimming Type: TRIAC/ELV
Bulb Max Wattage: 21

Satin White*	**2816.03-6**
Bright Satin Aluminum	**2816.16-6**
Satin Black*	**2816.25-6**

2816-8

8' One-Sided LED Pendant

Dimensions:

Height: 5" Width: 96" Length: 0.75"
Canopy: Height: 0.5" Diameter: 4.5"
Hanging Details: 6' Adjustable Cord
Size: 8' One-Sided

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 28
Initial Lumens: 3120
Delivered Lumens: 1800
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Remote
Dimming Type: TRIAC/ELV
Bulb Max Wattage: 28

Satin White	**2816.03-8**
Bright Satin Aluminum	**2816.16-8**
Satin Black	**2816.25-8**

Two-Sided Pendants

2818-3

3' Two-Sided LED Pendant

Dimensions:

Height: 5" Width: 36" Length: 0.75"
Canopy: Height: 0.5" Diameter: 4.5"
Hanging Details: 6' Adjustable Cord
Size: 3' Two-Sided

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 2
Input Voltage: 120VAC
Wattage: 21
Initial Lumens: 2220
Delivered Lumens: 1350
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 2
Power Supply Location: Remote
Dimming Type: TRIAC/ELV
Bulb Max Wattage: 21

Satin White	**2818.03-3**
Bright Satin Aluminum	**2818.16-3**
Satin Black	**2818.25-3**

2818-4

4' Two-Sided LED Pendant

Dimensions:

Height: 5" Width: 48" Length: 0.75"
Canopy: Height: 0.5" Diameter: 4.5"
Hanging Details: 6' Adjustable Cord
Size: 4' Two-Sided

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 2
Input Voltage: 120VAC
Wattage: 28
Initial Lumens: 2910
Delivered Lumens: 1800
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 2
Power Supply Location: Remote
Dimming Type: TRIAC/ELV
Bulb Max Wattage: 28

Satin White*	**2818.03-4**
Bright Satin Aluminum*	**2818.16-4**
Satin Black*	**2818.25-4**

2818-6

6' Two-Sided LED Pendant

Dimensions:

Height: 5" Width: 72" Length: 0.75"
Canopy: Height: 0.5" Diameter: 4.5"
Hanging Details: 6' Adjustable Cord
Size: 6' Two-Sided

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 2
Input Voltage: 120VAC
Wattage: 41
Initial Lumens: 4440
Delivered Lumens: 2700
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 2
Power Supply Location: Remote
Dimming Type: TRIAC/ELV
Bulb Max Wattage: 41

Satin White*	**2818.03-6**
Bright Satin Aluminum	**2818.16-6**
Satin Black*	**2818.25-6**

2818-8

8' Two-Sided LED Pendant

Dimensions:

Height: 5" Width: 96" Length: 0.75"
Canopy: Height: 0.5" Diameter: 4.5"
Hanging Details: 6' Adjustable Cord
Size: 8' Two-Sided

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 2
Input Voltage: 120VAC
Wattage: 55
Initial Lumens: 6240
Delivered Lumens: 3590
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 2
Power Supply Location: Remote
Dimming Type: TRIAC/ELV
Bulb Max Wattage: 55

Satin White	**2818.03-8**
Bright Satin Aluminum	**2818.16-8**
Satin Black	**2818.25-8**

**For 2700K or 3500K add -27 or -35 at the end of the SKU number.*



2818.03-6



2763.25

Stix

Chandelier

Stix LED Chandelier represents an arrangement of precise square LEDs that form a variety of illuminated mobile sculptures with freedom to arrange the composition and angles of the elements. LED illumination from the most minimal geometric profile achieves the Modernist architectural ideal of “Less is more.” Available as a 3-arm and 6-arm Chandelier and Bright Satin Aluminum and Satin Black finishes.



2763

Stix 3-Arm LED Chandelier

Dimensions:

Height: 3" Diameter: 40"
Canopy: Height: 1.25" Diameter: 8"
Hanging Details: 6' Adjustable Cable
Size: 3-Arm

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 3
Input Voltage: 100-277VAC
Wattage: 42
Initial Lumens: 4300
Delivered Lumens: 3989
Color Temperature: 3000K
CRI: 80
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Canopy
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V

Bright Satin Aluminum	**2763.16**
Satin Black	**2763.25**



2766

Stix 6-Arm LED Chandelier

Dimensions:

Height: 6" Diameter: 40"
Canopy: Height: 1.25" Diameter: 8"
Hanging Details: 6' Adjustable Cable
Size: 6-Arm

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 6
Input Voltage: 100-277VAC
Wattage: 84
Initial Lumens: 8600
Delivered Lumens: 8319
Color Temperature: 3000K
CRI: 80
Power Supply Type: Driver
Power Supply Quantity: 2
Power Supply Location: Canopy
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V

Bright Satin Aluminum	**2766.16**
Satin Black	**2766.25**



2771.25

Stix

Bath Bar

Stix LED Bath Bar’s simplicity of form brings pristine decorative interest to any luxurious setting. LED illumination from the most minimal geometric profile achieves the Modernist architectural ideal of “Less is more.” Available in four sizes: 18”, 24”, 32”, and 40” and three finishes: Bright Satin Aluminum, Satin Black, and Satin White.

2769

Stix 18" LED Bath Bar

Dimensions:

Height: 17.25" Width: 0.75"
Wall Plate: Height: 4.5" Width: 4.5"
Extension: 1.5"
Size: 18"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 16
Initial Lumens: 720
Delivered Lumens: 620
Color Temperature: 3000K
CRI: 90
Power Supply Type: Transformer
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: ELV
ADA

Satin White	**2769.03**
Bright Satin Aluminum	**2769.16**
Satin Black	**2769.25**

2770

Stix 24" LED Bath Bar

Dimensions:

Height: 24.75" Width: 0.75"
Wall Plate: Height: 4.5" Width: 4.5"
Extension: 1.5"
Size: 24"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 21
Initial Lumens: 1120
Delivered Lumens: 880
Color Temperature: 3000K
CRI: 90
Power Supply Type: Transformer
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: ELV
ADA

Satin White	**2770.03**
Bright Satin Aluminum	**2770.16**
Satin Black	**2770.25**

2771

Stix 32" LED Bath Bar

Dimensions:

Height: 32.25" Width: 0.75"
Wall Plate: Height: 4.5" Width: 4.5"
Extension: 1.5"
Size: 32"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 30
Initial Lumens: 1390
Delivered Lumens: 1150
Color Temperature: 3000K
CRI: 90
Power Supply Type: Transformer
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: ELV
ADA

Satin White	**2771.03**
Bright Satin Aluminum	**2771.16**
Satin Black	**2771.25**

2772

Stix 40" LED Bath Bar

Dimensions:

Height: 40" Width: 0.75"
Wall Plate: Height: 4.5" Width: 4.5"
Extension: 1.5"
Size: 40"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 35
Initial Lumens: 1750
Delivered Lumens: 1380
Color Temperature: 3000K
CRI: 90
Power Supply Type: Transformer
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: ELV
ADA

Satin White	**2772.03**
Bright Satin Aluminum	**2772.16**
Satin Black	**2772.25**



2791.16

Stix

Plus

Stix Plus LED Wall Bar can be installed in a vertical or a horizontal orientation. The minimal profile of Stix-Bars extended in lengths up to 8 feet, mounted as uninterrupted strips with remote power supplies. LED illumination from the most minimal geometric profile achieves the Modernist architectural ideal of “Less is more.”

2790

Stix Plus 48" LED Wall Bar

Dimensions:

Height: 49" Width: 0.75"
Extension: 1"
Size: 48"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 40
Initial Lumens: 2090
Color Temperature: 3000K
CRI: 90
Power Supply Type: Transformer
Power Supply Quantity: 1
Power Supply Location: Remote
Dimming Type: ELV
Bulb Max Wattage: 40
Optional 4" outlet box cover available
ADA

Satin White	**2790.03**
Bright Satin Aluminum	**2790.16**
Satin Black	**2790.25**

2791

Stix Plus 60" LED Wall Bar

Dimensions:

Height: 60.75" Width: 0.75"
Extension: 1"
Size: 60"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 44
Initial Lumens: 2660
Color Temperature: 3000K
CRI: 90
Power Supply Type: Transformer
Power Supply Quantity: 1
Power Supply Location: Remote
Dimming Type: ELV
Bulb Max Wattage: 44
Optional 4" outlet box cover available
ADA

Satin White	**2791.03**
Bright Satin Aluminum	**2791.16**
Satin Black	**2791.25**

2792

Stix Plus 72" LED Wall Bar

Dimensions:

Height: 72" Width: 0.75"
Extension: 1"
Size: 72"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 48
Initial Lumens: 3150
Color Temperature: 3000K
CRI: 90
Power Supply Type: Transformer
Power Supply Quantity: 1
Power Supply Location: Remote
Dimming Type: ELV
Bulb Max Wattage: 48
Optional 4" outlet box cover available
ADA

Satin White	**2792.03**
Bright Satin Aluminum	**2792.16**
Satin Black	**2792.25**

2794

Stix Plus 98" LED Wall Bar

Dimensions:

Height: 98.5" Width: 0.75"
Extension: 1"
Size: 98"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 57
Initial Lumens: 4210
Color Temperature: 3000K
CRI: 90
Power Supply Type: Transformer
Power Supply Quantity: 1
Power Supply Location: Remote
Dimming Type: ELV
Bulb Max Wattage: 57
Optional 4" outlet box cover available
ADA

Satin White	**2794.03**



3826.16

Keel

Pendant

Suspended with architectural precision, Keel Pendant offers a modern yet minimal presence that is functional for any interior design. These crisply intersecting forms bring multiple lighting applications to the task with architectural precision.

3826

Keel 44" LED Pendant

Dimensions:

Height: 2" Width: 44" Length: 1.5"
Canopy: Diameter: 4.5" Height: 0.5"
Hanging Details: 6' Adjustable Cord/Cable
Size: 44"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 22
Initial Lumens: 2550
Delivered Lumens: 1800
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
Bulb Max Wattage: 22

Satin White	**3826.03**
Bright Satin Aluminum	**3826.16**
Satin Black*	**3826.25**

3828

Keel 60" LED Pendant

Dimensions:

Height: 2" Width: 60" Length: 1.5"
Canopy: Diameter: 5" Height: 2"
Hanging Details: 6' Adjustable Cord/Cable
Size: 60"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120-277VAC
Wattage: 29
Initial Lumens: 3410
Delivered Lumens: 2400
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Canopy
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V
Bulb Max Wattage: 29

Satin White	**3828.03**
Bright Satin Aluminum	**3828.16**
Satin Black*	**3828.25**

**For 3500K add -35 at the end of the SKU number.*



3820.25

Keel

Floor Lamp

Free-standing with luminous linear precision, Keel Floor Lamp is suitable for any space with its sleek compositions of dramatic length.

3820

Keel LED Floor Lamp

Dimensions:

Height: 86.5" Width: 8" Length: 9"
Base: Diameter: 8" Height: 2"
Switch: 4-Step Touch Dimmer
Cord: 8'

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120-240VAC
Wattage: 28
Initial Lumens: 2420
Delivered Lumens: 1700
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Plug
Dimming Type: Non-dimmable
Bulb Max Wattage: 28

Satin White	**3820.03**
Bright Satin Aluminum	**3820.16**
Satin Black	**3820.25**



Keel

Wall Lamp

Wall-mounted Keel presents a minimal yet classic feel to any space. A rectilinear keel intersects a luminous cylinder to create architectural linear compositions of dramatic length. Keel Wall Lamp is also available in conjunction with a Keel Optional Wall Plate Kit. Keel Wall Lamps can be conveniently connected to a wall plug, or its cord can be fed behind the wall for remote driver installation.

3822

Keel LED Wall Lamp

Dimensions:

Height: 82.25" Width: 1.5"
Extension: 3"
Wall Plate: Height: 82.25" Width: 0.75"
Switch: 4-Step Touch Dimmer
Pin-up w/8' Cord

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120-240VAC
Wattage: 28
Initial Lumens: 2420
Delivered Lumens: 1700
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Plug
Dimming Type: Non-dimmable
ADA

Satin White	**3822.03**
Bright Satin Aluminum	**3822.16**
Satin Black	**3822.25**



3822.25



3833.25

Keel

Bath Bar

A classically minimalist approach to functionality with its architectural sleekness. Keel Bath Bar is dramatically functional and modern.

3831

Keel 22" LED Bath Bar

Dimensions:

Height: 1.5" Width: 22"
Extension: 2.25"
Size: 22"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 11
Initial Lumens: 1150
Delivered Lumens: 800
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Remote
Dimming Type: TRIAC/ELV
Optional 4.5" outlet box cover available, which enables outlet box mounting of LED driver.
ADA

Satin White	**3831.03**
Bright Satin Aluminum	**3831.16**
Satin Black	**3831.25**

3832

Keel 28" LED Bath Bar

Dimensions:

Height: 1.5" Width: 28"
Extension: 2.25"
Size: 28"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 15
Initial Lumens: 1600
Delivered Lumens: 1100
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Remote
Dimming Type: TRIAC/ELV
Optional 4.5" outlet box cover available, which enables outlet box mounting of LED driver.
ADA

Satin White	**3832.03**
Bright Satin Aluminum	**3832.16**
Satin Black*	**3832.25**

3833

Keel 36" LED Bath Bar

Dimensions:

Height: 1.5" Width: 36"
Extension: 2.25"
Size: 36"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 17
Initial Lumens: 2050
Delivered Lumens: 1450
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Remote
Dimming Type: TRIAC/ELV
Optional 4.5" outlet box cover available, which enables outlet box mounting of LED driver.
ADA

Satin White	**3833.03**
Bright Satin Aluminum	**3833.16**
Satin Black*	**3833.25**

3834

Keel 44" LED Bath Bar

Dimensions:

Height: 1.5" Width: 44"
Extension: 2.25"
Size: 44"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 22
Initial Lumens: 2550
Delivered Lumens: 1800
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Remote
Dimming Type: TRIAC/ELV
Optional 4.5" outlet box cover available, which enables outlet box mounting of LED driver.
ADA

Satin White	**3834.03**
Bright Satin Aluminum	**3834.16**
Satin Black	**3834.25**

**For 3500K add -35 at the end of the SKU number.*



2072.16



Arctic Rings

Pendant

The essence of a frosted flat ring with illumination radiating from the thin profile of solid cast acrylic. Suitable for both residential and commercial environments.



2071

Arctic Rings 24" Single LED Ring Pendant

Dimensions:

Height: 0.5" Diameter: 23.75"
Canopy: Height: 2" Diameter: 5.25"
Hanging Details: 20' Adjustable Cable
Size: 24" Single LED Ring Pendant

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120-277VAC
Wattage: 12
Initial Lumens: 1350
Delivered Lumens: 840
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Canopy
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V
Bulb Max Wattage: 12

Bright Satin Aluminum **2071.16**
Satin Black **2071.25**



2072

Arctic Rings 30" Single LED Ring Pendant

Dimensions:

Height: 0.5" Diameter: 30.5"
Canopy: Height: 2" Diameter: 5.25"
Hanging Details: 20' Adjustable Cable
Size: 30" Single LED Ring Pendant

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120-277VAC
Wattage: 16
Initial Lumens: 1800
Delivered Lumens: 1120
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Canopy
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V
Bulb Max Wattage: 16

Bright Satin Aluminum **2072.16**
Satin Black **2072.25**



2073

Arctic Rings 36" Single LED Ring Pendant

Dimensions:

Height: 0.5" Diameter: 37.5"
Canopy: Height: 2" Diameter: 5.25"
Hanging Details: 20' Adjustable Cable
Size: 36" Single LED Ring Pendant

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120-277VAC
Wattage: 22
Initial Lumens: 2400
Delivered Lumens: 1540
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Canopy
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V
Bulb Max Wattage: 22

Bright Satin Aluminum **2073.16**
Satin Black **2073.25**



Left: 2075.25 Middle: 2078.25 Right: 2076.25



2075.25

Arctic Rings

Chandelier

Luminous circular rings suspended in multiple tapered stacks lend the lightness of air to Arctic Rings configurations. Illumination radiates from the surfaces and through the delicate edges of the floating rings.



2078

Arctic Rings Ring Chandelier

Dimensions:

Height: 34" Diameter: 37.25"
Canopy: Height: 2" Diameter: 8"
Hanging Details: 20' Adjustable Cable
Size: Quintuple LED Ring Chandelier

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 5
Input Voltage: 120-277VAC
Wattage: 60
Initial Lumens: 6600
Delivered Lumens: 4200
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Canopy
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V
Bulb Max Wattage: 60

Bright Satin Aluminum **2078.16**
Satin Black **2078.25**



2076

Arctic Rings Large Triple Ring Chandelier

Dimensions:

Height: 17" Diameter: 37.25"
Canopy: Height: 2" Diameter: 8"
Hanging Details: 20' Adjustable Cable
Size: Large Triple LED Ring Chandelier

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 3
Input Voltage: 120-277VAC
Wattage: 50
Initial Lumens: 5500
Delivered Lumens: 3500
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Canopy
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V
Bulb Max Wattage: 50

Bright Satin Aluminum **2076.16**
Satin Black **2076.25**



2075

Arctic Rings Small Triple Ring Chandelier

Dimensions:

Height: 17" Diameter: 30.5"
Canopy: Height: 2" Diameter: 5.25"
Hanging Details: 20' Adjustable Cable
Size: Small Triple LED Ring Chandelier

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 3
Input Voltage: 120-277VAC
Wattage: 22
Initial Lumens: 2400
Delivered Lumens: 1540
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Canopy
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V
Bulb Max Wattage: 22

Bright Satin Aluminum **2075.16**
Satin Black **2075.25**



2317.16

Corona Ring

Corona is a circular profile of light; a warm ringed glow of LED illumination providing both the presence and the absence of volume. Corona Rings are available in a range of diameters.



2311

Corona 6" LED Ring Pendant

Dimensions:

Height: 2" Diameter: 6"
Canopy: Height: 1.5" Diameter: 5"
Hanging Details: 6' Adjustable Cable
Size: 6"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 8
Initial Lumens: 580
Delivered Lumens: 335
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Canopy
Dimming Type: TRIAC/ELV
Bulb Max Wattage: 8

Bright Satin Aluminum **2311.16**
Satin Black **2311.25**



2313

Corona 16" LED Ring Pendant

Dimensions:

Height: 2" Diameter: 15.75"
Canopy: Height: 1.5" Diameter: 5"
Hanging Details: 6' Adjustable Cable
Size: 16"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 19
Initial Lumens: 1350
Delivered Lumens: 720
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Canopy
Dimming Type: TRIAC/ELV
Bulb Max Wattage: 19

Bright Satin Aluminum **2313.16**
Satin Black **2313.25**



2315

Corona 24" LED Ring Pendant

Dimensions:

Height: 2" Diameter: 23.75"
Canopy: Height: 1.75" Diameter: 5"
Hanging Details: 6' Adjustable Cable
Size: 24"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 100-277VAC
Wattage: 28
Initial Lumens: 2050
Delivered Lumens: 1264
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Canopy
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V
Bulb Max Wattage: 28

Bright Satin Aluminum **2315.16**
Satin Black **2315.25**



2317

Corona 32" LED Ring Pendant

Dimensions:

Height: 2" Diameter: 31.5"
Canopy: Height: 1.75" Diameter: 5"
Hanging Details: 6' Adjustable Cable
Size: 32"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 100-277VAC
Wattage: 35
Initial Lumens: 2560
Delivered Lumens: 1604
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Canopy
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V
Bulb Max Wattage: 35

Bright Satin Aluminum* **2317.16**
Satin Black* **2317.25**



2318

Corona 48" LED Ring Pendant

Dimensions:

Height: 2.5" Diameter: 48"
Canopy: Height: 1.75" Diameter: 8"
Hanging Details: 6' Adjustable Cable
Size: 48"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120-277VAC
Wattage: 45
Initial Lumens: 4300
Delivered Lumens: 2392
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Canopy
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V
Bulb Max Wattage: 45

Bright Satin Aluminum* **2318.16**
Satin Black* **2318.25**

**For 3500K add -35 at the end of the SKU number.*



2303.25

Double Corona

Double Corona introduces bidirectional lighting symmetry to the circular profile of Corona, a SONNEMAN classic. The warm glow of solid cast, frosted acrylic rings radiates LED illumination in both up and down directions, combining balance with geometric perfection.



2303

Double Corona 24" LED Ring Pendant

Dimensions:

Height: 2.75" Diameter: 23.75"
Canopy: Height: 1.75" Diameter: 5"
Hanging Details: 6' Adjustable Cable
Size: 24"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 2
Input Voltage: 120-277VAC
Wattage: 51
Initial Lumens: 3170
Delivered Lumens: 2540
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 2
Power Supply Location: Canopy
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V
Bulb Max Wattage: 51

Bright Satin Aluminum	**2303.16**
Satin Black	**2303.25**



2305

Double Corona 32" LED Ring Pendant

Dimensions:

Height: 2.75" Diameter: 31.5"
Canopy: Height: 1.75" Diameter: 5"
Hanging Details: 6' Adjustable Cable
Size: 32"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 2
Input Voltage: 120-277VAC
Wattage: 62
Initial Lumens: 3720
Delivered Lumens: 3110
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 2
Power Supply Location: Canopy
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V
Bulb Max Wattage: 62

Bright Satin Aluminum	**2305.16**
Satin Black	**2305.25**



2307

Double Corona 48" LED Ring Pendant

Dimensions:

Height: 2.75" Diameter: 47.25"
Canopy: Height: 1.75" Diameter: 8"
Hanging Details: 6' Adjustable Cable
Size: 48"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 2
Input Voltage: 120-277VAC
Wattage: 102
Initial Lumens: 6210
Delivered Lumens: 5080
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 2
Power Supply Location: Canopy
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V
Bulb Max Wattage: 102

Bright Satin Aluminum	**2307.16**
Satin Black	**2307.25**



2309

Double Corona 60" LED Ring Pendant

Dimensions:

Height: 2.75" Diameter: 59"
Canopy: Height: 1.75" Diameter: 8"
Hanging Details: 6' Adjustable Cable
Size: 60"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 2
Input Voltage: 120-277VAC
Wattage: 129
Initial Lumens: 7800
Delivered Lumens: 6430
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 2
Power Supply Location: Canopy
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V
Bulb Max Wattage: 129

Bright Satin Aluminum	**2309.16**
Satin Black	**2309.25**



2235.25



Luna

Luna's soft round profile sweeps circumferentially into a smooth composition of interior and exterior illumination. Suspended delicately from minimal cables, Luna rings in several sizes can be composed in an intersecting array across a larger space or placed singly to render light with a dramatic minimal presence.



2243.25

Luna

Racetrack

Luna's soft round profile sweeps into a smooth composition of interior and exterior illumination. Delicately suspended from minimal cables, Luna racetrack luminaires are available in three sizes.



2233

Luna 36" Round LED Pendant

Dimensions:

Height: 1.75" Diameter: 37.5"
Canopy: Height: 2" Diameter: 8"
Hanging Details: 20' Adjustable Cord/Cable
Size: 36"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 2
Input Voltage: 120-277VAC
Wattage: 60
Initial Lumens: 6670
Delivered Lumens: 4550
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 2
Power Supply Location: Canopy
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V
Bulb Max Wattage: 60

Brass Finish*	**2233.14**
Bright Satin Aluminum*	**2233.16**
Satin Black*	**2233.25**



2234

Luna 48" Round LED Pendant

Dimensions:

Height: 1.75" Diameter: 49.5"
Canopy: Height: 2" Diameter: 8"
Hanging Details: 20' Adjustable Cord/Cable
Size: 48"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 2
Input Voltage: 120-277VAC
Wattage: 78
Initial Lumens: 8480
Delivered Lumens: 5780
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 2
Power Supply Location: Canopy
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V
Bulb Max Wattage: 78

Brass Finish*	**2234.14**
Bright Satin Aluminum*	**2234.16**
Satin Black*	**2234.25**



2235

Luna 60" Round LED Pendant

Dimensions:

Height: 1.75" Diameter: 61.5"
Canopy: Height: 2" Diameter: 8"
Hanging Details: 20' Adjustable Cord/Cable
Size: 48"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 2
Input Voltage: 120-277VAC
Wattage: 104
Initial Lumens: 11300
Delivered Lumens: 7700
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 2
Power Supply Location: Canopy
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V
Bulb Max Wattage: 104

Brass Finish*	**2235.14**
Bright Satin Aluminum*	**2235.16**
Satin Black*	**2235.25**



2241

Luna 36" Racetrack Pendant

Dimensions:

Height: 1.75" Width: 33.5" Length: 11.5"
Canopy: Height: 1.5" Width: 14" Length: 5.25"
Hanging Details: 20' Adjustable Cord/Cable
Size: 36" Racetrack

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 2
Input Voltage: 120-277VAC
Wattage: 49
Initial Lumens: 4500
Delivered Lumens: 2800
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 2
Power Supply Location: Canopy
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V
Bulb Max Wattage: 49

Brass Finish*	**2241.14**
Satin Black*	**2241.25**



2242

Luna 48" Racetrack Pendant

Dimensions:

Height: 1.75" Width: 49.5" Length: 16.5"
Canopy: Height: 1.5" Width: 17.25" Length: 6"
Hanging Details: 20' Adjustable Cord/Cable
Size: 48" Racetrack

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 2
Input Voltage: 120-277VAC
Wattage: 55
Initial Lumens: 5000
Delivered Lumens: 3150
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 2
Power Supply Location: Canopy
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V
Bulb Max Wattage: 55

Brass Finish*	**2242.14**
Satin Black*	**2242.25**



2243

Luna 60" Racetrack Pendant

Dimensions:

Height: 1.75" Width: 61.5" Length: 19.5"
Canopy: Height: 1.5" Width: 22.75" Length: 7.25"
Hanging Details: 20' Adjustable Cord/Cable
Size: 60" Racetrack

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 2
Input Voltage: 120-277VAC
Wattage: 69
Initial Lumens: 6400
Delivered Lumens: 3960
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 2
Power Supply Location: Canopy
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V
Bulb Max Wattage: 69

Brass Finish*	**2243.14**
Satin Black*	**2243.25**

**For 2700K or 3500K add -27 or -35 at the end of the SKU number.*



2349.25

Stiletto

Pendant

Stiletto's ultra-sophisticated and extraordinarily precise solid acrylic is thrust through a minimally present aluminum channel, radiating perfectly even LED illumination from within.



2345

Stiletto 24" LED Pendant

Dimensions:

Height: 4.25" Width: 24.25" Length: 0.75"
Canopy: Height: 16" Width: 4.75"
Hanging Details: 6' Adjustable Cord
Size: 24"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 10
Initial Lumens: 840
Delivered Lumens: 658
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
Bulb Max Wattage: 10

Satin White	**2345.03**
Bright Satin Aluminum	**2345.16**
Satin Black	**2345.25**



2346

Stiletto 32" LED Pendant

Dimensions:

Height: 4.25" Width: 32.5" Length: 0.75"
Canopy: Height: 16" Width: 4.75"
Hanging Details: 6' Adjustable Cord
Size: 32"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 12
Initial Lumens: 1050
Delivered Lumens: 907
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
Bulb Max Wattage: 12

Satin White	**2346.03**
Bright Satin Aluminum	**2346.16**
Satin Black	**2346.25**



2347

Stiletto 44" LED Pendant

Dimensions:

Height: 4.25" Width: 44.25" Length: 0.75"
Canopy: Height: 16" Width: 4.75"
Hanging Details: 6' Adjustable Cord
Size: 44"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 15
Initial Lumens: 1340
Delivered Lumens: 1074
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
Bulb Max Wattage: 15

Satin White	**2347.03**
Bright Satin Aluminum	**2347.16**
Satin Black	**2347.25**



2348

Stiletto 60" LED Pendant

Dimensions:

Height: 1.75" Width: 59.5" Length: 0.75"
Canopy: Height: 0.5" Diameter: 4.5"
Hanging Details: 6' Adjustable Cord
Size: 60"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 20
Initial Lumens: 1680
Delivered Lumens: 1340
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
Bulb Max Wattage: 20

Satin White	**2348.03**
Bright Satin Aluminum	**2348.16**
Satin Black	**2348.25**



2349

Stiletto 72" LED Pendant

Dimensions:

Height: 1.75" Width: 71.5" Length: 0.75"
Canopy: Height: 0.5" Diameter: 4.5"
Hanging Details: 6' Adjustable Cord
Size: 72"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120-277VAC
Wattage: 25
Initial Lumens: 2080
Delivered Lumens: 1670
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V
Bulb Max Wattage: 25

Satin White	**2349.03**
Bright Satin Aluminum	**2349.16**
Satin Black	**2349.25**



2338.16

Stiletto

Lungo

2330

Stiletto Lungo 48" LED Wall Bar

Dimensions:

Height: 0.625" Width: 47.75"
Extension: 1.75"
Size: 48"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 16
Initial Lumens: 1450
Delivered Lumens: 1329
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Remote
Dimming Type: TRIAC/ELV
Optional 4" outlet box cover available
ADA

Satin White	**2330.03**
Bright Satin Aluminum	**2330.16**
Satin Black	**2330.25**

2332

Stiletto Lungo 60" LED Wall Bar

Dimensions:

Height: 0.625" Width: 59.5"
Extension: 1.75"
Size: 60"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 20
Initial Lumens: 1800
Delivered Lumens: 1654
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Remote
Dimming Type: TRIAC/ELV
Optional 4" outlet box cover available
ADA

Satin White	**2332.03**
Bright Satin Aluminum	**2332.16**
Satin Black	**2332.25**

2334

Stiletto Lungo 72" LED Wall Bar

Dimensions:

Height: 0.625" Width: 71.5"
Extension: 1.75"
Size: 72"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Input Voltage: 100-277VAC
Wattage: 24
Initial Lumens: 2150
Delivered Lumens: 1667
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Remote
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V
Optional 4" outlet box cover available
ADA

Satin White	**2334.03**
Bright Satin Aluminum	**2334.16**
Satin Black	**2334.25**

2338

Stiletto Lungo 96" LED Wall Bar

Dimensions:

Height: 0.625" Width: 95"
Extension: 1.75"
Size: 96"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Input Voltage: 100-277VAC
Wattage: 32
Initial Lumens: 2900
Delivered Lumens: 2247
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Remote
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V
Optional 4" outlet box cover available
ADA

Satin White	**2338.03**
Bright Satin Aluminum	**2338.16**
Satin Black	**2338.25**



2340.25-DIM

Stiletto

Bath Bar



2340

Stiletto 24" LED Bath Bar

Dimensions:

Height: 23.75" Width: 5"
Wall Plate: Height: 4.5" Width: 4.5"
Extension: 3.25"
Size: 24"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 10
Initial Lumens: 840
Delivered Lumens: 664
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
ADA

Satin White	**2340.03-DIM**
Bright Satin Aluminum	**2340.16-DIM**
Satin Black	**2340.25-DIM**



2342

Stiletto 32" LED Bath Bar

Dimensions:

Height: 31.75" Width: 5"
Wall Plate: Height: 4.5" Width: 4.5"
Extension: 3.25"
Size: 32"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 12
Initial Lumens: 1050
Delivered Lumens: 678
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
ADA

Satin White	**2342.03-DIM**
Bright Satin Aluminum	**2342.16-DIM**
Satin Black	**2342.25-DIM**



2918.14-AST



Grapes®

Grapes are luminous LED spheres in multiple sizes, arrayed in precise or random patterns, in clusters, or as single points of light. Seen from the middle or above, the crystal appears clear with a subtle luminance. Moving below, the crystal facets become increasingly apparent, refracting the light into a dazzling radiance.



2913-SML

Grapes Small LED Pendant
w/Round Canopy*

Dimensions:

Height: 2.5" Diameter: 2.5"
Canopy: Diameter: 5" Height: 0.5"
Hanging Details: 10' Adjustable Cord
Size: Single Small

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity:1
Input Voltage: 120VAC
Wattage: 3
Initial Lumens: 150
Color Temperature: 3000K
CRI: 90
Power Supply Type: Transformer
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: ELV
Bulb Max Wattage: 3

Polished Chrome w/Clear Glass	**2913.01-SML**
Satin Nickel w/White Glass	**2913.13-SML**
Brass Finish w/Clear Glass	**2913.14-SML**



2913-MED

Grapes Medium LED Pendant
w/Round Canopy*

Dimensions:

Height: 3.25" Diameter: 3.25"
Canopy: Diameter: 5" Height: 0.5"
Hanging Details: 10' Adjustable Cord
Size: Single Medium

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity:1
Input Voltage: 120VAC
Wattage: 4
Initial Lumens: 225
Color Temperature: 3000K
CRI: 90
Power Supply Type: Transformer
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: ELV
Bulb Max Wattage: 4

Polished Chrome w/Clear Glass	**2913.01-MED**
Satin Nickel w/White Glass	**2913.13-MED**
Brass Finish w/Clear Glass	**2913.14-MED**



2913-LRG

Grapes Large LED Pendant
w/Round Canopy*

Dimensions:

Height: 3.75" Diameter: 3.75"
Canopy: Diameter: 5" Height: 0.5"
Hanging Details: 10' Adjustable Cord
Size: Single Large

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity:1
Input Voltage: 120VAC
Wattage: 5.5
Initial Lumens: 300
Color Temperature: 3000K
CRI: 90
Power Supply Type: Transformer
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: ELV
Bulb Max Wattage: 5.5

Polished Chrome w/Clear Glass	**2913.01-LRG**
Satin Nickel w/White Glass	**2913.13-LRG**
Brass Finish w/Clear Glass	**2913.14-LRG**



2917

Grapes 12-Light Round
Assorted LED Chandelier

Dimensions:

Height: 3.75" Diameter: 17"
Canopy: Diameter: 15" Height: 0.5"
Hanging Details: 10' Adjustable Cord
Size: 12-Light Assorted

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 12
Input Voltage: 120VAC
Wattage: 50
Initial Lumens: 2700
Color Temperature: 3000K
CRI: 90
Power Supply Type: Transformer
Power Supply Quantity: 2
Power Supply Location: Canopy
Dimming Type: ELV
Bulb Max Wattage: 50

Polished Chrome w/Clear Glass	**2917.01-AST**
Satin Nickel w/White Glass	**2917.13-AST**
Brass Finish w/Clear Glass	**2917.14-AST**



2918

Grapes 24-Light Round
Assorted LED Chandelier

Dimensions:

Height: 3.75" Diameter: 27"
Canopy: Diameter: 25" Height: 0.5"
Hanging Details: 10' Adjustable Cord
Size: 24-Light Assorted

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 24
Input Voltage: 120VAC
Wattage: 100
Initial Lumens: 5400
Color Temperature: 3000K
CRI: 90
Power Supply Type: Transformer
Power Supply Quantity: 3
Power Supply Location: Canopy
Dimming Type: ELV
Bulb Max Wattage: 100

Polished Chrome w/Clear Glass	**2918.01-AST**
Satin Nickel w/White Glass	**2918.13-AST**
Brass Finish w/Clear Glass	**2918.14-AST**



2920

Grapes 3-Light Rectangle
Large LED Chandelier

Dimensions:

Height: 3.75" Width: 37.75" Length: 3.75"
Canopy: Height: 0.5" Width: 36" Length: 5"
Hanging Details: 10' Adjustable Cord
Size: 3-Light Large

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 3
Input Voltage: 120VAC
Wattage: 16.5
Initial Lumens: 900
Color Temperature: 3000K
CRI: 90
Power Supply Type: Transformer
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: ELV
Bulb Max Wattage: 16.5

Polished Chrome w/Clear Glass	**2920.01-LRG**
Satin Nickel w/White Glass	**2920.13-LRG**
Brass Finish w/Clear Glass	**2920.14-LRG**



2914

Grapes 3-Light Round
Assorted LED Chandelier

Dimensions:

Height: 3.75" Diameter: 8.25"
Canopy: Diameter: 6" Height: 0.5"
Hanging Details: 10' Adjustable Cord
Size: 3-Light Assorted

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 3
Input Voltage: 120VAC
Wattage: 12.5
Initial Lumens: 675
Color Temperature: 3000K
CRI: 90
Power Supply Type: Transformer
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: ELV
Bulb Max Wattage: 12.5

Polished Chrome w/Clear Glass	**2914.01-AST**
Satin Nickel w/White Glass	**2914.13-AST**
Brass Finish w/Clear Glass	**2914.14-AST**



2915

Grapes 6-Light Round
Assorted LED Chandelier

Dimensions:

Height: 3.75" Diameter: 11.75"
Canopy: Diameter: 10" Height: 0.5"
Hanging Details: 10' Adjustable Cord
Size: 6-Light Assorted

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 6
Input Voltage: 120VAC
Wattage: 25
Initial Lumens: 1350
Color Temperature: 3000K
CRI: 90
Power Supply Type: Transformer
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: ELV
Bulb Max Wattage: 25

Polished Chrome w/Clear Glass	**2915.01-AST**
Satin Nickel w/White Glass	**2915.13-AST**
Brass Finish w/Clear Glass	**2915.14-AST**



2916

Grapes 9-Light Round
Assorted LED Chandelier

Dimensions:

Height: 3.75" Diameter: 13.75"
Canopy: Diameter: 12" Height: 0.5"
Hanging Details: 10' Adjustable Cord
Size: 9-Light Assorted

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 9
Input Voltage: 120VAC
Wattage: 37.5
Initial Lumens: 2025
Color Temperature: 3000K
CRI: 90
Power Supply Type: Transformer
Power Supply Quantity: 2
Power Supply Location: Canopy
Dimming Type: ELV
Bulb Max Wattage: 37.5

Polished Chrome w/Clear Glass	**2916.01-AST**
Satin Nickel w/White Glass	**2916.13-AST**
Brass Finish w/Clear Glass	**2916.14-AST**



2921

Grapes 5-Light Rectangle
Medium LED Chandelier

Dimensions:

Height: 3.75" Width: 37.75" Length: 3.75"
Canopy: Height: 0.5" Width: 36" Length: 5"
Hanging Details: 10' Adjustable Cord
Size: 5-Light Medium

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 5
Input Voltage: 120VAC
Wattage: 20
Initial Lumens: 1125
Color Temperature: 3000K
CRI: 90
Power Supply Type: Transformer
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: ELV
Bulb Max Wattage: 20.5

Polished Chrome w/Clear Glass	**2921.01-LRG**
Satin Nickel w/White Glass	**2921.13-LRG**
Brass Finish w/Clear Glass	**2921.14-LRG**



2922

Grapes 11-Light Rectangle
Small LED Chandelier

Dimensions:

Height: 2.5" Width: 36.25" Length: 8.5"
Canopy: Height: 0.5" Width: 36" Length: 8"
Hanging Details: 10' Adjustable Cord
Size: 11-Light Small

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 11
Input Voltage: 120VAC
Wattage: 33
Initial Lumens: 1650
Color Temperature: 3000K
CRI: 90
Power Supply Type: Transformer
Power Supply Quantity: 2
Power Supply Location: Canopy
Dimming Type: ELV
Bulb Max Wattage: 20.5

Polished Chrome w/Clear Glass	**2922.01-LRG**
Satin Nickel w/White Glass	**2922.13-LRG**
Brass Finish w/Clear Glass	**2922.14-LRG**



2923

Grapes 16-Light Square
Assorted LED Chandelier

Dimensions:

Height: 3.75" Width: 23.75" Length: 23.75"
Canopy: Height: 0.5" Width: 24" Length: 24"
Hanging Details: 10' Adjustable Cord
Size: 16-Light Assorted

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 16
Input Voltage: 120VAC
Wattage: 64
Initial Lumens: 3450
Color Temperature: 3000K
CRI: 90
Power Supply Type: Transformer
Power Supply Quantity: 2
Power Supply Location: Canopy
Dimming Type: ELV
Bulb Max Wattage: 64

Polished Chrome w/Clear Glass	**2923.01-LRG**
Satin Nickel w/White Glass	**2923.13-LRG**
Brass Finish w/Clear Glass	**2923.14-LRG**

**Visit sonnemanlight.com to explore additional canopy options.*



Fino

Pendant

Ultra thin and minimally scaled, these slender bars of powerful light are available as pendants.
Fino's delicate minimalism shines light along its extended length with minimal modern simplicity.



3778.25

3775

Fino 36" Pendant

Dimensions:

Height: 0.75" Width: 36" Length: 0.75"
Canopy: Height: 2" Diameter: 5"
Hanging Details: 20' Adjustable Cord/Cable
Size: 36"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 100-277VAC
Wattage: 17
Initial Lumens: 1550
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Canopy
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V
Bulb Max Wattage: 17

Polished Chrome*	**3775.01**
Satin Black*	**3775.25**

3776

Fino 48" Pendant

Dimensions:

Height: 0.75" Width: 48" Length: 0.75"
Canopy: Height: 2" Diameter: 5"
Hanging Details: 20' Adjustable Cord/Cable
Size: 48"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 100-277VAC
Wattage: 21
Initial Lumens: 1950
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Canopy
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V
Bulb Max Wattage: 21

Polished Chrome*	**3776.01**
Satin Black*	**3776.25**

3777

Fino 60" Pendant

Dimensions:

Height: 0.75" Width: 58" Length: 0.75"
Canopy: Height: 2" Diameter: 5"
Hanging Details: 20' Adjustable Cord/Cable
Size: 60"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120-277VAC
Wattage: 30
Initial Lumens: 2750
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Canopy
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V
Bulb Max Wattage: 30

Polished Chrome*	**3777.01**
Satin Black*	**3777.25**

3778

Fino 72" Pendant

Dimensions:

Height: 0.75" Width: 70" Length: 0.75"
Canopy: Height: 2" Diameter: 5"
Hanging Details: 20' Adjustable Cord/Cable
Size: 72"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120-277VAC
Wattage: 37
Initial Lumens: 3400
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Canopy
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V
Bulb Max Wattage: 37

Polished Chrome*	**3778.01**
Satin Black*	**3778.25**

**For 3500K add -35 at the end of the SKU number.*



3774.25 - Shown with optional 4.5" wall plate kit



3773.25 - Shown with optional 4.5" wall plate kit

Fino

Bath Bar

Ultra thin and minimally scaled, these slender bars of powerful light are mounted in a fixed position on a wall or ceiling. The softly shaped mounting brackets have radiused ends on their linear section and can be mounted directly to a wall with a remotely placed LED driver. Optionally available is a 4 ½" round wall plate for mounting directly to an electrical box.

3771

Fino 18" LED Bath Bar

Dimensions:

Height: 1" Width: 18"
Wall Plate: Height: 0.5" Width: 3.25"
Extension: 1.5"
Size: 18"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 11
Initial Lumens: 1000
Delivered Lumens: 700
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Remote
Dimming Type: TRIAC/ELV
Optional 4.5" wall plate kit available, which enables outlet box mounting of LED driver.
ADA

Polished Chrome	**3771.01**
Satin White	**3771.03**
Satin Chrome	**3771.23**
Satin Black	**3771.25**

3772

Fino 24" LED Bath Bar

Dimensions:

Height: 1" Width: 24"
Wall Plate: Height: 0.5" Width: 3.25"
Extension: 1.5"
Size: 24"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 13
Initial Lumens: 1400
Delivered Lumens: 1000
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Remote
Dimming Type: TRIAC/ELV
Optional 4.5" wall plate kit available, which enables outlet box mounting of LED driver.
ADA

Polished Chrome	**3772.01**
Satin White*	**3772.03**
Satin Chrome	**3772.23**
Satin Black*	**3772.25**

3773

Fino 32" LED Bath Bar

Dimensions:

Height: 1" Width: 32"
Wall Plate: Height: 0.5" Width: 3.25"
Extension: 1.5"
Size: 32"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 17
Initial Lumens: 1700
Delivered Lumens: 1200
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Remote
Dimming Type: TRIAC/ELV
Optional 4.5" wall plate kit available, which enables outlet box mounting of LED driver.
ADA

Polished Chrome	**3773.01**
Satin White*	**3773.03**
Satin Chrome	**3773.23**
Satin Black*	**3773.25**

3774

Fino 40" LED Bath Bar

Dimensions:

Height: 1" Width: 40"
Wall Plate: Height: 0.5" Width: 3.25"
Extension: 1.5"
Size: 40"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 22
Initial Lumens: 2100
Delivered Lumens: 1500
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Remote
Dimming Type: TRIAC/ELV
Optional 4.5" wall plate kit available, which enables outlet box mounting of LED driver.
ADA

Polished Chrome	**3774.01**
Satin White	**3774.03**
Satin Chrome	**3774.23**
Satin Black	**3774.25**

**For 3500K add -35 at the end of the SKU number.*



2067.13



Nebula

Intersecting stems form clusters of illuminated glass spheres in a dance-like rhythm. Mounted in precisely poised positions along rectangular beams in linear and rectilinear configurations of expansive scale, these Nebula constructions form illuminating sculptures of joyous activity in dramatic proportions.



2065

Nebula Square LED Chandelier

Dimensions:

Height: 26" Width: 61" Length: 56.75"
Canopy: Height: 2" Width: 8" Length: 8"
Hanging Details: 6' Adjustable Cord/Cable
Size: Standard

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 48
Input Voltage: 120-277VAC
Wattage: 180
Initial Lumens: 15900
Delivered Lumens: 8700
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 2
Power Supply Location: Canopy
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V
Bulb Max Wattage: 180

Satin Nickel	**2065.13**
Satin Black	**2065.25**



2066

Nebula LED Bar Chandelier

Dimensions:

Height: 26.75" Width: 68.75" Length: 33.25"
Canopy: Height: 2" Width: 22" Length: 5"
Hanging Details: 6' Adjustable Cord/Cable
Shape: Bar Chandelier

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 42
Input Voltage: 120-277VAC
Wattage: 140
Initial Lumens: 13900
Delivered Lumens: 7600
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 2
Power Supply Location: Canopy
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V
Bulb Max Wattage: 140

Satin Nickel	**2066.13**
Satin Black	**2066.25**



2067

Nebula Zig-Zag LED Chandelier

Dimensions:

Height: 26.5" Width: 95.5" Length: 49.5"
Canopy: Height: 2" Width: 16" Length: 10"
Hanging Details: 6' Adjustable Cord/Cable
Shape: Zig-Zag Chandelier

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 54
Input Voltage: 100-277VAC
Wattage: 180
Initial Lumens: 17800
Delivered Lumens: 9700
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 2
Power Supply Location: Canopy
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V
Bulb Max Wattage: 180

Satin Nickel	**2067.13**
Satin Black	**2067.25**



2068

Nebula Large Square LED Chandelier

Dimensions:

Height: 26.5" Width: 79.75" Length: 69.25"
Canopy: Height: 2" Width: 16" Length: 10"
Hanging Details: 6' Adjustable Cord/Cable
Size: Large

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 84
Input Voltage: 100-277VAC
Wattage: 240
Initial Lumens: 27700
Delivered Lumens: 15100
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 2
Power Supply Location: Canopy
Dimming Type: 0-10V
Bulb Max Wattage: 240

Satin Nickel	**2068.13**
Satin Black	**2068.25**



2068.25

Sabon

Luminous etched glass globes of varying sizes float on intersecting stems at right angles to each other to form arrangements of geometric sculptural presence and simplicity. The white etched cased globe radiates a dazzling illumination. Sabon's expression of simplicity shows that less is definitely more.



2063.13



2064.25



2060

Sabon LED Sconce

Dimensions:

Height: 12.25" Width: 3"
Wall Plate: Diameter: 2" Depth: 0.5"
Extension: 3.75"
Size: Single

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 3
Initial Lumens: 330
Delivered Lumens: 180
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Remote
Dimming Type: TRIAC/ELV
Optional 4.5" wall plate kit available
ADA

Satin Nickel **2060.13**
Satin Black **2060.25**



2062

Sabon LED Double Sconce

Dimensions:

Height: 14.75" Width: 12"
Wall Plate: Diameter: 2" Depth: 0.5"
Extension: 3.75"
Size: Double

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 2
Input Voltage: 120VAC
Wattage: 6
Initial Lumens: 660
Delivered Lumens: 360
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Remote
Dimming Type: TRIAC/ELV
Optional 4.5" wall plate kit available
ADA

Satin Nickel **2062.13**
Satin Black **2062.25**



2063

Sabon LED Triple Sconce

Dimensions:

Height: 19.5" Width: 13.5"
Wall Plate: Diameter: 2" Depth: 0.5"
Extension: 3.75"
Size: Triple

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 6
Input Voltage: 120VAC
Wattage: 9
Initial Lumens: 990
Delivered Lumens: 540
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Remote
Dimming Type: TRIAC/ELV
Optional 4.5" wall plate kit available
ADA

Satin Nickel **2063.13**
Satin Black **2063.25**



2064

Sabon LED Chandelier

Dimensions:

Height: 27" Diameter: 29"
Canopy: Height: 2" Diameter: 5" + (1) 6" Stem Kit
Extension: 3.75"
Size: Standard

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 13
Input Voltage: 120VAC
Wattage: 48
Initial Lumens: 4300
Delivered Lumens: 2350
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Canopy
Dimming Type: TRIAC/ELV
Bulb Max Wattage: 48

Satin Nickel **2064.13**
Satin Black **2064.25**



2069

Sabon LED Semi-Flush

Dimensions:

Height: 15.25" Width: 36.25" Length: 31.25"
Canopy: Height: 0.5" Diameter: 4.5"
Size: Standard

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 14
Input Voltage: 120VAC
Wattage: 49
Initial Lumens: 4600
Delivered Lumens: 2500
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
Bulb Max Wattage: 49

Satin Nickel **2069.13**
Satin Black **2069.25**



2970.25W

Liquid

Liquid pendants are available in clear, smoke fade, and poured white glass. They can be hung individually, in multiples, or with spreaders to form larger arrangements. The surface contours of this meteor-like glass volume have the softened look of melting glass. The visual weight of this amorphous sculpture is glorified by the thinness of the cable from which it hangs and the single point source of LED illumination within its contoured volume.



2970

Liquid Pendant

Dimensions:

Height: 10.75" Diameter: 6"
Canopy: Height: 0.75" Diameter: 5"
Hanging Details: 10' Adjustable Cord
Size: 1-Light Standard

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: G4 Base LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 4
Initial Lumens: 200
Color Temperature: 3000K
CRI: 90
Power Supply Type: Transformer
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: ELV
Bulb Max Wattage: 4

Satin Black w/Clear Glass	**2970.25C**
Satin Black w/Smoke Fade Glass	**2970.25K**
Satin Black w/Poured White Glass	**2970.25W**



2971

Liquid 3-Light Round Chandelier

Dimensions:

Height: 10.75" Diameter: 14"
Canopy: Height: 0.75" Diameter: 10"
Hanging Details: 10' Adjustable Cord
Size: 3-Light Standard

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: G4 Base LED
Bulb Quantity: 3
Input Voltage: 120VAC
Wattage: 12
Initial Lumens: 600
Color Temperature: 3000K
CRI: 90
Power Supply Type: Transformer
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: ELV
Bulb Max Wattage: 4

Satin Black w/Clear Glass	**2971.25C**
Satin Black w/Smoke Fade Glass	**2971.25K**
Satin Black w/Poured White Glass	**2971.25W**



2973

Liquid 3-Light Linear Spreader Chandelier

Dimensions:

Height: 11.5" Width: 36.5" Length: 6"
Canopy: Height: 0.75" Width: 8" Length: 5"
Hanging Details: 10' Adjustable Cord
Size: 3-Light Standard

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: G4 Base LED
Bulb Quantity: 3
Input Voltage: 120VAC
Wattage: 12
Initial Lumens: 600
Color Temperature: 3000K
CRI: 90
Power Supply Type: Transformer
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: ELV
Bulb Max Wattage: 4

Satin Black w/Clear Glass	**2973.25C**
Satin Black w/Smoke Fade Glass	**2973.25K**
Satin Black w/Poured White Glass	**2973.25W**



2975

Liquid 3-Light Tri-Spreader Chandelier

Dimensions:

Height: 11.5" Diameter: 27"
Canopy: Height: 1.25" Diameter: 6"
Hanging Details: 10' Adjustable Cord
Size: 3-Light Standard

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: G4 Base LED
Bulb Quantity: 3
Input Voltage: 120VAC
Wattage: 12
Initial Lumens: 600
Color Temperature: 3000K
CRI: 90
Power Supply Type: Transformer
Power Supply Quantity: 1
Power Supply Location: Canopy
Dimming Type: ELV
Bulb Max Wattage: 4

Satin Black w/Clear Glass	**2975.25C**
Satin Black w/Smoke Fade Glass	**2975.25K**
Satin Black w/Poured White Glass	**2975.25W**



2980

Liquid Large Pendant

Dimensions:

Height: 22" Diameter: 10.5"
Canopy: Height: 0.75" Diameter: 5"
Hanging Details: 10' Adjustable Cable
Size: 1-Light Standard

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: G4 Base LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 4
Initial Lumens: 200
Color Temperature: 3000K
CRI: 90
Power Supply Type: Transformer
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: ELV
Bulb Max Wattage: 4

Satin Black w/Clear Glass	**2980.25C**
Satin Black w/Smoke Fade Glass	**2980.25K**
Satin Black w/Poured White Glass	**2980.25W**



2976

Liquid 6-Light Tri-Spreader Chandelier

Dimensions:

Height: 11.5" Diameter: 39.25"
Canopy: Height: 1.25" Diameter: 6"
Hanging Details: 10' Adjustable Cord
Size: 6-Light Standard

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: G4 Base LED
Bulb Quantity: 6
Input Voltage: 120VAC
Wattage: 24
Initial Lumens: 1200
Color Temperature: 3000K
CRI: 90
Power Supply Type: Transformer
Power Supply Quantity: 1
Power Supply Location: Canopy
Dimming Type: ELV
Bulb Max Wattage: 4

Satin Black w/Clear Glass	**2976.25C**
Satin Black w/Smoke Fade Glass	**2976.25K**
Satin Black w/Poured White Glass	**2976.25W**



2977

Liquid 9-Light Tri-Spreader Chandelier

Dimensions:

Height: 11.5" Diameter: 51"
Canopy: Height: 1.25" Diameter: 6"
Hanging Details: 10' Adjustable Cord
Size: 9-Light Standard

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: G4 Base LED
Bulb Quantity: 9
Input Voltage: 120VAC
Wattage: 36
Initial Lumens: 1800
Color Temperature: 3000K
CRI: 90
Power Supply Type: Transformer
Power Supply Quantity: 1
Power Supply Location: Canopy
Dimming Type: ELV
Bulb Max Wattage: 4

Satin Black w/Clear Glass	**2977.25C**
Satin Black w/Smoke Fade Glass	**2977.25K**
Satin Black w/Poured White Glass	**2977.25W**



2981

Liquid Large 3-Light Round Chandelier

Dimensions:

Height: 22" Diameter: 22.5"
Canopy: Height: 0.75" Diameter: 15"
Hanging Details: 10' Adjustable Cable
Size: 3-Light Large

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: G4 Base LED
Bulb Quantity: 3
Input Voltage: 120VAC
Wattage: 12
Initial Lumens: 600
Color Temperature: 3000K
CRI: 90
Power Supply Type: Transformer
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: ELV
Bulb Max Wattage: 4

Satin Black w/Clear Glass	**2981.25C**
Satin Black w/Smoke Fade Glass	**2981.25K**
Satin Black w/Poured White Glass	**2981.25W**

Proton

Configured in a bottom-weighted tripod called Alpha, or in a double pyramid configuration called Beta, these amazingly scaled fixtures could only be achieved through superior engineering and technology.



2082.37K



2084.37K

2082

Proton Alpha LED Pendant

Dimensions:

Height: 27" Diameter: 40"
Canopy: Diameter: 5" Height: 2"
Hanging Details: 10' Adjustable Cord
Size: Alpha

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 12
Input Voltage: 120VAC
Wattage: 30
Initial Lumens: 2640
Delivered Lumens: 1680
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Canopy
Dimming Type: TRIAC/ELV
Bulb Max Wattage: 30

Satin Nickel w/White Crushed Glass	**2082.13W**
Black Nickel w/Smoke Glass	**2082.37K**
Black Nickel w/White Crushed Glass	**2082.37W**

2084

Proton Beta LED Pendant

Dimensions:

Height: 34" Diameter: 40"
Canopy: Diameter: 5" Height: 2"
Hanging Details: 10' Adjustable Cord
Size: Beta

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 18
Input Voltage: 120VAC
Wattage: 48
Initial Lumens: 3960
Delivered Lumens: 2520
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Canopy
Dimming Type: TRIAC/ELV
Bulb Max Wattage: 48

Satin Nickel w/White Crushed Glass	**2084.13W**
Black Nickel w/Smoke Glass	**2084.37K**
Black Nickel w/White Crushed Glass	**2084.37W**



2883.16

Counterpoint

Flat disc and deep cylindrical forms of different visual weights in juxtaposition to each other, are counterbalanced on offset slender arms in a rotating system of mass. Dramatically powerful in its simplicity, Counterpoint delivers bright LED luminance downward, with a subtly lit edge from the solid acrylic lenses of its cylindrical heads.



2883

Counterpoint 6-Light Pendant

Dimensions:

Height: 10" Diameter: 45"
Canopy: Height: 0.5" Diameter: 5"
Hanging Details: (3) 12" + (1) 6" Stem Kit
Size: 6-Light

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 6
Input Voltage: 120VAC
Wattage: 16
Initial Lumens: 1780
Delivered Lumens: 1050
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
Bulb Max Wattage: 16

Satin White	**2883.03**
Bright Satin Aluminum	**2883.16**
Satin Black	**2883.25**



2884

Counterpoint 4-Light Linear Pendant

Dimensions:

Height: 3" Width: 42" Length: 4"
Canopy: Height: 0.5" Diameter: 4.5"
Hanging Details: 6' Adjustable Cable
Size: 4-Light Linear

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 4
Input Voltage: 120VAC
Wattage: 15
Initial Lumens: 1540
Delivered Lumens: 940
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
Bulb Max Wattage: 15

Satin White	**2884.03**
Bright Satin Aluminum	**2884.16**
Satin Black	**2884.25**



2886

Counterpoint 6-Light Linear Pendant

Dimensions:

Height: 3" Width: 63.75" Length: 4"
Canopy: Height: 0.5" Diameter: 4.5"
Hanging Details: 6' Adjustable Cable
Size: 6-Light Linear

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 6
Input Voltage: 120VAC
Wattage: 16
Initial Lumens: 1780
Delivered Lumens: 1050
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
Bulb Max Wattage: 16

Satin White	**2886.03**
Bright Satin Aluminum	**2886.16**
Satin Black	**2886.25**



1761.03

Malibu Discs

Flared opposing discs form a sweeping sculptural LED pendant in four diameters. Intended to be hung individually or clustered in an arrangement of multiple sizes. 10" and 14" sconces are also available.



Left: 1767.03 Middle: 1766.18 Right: 1765.25



1760

Malibu Discs 10" LED Sconce

Dimensions:

Diameter: 10"
Wall Plate: Height: 4.75" Width: 4.75" Depth: 1"
Extension: 2.25"
Size: 10"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 2
Input Voltage: 120VAC
Wattage: 18
Initial Lumens: 1700
Delivered Lumens: 1190
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
ADA

Satin White	**1760.03**
Dove Gray	**1760.18**
Satin Black	**1760.25**



1761

Malibu Discs 14" LED Sconce

Dimensions:

Diameter: 14"
Wall Plate: Height: 5.5" Width: 5" Depth: 1"
Extension: 2.75"
Size: 14"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 2
Input Voltage: 120VAC
Wattage: 25
Initial Lumens: 2300
Delivered Lumens: 1610
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V
ADA

Satin White	**1761.03**
Dove Gray	**1761.18**
Satin Black	**1761.25**



1765

Malibu Discs 7.5" LED Pendant

Dimensions:

Height: 7.5" Width: 7.5" Length: 3.75"
Canopy: Height: 0.5" Diameter: 4.5"
Hanging Details: 6' Adjustable Cord
Size: 7.5"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 16
Initial Lumens: 1500
Delivered Lumens: 1050
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
Bulb Max Wattage: 16

Satin White	**1765.03**
Dove Gray	**1765.18**
Satin Black	**1765.25**



1766

Malibu Discs 10" LED Pendant

Dimensions:

Height: 10" Width: 10" Length: 4.75"
Canopy: Height: 0.5" Diameter: 4.5"
Hanging Details: 6' Adjustable Cord
Size: 10"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 22
Initial Lumens: 2000
Delivered Lumens: 1400
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
Bulb Max Wattage: 22

Satin White	**1766.03**
Dove Gray	**1766.18**
Satin Black	**1766.25**



1767

Malibu Discs 14" LED Pendant

Dimensions:

Height: 14" Width: 14" Length: 6.25"
Canopy: Height: 1.75" Diameter: 5"
Hanging Details: 6' Adjustable Cord
Size: 14"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120-277VAC
Wattage: 26
Initial Lumens: 2400
Delivered Lumens: 1680
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Canopy
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V
Bulb Max Wattage: 26

Satin White	**1767.03**
Dove Gray	**1767.18**
Satin Black	**1767.25**



1768

Malibu Discs 18" LED Pendant

Dimensions:

Height: 18" Width: 18" Length: 7.75"
Canopy: Height: 1.75" Diameter: 5"
Hanging Details: 6' Adjustable Cord
Size: 18"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120-277VAC
Wattage: 32
Initial Lumens: 3000
Delivered Lumens: 2100
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Canopy
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V
Bulb Max Wattage: 32

Satin White	**1768.03**
Dove Gray	**1768.18**
Satin Black	**1768.25**



2757.98

Offset

Two plates held in tandem, their unified geometry combines ambient illumination with a powerful downlight. Now available in rectangular and racetrack form factors in multiple lengths.

2727

Offset 16" Square Surface Mount

Dimensions:

Height: 2.5" Width: 15" Length: 15"
Canopy: Width: 10" Depth: 10"
Size: 16"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120-277VAC
Wattage: 22
Initial Lumens: 2100
Delivered Lumens: 1501
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Canopy
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V Bulb
Max Wattage: 22

Textured White **2727.98**

2729

Offset 16" Round Surface Mount

Dimensions:

Height: 2.5" Diameter: 15.75"
Canopy: Diameter: 10"
Size: 16"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120-277VAC
Wattage: 30
Initial Lumens: 2700
Delivered Lumens: 1918
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Canopy
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V Bulb
Max Wattage: 30

Textured White **2729.98**

2731

Offset 24" Rectangle Surface Mount

Dimensions:

Height: 2.5" Width: 24" Length: 15"
Canopy: Width: 17" Depth: 10"
Size: 24"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120-277VAC
Wattage: 43
Initial Lumens: 4140
Delivered Lumens: 2550
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Canopy
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V Bulb
Max Wattage: 43

Textured White **2731.98**

2733

Offset 36" Rectangle Surface Mount

Dimensions:

Height: 2.5" Width: 36" Length: 15"
Canopy: Width: 31" Depth: 10"
Size: 36"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120-277VAC
Wattage: 55
Initial Lumens: 5840
Delivered Lumens: 3500
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Canopy
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V Bulb
Max Wattage: 55

Textured White **2733.98**

2735

Offset 24" Racetrack Surface Mount

Dimensions:

Height: 2.5" Width: 24" Length: 15"
Canopy: Width: 19" Depth: 10"
Size: 24"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120-277VAC
Wattage: 43
Initial Lumens: 4500
Delivered Lumens: 2750
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Canopy
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V Bulb
Max Wattage: 43

Textured White **2735.98**

2737

Offset 36" Racetrack Surface Mount

Dimensions:

Height: 2.5" Width: 36" Length: 15"
Canopy: Width: 31" Depth: 10"
Size: 36"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120-277VAC
Wattage: 54
Initial Lumens: 5850
Delivered Lumens: 3700
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Canopy
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V Bulb
Max Wattage: 54

Textured White **2737.98**



2757

Offset 20" Round Surface Mount

Dimensions:

Height: 2.5" Diameter: 20"
Canopy: Diameter: 12"
Size: 20"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120-277VAC
Wattage: 49
Initial Lumens: 5300
Delivered Lumens: 3800
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Canopy
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V Bulb
Max Wattage: 49

Textured White* **2757.98**



2759

Offset 20" Square Surface Mount

Dimensions:

Height: 2.5" Width: 20" Length: 20"
Canopy: Width: 13.75" Depth: 13.75"
Size: 20"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120-277VAC
Wattage: 49
Initial Lumens: 5300
Delivered Lumens: 3800
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Canopy
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V Bulb
Max Wattage: 49

Textured White* **2759.98**

**For 3500K add -35 at the end of the SKU number.*



2742.16

Pi

Pendant

Suspended or surface mounted, the architectural presence of Pi punctuates the less is more idiom of Mies. Pi pendants are now available in solid round and square shapes, as well as hollow round and square ring pendants. Pi pendants are available in multiples sizes, finishes, and color temperatures.



2740

Pi 16" Round Pendant

Dimensions:

Height: 2" Diameter: 16"
Canopy: Diameter: 5.5"
Hanging Details: 6' Adjustable Cable
Size: 16"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 100-277VAC
Wattage: 30
Initial Lumens: 4245
Delivered Lumens: 2800
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Canopy
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V

Bright Satin Aluminum	**2740.16**
Black Bronze	**2740.32**



2742

Pi 20" Round Pendant

Dimensions:

Height: 2" Diameter: 20"
Canopy: Diameter: 5.5"
Hanging Details: 6' Adjustable Cable
Size: 20"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 100-277VAC
Wattage: 50
Initial Lumens: 4700
Delivered Lumens: 3078
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Canopy
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V

Bright Satin Aluminum	**2742.16**
Black Bronze	**2742.32**



3744

Pi 24" Round Pendant

Dimensions:

Height: 2.25" Diameter: 23.25"
Canopy: Height: 1.75" Diameter: 9.5"
Hanging Details: 20' Adjustable Cable
Size: 24"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 100-277VAC
Wattage: 53
Initial Lumens: 6400
Delivered Lumens: 4380
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Canopy
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V

Satin White*	**3744.03**
Bright Satin Aluminum*	**3744.16**
Satin Black*	**3744.25**



3745

Pi 30" Round Pendant

Dimensions:

Height: 2.25" Diameter: 29.5"
Canopy: Height: 1.75" Diameter: 9.5"
Hanging Details: 20' Adjustable Cable
Size: 30"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120-277VAC
Wattage: 72
Initial Lumens: 8700
Delivered Lumens: 5950
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Canopy
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V

Satin White*	**3745.03**
Bright Satin Aluminum*	**3745.16**
Satin Black*	**3745.25**



3973

Pi 24" Square Pendant

Dimensions:

Height: 2.5" Width: 24" Length: 24"
Canopy:
Height: 1.75" Width: 11.75" Length: 11.75"
Hanging Details: 20' Adjustable Cable
Size: 24"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120-277VAC
Wattage: 53
Initial Lumens: 6400
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Canopy
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V

Satin White*	**3973.03**



3974

Pi 30" Square Pendant

Dimensions:

Height: 2.5" Width: 30" Length: 30"
Canopy:
Height: 1.75" Width: 11.75" Length: 11.75"
Hanging Details: 20' Adjustable Cable
Size: 30"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120-277VAC
Wattage: 72
Initial Lumens: 8700
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Canopy
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V

Satin White*	**3974.03**



3982

Pi 30" Round Ring Pendant

Dimensions:

Height: 2.5" Width: 30" Diameter: 30"
Canopy:
Height: 1.75" Diameter: 11.75"
Hanging Details: 20' Adjustable Cable
Size: 30"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120-277VAC
Wattage: 72
Initial Lumens: 3200
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Canopy
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V

Satin White*	**3982.03**



3986

Pi 30" Square Ring Pendant

Dimensions:

Height: 2.5" Width: 30" Length: 30"
Canopy:
Height: 1.75" Width: 11.75" Length: 11.75"
Hanging Details: 20' Adjustable Cable
Size: 30"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120-277VAC
Wattage: 72
Initial Lumens: 3200
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Canopy
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V

Satin White*	**3986.03**

**For 3500K add -35 at the end of the SKU number.*



3978.03

Pi

Surface Mount

Pi surface mounts are now available in round and square shapes, and multiples sizes, finishes, and color temperatures.



2745

Pi 8" Round Surface Mount

Dimensions:

Height: 2" Diameter: 8"
Canopy: Diameter: 8"
Size: 8"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 20
Initial Lumens: 1800
Delivered Lumens: 1007
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
Bulb Max Wattage: 20

Bright Satin Aluminum	**2745.16**
Black Bronze	**2745.32**
Textured White	**2745.98**



2746

Pi 12" Round Surface Mount

Dimensions:

Height: 2" Diameter: 12"
Canopy: Diameter: 12"
Size: 12"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 22
Initial Lumens: 2000
Delivered Lumens: 1286
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
Bulb Max Wattage: 22

Bright Satin Aluminum	**2746.16**
Black Bronze	**2746.32**
Textured White	**2746.98**



2747

Pi 16" Round Surface Mount

Dimensions:

Height: 2" Diameter: 16"
Canopy: Diameter: 16"
Size: 16"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120-277VAC
Wattage: 30
Initial Lumens: 2800
Delivered Lumens: 2190
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V

Bright Satin Aluminum	**2747.16**
Black Bronze	**2747.32**
Textured White	**2747.98**



3747

Pi 24" Round Surface Mount

Dimensions:

Height: 4" Diameter: 23.75"
Canopy: Height: 1.75" Diameter: 18.75"
Size: 24"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120-277VAC
Wattage: 53
Initial Lumens: 6400
Delivered Lumens: 4380
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Canopy
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V

Satin White*	**3747.03**
Bright Satin Aluminum*	**3747.16**
Satin Black*	**3747.25**

3748

Pi 30" Round Surface Mount

Dimensions:

Height: 4" Diameter: 29.5"
Canopy: Height: 1.75" Diameter: 23.5"
Size: 30"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120-277VAC
Wattage: 72
Initial Lumens: 8700
Delivered Lumens: 5950
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Canopy
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V

Satin White*	**3748.03**
Bright Satin Aluminum*	**3748.16**
Satin Black*	**3748.25**

3977

Pi 24" Square Surface Mount

Dimensions:

Height: 4" Width: 24" Length: 24"
Canopy:
Height: 1.75" Width: 18.75" Length: 18.75"
Size: 24"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120-277VAC
Wattage: 53
Initial Lumens: 6400
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Canopy
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V

Satin White*	**3977.03**

3978

Pi 30" Square Surface Mount

Dimensions:

Height: 4" Width: 30" Length: 30"
Canopy:
Height: 1.75" Width: 24.75" Length: 24.75"
Size: 30"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120-277VAC
Wattage: 72
Initial Lumens: 8700
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Canopy
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V

Satin White*	**3978.03**

**For 3500K add -35 at the end of the SKU number.*



2050.03-E

Koma

Pendant

Inspired by the historically popular Japanese toy spinning tops of the 13th century, Koma pendants transcend history with cheerful modern style.

2750

Koma Taisho Pendant

Dimensions:

Height: 11" Diameter: 9"
Canopy: Diameter: 5"
Hanging Details: 10' Adjustable Silk Covered Cord

Electrical Specs:

Bulb(s) Included?: No
Bulb Type: (1) 75W Medium Base or 42W GU24 Base
(10W GU24 Puck Lamp available)
Bulb Quantity: 1
Wattage: 75/42
Initial Lumens: 850
Color Temperature: 3000K
CRI: 90

Satin White w/White Silk Cord	**2750.03-**
Bright Satin Aluminum w/Silver Silk Cord	**2750.16-**
Satin Black w/Black Silk Cord	**2750.25-**

BULB TYPE: E - E26 Base or **G** - GU24 Base



2754.25-E

2752

Koma Meiji Pendant

Dimensions:

Height: 7.25" Diameter: 15"
Canopy: Diameter: 5"
Hanging Details: 10' Adjustable Silk Covered Cord

Electrical Specs:

Bulb(s) Included?: No
Bulb Type: (1) 75W Medium Base or 42W GU24 Base
(10W GU24 Puck Lamp available)
Bulb Quantity: 1
Wattage: 75/42
Initial Lumens: 850
Color Temperature: 3000K
CRI: 90

Satin White w/White Silk Cord	**2752.03-**
Satin Black w/Black Silk Cord	**2752.25-**

2754

Koma Edo Pendant

Dimensions:

Height: 6.25" Diameter: 20"
Canopy: Diameter: 5"
Hanging Details: 10' Adjustable Silk Covered Cord

Electrical Specs:

Bulb(s) Included?: No
Bulb Type: (1) 75W Medium Base or 42W GU24 Base
(10W GU24 Puck Lamp available)
Bulb Quantity: 1
Wattage: 75/42
Initial Lumens: 850
Color Temperature: 3000K
CRI: 90

Satin White w/White Silk Cord	**2754.03-**
Satin Black w/Black Silk Cord	**2754.25-**

BULB TYPE: E - E26 Base or **G** - GU24 Base



2048.01

Chimes

Unified and balanced, Chimes chandeliers and the complementary sconce offer an elegant decorative rhythm of angular slashed LED-illuminated tubes composed to maximize the optical effects of metal finishes and light.

Scaled for residential, hospitality, and commercial settings for an enduring modern presence.

2048

Chimes 3-Tier Chandelier

Dimensions:

Height: 32.25" Diameter: 24.25"
Canopy: Height: 2" Diameter: 11.75"
Hanging Details: 20' Adjustable Cable
Shape: Triple Sphere

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 90
Input Voltage: 100-277VAC
Wattage: 150
Initial Lumens: 16500
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 2
Power Supply Location: Canopy
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V
Bulb Max Wattage: 150

Polished Chrome	**2048.01**
Satin Brass	**2048.38**



2048.38



2046.01

Chimes

Unified and balanced, Chimes chandeliers and the complementary sconce offer an elegant decorative rhythm of angular slashed LED-illuminated tubes composed to maximize the optical effects of metal finishes and light.

Scaled for residential, hospitality, and commercial settings for an enduring modern presence.

2046

Chimes Round Chandelier

Dimensions:

Height: 15" Diameter: 48.25"
Canopy: Height: 2" Diameter: 11.75"
Hanging Details: 20' Adjustable Cable
Shape: Double Angled

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 60
Input Voltage: 100-277VAC
Wattage: 96
Initial Lumens: 10560
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 2
Power Supply Location: Canopy
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V
Bulb Max Wattage: 96

Polished Chrome	**2046.01**
Satin Brass	**2046.38**



2046.38



2047.01



2043.01

2047

Chimes 2-Tier Chandelier

Dimensions:

Height: 23.25" Diameter: 24.5"
Canopy: Height: 2" Diameter: 11.75"
Hanging Details: 20' Adjustable Cable
Shape: Double Sphere

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 72
Input Voltage: 100-277VAC
Wattage: 115
Initial Lumens: 12650
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 2
Power Supply Location: Canopy
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V
Bulb Max Wattage: 115

Polished Chrome	**2047.01**
Satin Brass	**2047.38**

2043

Chimes Triple Sconce

Dimensions:

Height: 18" Length: 7.25"
Wall Plate: Height: 6" Width: 3" Length: 0.5"
Extension: 5"
Shape: Triple Sconce

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 6
Input Voltage: 100-277VAC
Wattage: 11
Initial Lumens: 1210
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V
Bulb Max Wattage: 11

Polished Chrome	**2043.01**
Satin Brass	**2043.38**



3096.01



V Panels

Designed to celebrate the transformative quality of light, V Panels' floating acrylic slabs, available in various widths, capped with a crisp rectilinear chrome top, reveal linear spatial compositions, refracting LED illumination outward as well as downward through the bottom panel edge.
Scaled for residential, hospitality, and commercial settings for an enduring modern presence.



3095.14



3090.14



V Panels

Designed to celebrate the transformative quality of light, V Panels' floating acrylic slabs, available in various widths, capped with a crisp rectilinear chrome top, reveal linear spatial compositions, refracting LED illumination outward as well as downward through the bottom panel edge.
Scaled for residential, hospitality, and commercial settings for an enduring modern presence.



3090

V Panels Pendant

Dimensions:

Height: 11.75" Width: 0.5" Length: 8.75"
Canopy: Height: 1" Width: 8.75" Length: 1.25"
Hanging Details: 20' Adjustable Cord
Size: Standard

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120-277VAC
Wattage: 15
Initial Lumens: 1360
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Canopy
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V
Bulb Max Wattage: 15

Polished Chrome **3090.01**
Brass Finish **3090.14**



3091

V Panels Thin Pendant

Dimensions:

Height: 11.75" Width: 0.5" Length: 2.25"
Canopy: Height: 0.5" Width: 4.5" Length: 4.5"
Hanging Details: 20' Adjustable Cord
Size: Thin

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120-277VAC
Wattage: 5
Initial Lumens: 460
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Canopy
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V
Bulb Max Wattage: 5

Polished Chrome **3091.01**
Brass Finish **3091.14**



3094

V Panels 8-Light Chandelier

Dimensions:

Height: 23.5" Width: 16.25" Length: 16.25"
Canopy: Height: 2" Width: 18.5" Length: 18.5"
Hanging Details: 20' Adjustable Cord
Size: 8-Light Standard

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 8
Input Voltage: 120-277VAC
Wattage: 113
Initial Lumens: 10850
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 2
Power Supply Location: Canopy
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V
Bulb Max Wattage: 113

Polished Chrome **3094.01**
Brass Finish **3094.14**



3095

V Panels 6-Light Thin Chandelier

Dimensions:

Height: 11.75" Width: 5" Length: 6.75"
Canopy: Height: 2" Width: 6.5" Length: 6.5"
Hanging Details: 20' Adjustable Cord
Size: 6-Light Thin

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 6
Input Voltage: 120-277VAC
Wattage: 23
Initial Lumens: 2800
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Canopy
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V
Bulb Max Wattage: 23

Polished Chrome **3095.01**
Brass Finish **3095.14**



3092

V Panels 3-Light Chandelier

Dimensions:

Height: 23.5" Width: 8.75" Length: 8.75"
Canopy: Height: 2" Width: 11" Length: 11"
Hanging Details: 20' Adjustable Cord
Size: 3-Light Standard

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 3
Input Voltage: 120-277VAC
Wattage: 45
Initial Lumens: 4080
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Canopy
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V
Bulb Max Wattage: 45

Polished Chrome **3092.01**
Brass Finish **3092.14**



3093

V Panels 3-Light Thin Chandelier

Dimensions:

Height: 11.75" Width: 3" Length: 3.25"
Canopy: Height: 2" Width: 4.5" Length: 4.5"
Hanging Details: 20' Adjustable Cord
Size: 3-Light Thin

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 3
Input Voltage: 120-277VAC
Wattage: 15
Initial Lumens: 1400
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Canopy
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V
Bulb Max Wattage: 15

Polished Chrome **3093.01**
Brass Finish **3093.14**



3096

V Panels Bar Chandelier

Dimensions:

Height: 11.75" Width: 11.75" Length: 56"
Canopy: Height: 1.5" Width: 33" Length: 7"
Hanging Details: 20' Adjustable Cord
Size: Bar

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 7
Input Voltage: 120-277VAC
Wattage: 99
Initial Lumens: 9500
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 2
Power Supply Location: Canopy
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V
Bulb Max Wattage: 99

Polished Chrome **3096.01**
Brass Finish **3096.14**



3097

V Panels Large Chandelier

Dimensions:

Height: 11.75" Width: 41.25" Length: 46.75"
Canopy: Height: 1.5" Width: 25" Length: 11"
Hanging Details: 20' Adjustable Cord
Size: Large Intersections

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 11
Input Voltage: 120-277VAC
Wattage: 160
Initial Lumens: 15000
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 3
Power Supply Location: Canopy
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V
Bulb Max Wattage: 160

Polished Chrome **3097.01**
Brass Finish **3097.14**



7508.98



Hemisphere

Pendant

Technically and visually resolved, these lensed LED luminaires, available as pendants, sconces, or ceiling mounted fixtures, convey pure, simple geometry.



7505

Hemisphere Pendant

Dimensions:

Diameter: 4"
Canopy: Diameter: 4.5" Height: 0.5"
Hanging Details: 20' Adjustable Cord
Size: 1-Light

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity:1
Input Voltage: 120-277VAC
Wattage: 8
Initial Lumens: 750
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V
Bulb Max Wattage: 8

Natural Anodized	**7505.77**
Textured Black	**7505.97**
Textured White	**7505.98**



7506

Hemisphere 3-Light Linear Pendant

Dimensions:

Height: 4" Width: 10.75" Length: 4"
Canopy: Height: 0.5" Width: 10.75" Length: 2.5"
Hanging Details: 20' Adjustable Cord
Size: 3-Light

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity:3
Input Voltage: 120-277VAC
Wattage: 24
Initial Lumens: 2250
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Remote
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V
Bulb Max Wattage: 24
Optional 4.5" plate included for installing the driver in the outlet box.

Natural Anodized	**7506.77**
Textured Black	**7506.97**
Textured White	**7506.98**



7508

Hemisphere 5-Light Linear Pendant

Dimensions:

Height: 4" Width: 15" Length: 4"
Canopy: Height: 0.5" Width: 15" Length: 2.5"
Hanging Details: 20' Adjustable Cord
Size: 5-Light

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity:5
Input Voltage: 120-277VAC
Wattage: 40
Initial Lumens: 3750
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Remote
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V
Bulb Max Wattage: 40
Optional 4.5" plate included for installing the driver in the outlet box.

Natural Anodized	**7508.77**
Textured Black	**7508.97**
Textured White	**7508.98**



7509.77

Hemisphere

Sconce + Surface Mount

Scaled for residential, hospitality, and commercial settings for an enduring modern presence. Hemisphere Sconce can be used for both indoor and outdoor applications.



7500

Hemisphere Sconce

Dimensions:

Diameter: 4"
Backplate: Diameter: 5" Length: 0.75"
Extension: 4.25"
Size: One Sided

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity:1
Input Voltage: 120-277VAC
Wattage: 6
Initial Lumens: 500
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V
Bulb Max Wattage: 6
Wet Location, IP65

Natural Anodized	**7500.77**
Textured Black	**7500.97**
Textured White	**7500.98**



7502

Hemisphere Up/Down Sconce

Dimensions:

Diameter: 4"
Backplate: Diameter: 5" Length: 0.75"
Extension: 4.25"
Size: Two Sided

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity:2
Input Voltage: 120-277VAC
Wattage: 10
Initial Lumens: 935
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V
Bulb Max Wattage: 10
Wet Location, IP65

Natural Anodized	**7502.77**
Textured Black	**7502.97**
Textured White	**7502.98**



7509

Hemisphere Surface Mount

Dimensions:

Height: 4.25" Diameter: 4"
Backplate: Diameter: 5" Length: 0.75"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity:1
Input Voltage: 120-277VAC
Wattage: 8
Initial Lumens: 750
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V
Bulb Max Wattage: 8

Natural Anodized	**7509.77**
Textured Black	**7509.97**
Textured White	**7509.98**

Hemisphere Sconces can meet **ADA** requirements if the installer removes the backplate and remotes the power supply.



7502.97



3612.01



Pillows

Celebrating the optical effect of calming curvilinear form and flowing metal structure, Pillows oval acrylic dome and die-cast metal frame, available as pendants or sconces, optimize space with evenly diffused LED light.
Scaled for residential, hospitality, and commercial settings for an enduring modern presence.

3612

Pillows Triple Chandelier

Dimensions:

Height: 5.5" Diameter: 35.5"
Canopy: Height: 2" Diameter: 5"
Hanging Details: 20' Adjustable Cord/Cable
Size: Triple Chandelier

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity:6
Input Voltage: 120-277VAC
Wattage: 28
Initial Lumens: 2575
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Canopy
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V
Bulb Max Wattage: 28

Polished Chrome	**3612.01**
Brass Finish	**3612.14**
Satin Black	**3612.25**



3613.25



3610.14

3610

Pillows Sconce

Dimensions:

Height: 5.5" Width: 9"
Backplate: Height: 0.5" Diameter: 5"
Extension: 10.5"
Size: Standard

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity:2
Input Voltage: 120-277VAC
Wattage: 11
Initial Lumens: 975
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V
Bulb Max Wattage: 11

Polished Chrome	**3610.01**
Brass Finish	**3610.14**
Satin Black	**3610.25**

3613

Pillows 3-Light Linear Chandelier

Dimensions:

Height: 5.5" Width: 48.5" Length: 9"
Canopy: Height: 0.5" Diameter: 4.5"
Hanging Details: 20' Adjustable Cord/Cable
Size: 3-Light Linear Chandelier

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity:6
Input Voltage: 120-277VAC
Wattage: 28
Initial Lumens: 2575
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V
Bulb Max Wattage: 28

Polished Chrome	**3613.01**
Brass Finish	**3613.14**
Satin Black	**3613.25**

Haim

For directed, controlled, and balanced LED recessed and wall-mounted light, Haim spotlights define the relationship of lighting to architecture.
Scaled for residential, hospitality, and commercial settings for an enduring modern presence.



3360.97



3365.98



3361.98



3360

Haim Aimable Wall Lamp

Dimensions:

Height: 5.25" Width: 1.5"
Base: Height: 5.25" Width: 1.5" Length: 1"
Minimum Extension: 2.5"
Maximum Extension: 5.75"
Size: Single

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120-277VAC
Wattage: 4
Initial Lumens: 325
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Remote
Dimming Type: Non-dimmable
Bulb Max Wattage: 4

Textured Black	**3360.97**
Textured White	**3360.98**



3361

Haim Aimable Wall Lamp w/Uplight

Dimensions:

Height: 6" Width: 1.5"
Base: Height: 6" Width: 1.5" Length: 1"
Minimum Extension: 2.5"
Maximum Extension: 5.75"
Size: Single

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 2
Input Voltage: 120-277VAC
Wattage: 8
Initial Lumens: 650
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Remote
Dimming Type: Non-dimmable
Bulb Max Wattage: 8

Textured Black	**3361.97**
Textured White	**3361.98**



3364

Haim Aimable Double Wall Lamp w/Uplight

Dimensions:

Height: 11" Width: 1.5"
Base: Height: 11" Width: 1.5" Length: 1"
Minimum Extension: 2.5"
Maximum Extension: 5.75"
Size: Double

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 12
Input Voltage: 120-277VAC
Wattage: 4
Initial Lumens: 975
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Remote
Dimming Type: Non-dimmable
Bulb Max Wattage: 12

Textured Black	**3364.97**
Textured White	**3364.98**



3365

Haim Aimable Double Wall Lamp

Dimensions:

Height: 1.5" Width: 11"
Base: Height: 1.5" Width: 11" Length: 1"
Minimum Extension: 2.5"
Maximum Extension: 5.75"
Size: Double

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 2
Input Voltage: 120-277VAC
Wattage: 8
Initial Lumens: 650
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Remote
Dimming Type: Non-dimmable
Bulb Max Wattage: 8

Textured Black	**3365.97**
Textured White	**3365.98**



3367

Haim Aimable Double Surface Mount

Dimensions:

Height: 2.5" Width: 11" Length: 1.5"
Canopy: Height: 2.5" Width: 1.5" Length: 1"
Size: Double

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 2
Input Voltage: 120-277VAC
Wattage: 8
Initial Lumens: 650
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Remote
Dimming Type: Non-dimmable
Bulb Max Wattage: 8

Textured Black	**3367.97**
Textured White	**3367.98**



3369

Haim Aimable Recessed Headboard Lamp

Dimensions:

Height: 5.5" Width: 1.5"
Base: Height: 5.25" Width: 1.5" Length: 0.25"
Minimum Extension: 1.5"
Maximum Extension: 4.75"
Size: Single

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120-240VAC
Wattage: 4
Initial Lumens: 325
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Plug
Dimming Type: Non-dimmable
Bulb Max Wattage: 4

Textured Black	**3369.97**
Textured White	**3369.98**



3760.38 - 3761.38 - 3762.38

Bubbles

Playful, formal, casual yet classic, Bubbles is an iconic, mid-century modern lighting design of infinite variety and proportions. Its straightforward clarity echoes the modern pathos of form from function as its aesthetic basis.



3760

Bubbles 8" 1-Light Pendant

Dimensions:

Height: 22" Diameter: 8"
Canopy: Diameter: 5"
Hanging Details: 10' Adjustable Cord
Size: 8"

Electrical Specs:

Bulb(s) Included?: No
Bulb 1 Type: Medium Base
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 60
Bulb Max Wattage: 60

Polished Nickel	**3760.35**
Satin Brass	**3760.38**



3761

Bubbles 10" 1-Light Pendant

Dimensions:

Height: 22" Diameter: 10"
Canopy: Diameter: 5"
Hanging Details: 10' Adjustable Cord
Size: 10"

Electrical Specs:

Bulb(s) Included?: No
Bulb 1 Type: Medium Base
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 60
Bulb Max Wattage: 60

Polished Nickel	**3761.35**
Satin Brass	**3761.38**



3762

Bubbles 12" 1-Light Pendant

Dimensions:

Height: 22" Diameter: 12"
Canopy: Diameter: 5"
Hanging Details: 10' Adjustable Cord
Size: 12"

Electrical Specs:

Bulb(s) Included?: No
Bulb 1 Type: Medium Base
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 60
Bulb Max Wattage: 60

Polished Nickel	**3762.35**
Satin Brass	**3762.38**



3763

Bubbles 3-Light Chandelier

Dimensions:

Height: 22" Diameter: 20"
Canopy: Diameter: 10"
Hanging Details: 10' Adjustable Cord
Size: 3-Light

Electrical Specs:

Bulb(s) Included?: No
Bulb 1 Type: Medium Base
Bulb Quantity: 3
Input Voltage: 120VAC
Wattage: 60
Bulb Max Wattage: 60

Polished Nickel	**3763.35**
Satin Brass	**3763.38**



3765

Bubbles 5-Light Chandelier

Dimensions:

Height: 22" Diameter: 26"
Canopy: Diameter: 16"
Hanging Details: 10' Adjustable Cord
Size: 5-Light

Electrical Specs:

Bulb(s) Included?: No
Bulb 1 Type: Medium Base
Bulb Quantity: 5
Input Voltage: 120VAC
Wattage: 60
Bulb Max Wattage: 60

Polished Nickel	**3765.35**
Satin Brass	**3765.38**



3768

Bubbles 8-Light Chandelier

Dimensions:

Height: 22" Diameter: 23"
Canopy: Diameter: 18"
Hanging Details: 10' Adjustable Cord
Size: 8-Light

Electrical Specs:

Bulb(s) Included?: No
Bulb 1 Type: Medium Base
Bulb Quantity: 8
Input Voltage: 120VAC
Wattage: 60
Bulb Max Wattage: 60

Polished Nickel	**3768.35**
Satin Brass	**3768.38**



2961.01

Champagne Bubbles

Light dances through a dazzling array of tiny bubbles within the solid mass of each glass crystal ball. A single source of LED illumination becomes refracted and diffused from within its effervescent volume. Champagne Bubbles can be hung singly or in multiple arrangements from a range of canopy sizes.



2961

Champagne Bubbles Pendant

Dimensions:

Height: 4.5" Diameter: 4"
Canopy: Height: 0.75" Diameter: 5"
Hanging Details: 10' Adjustable Cord
Size: 1-Light

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: G4 Base LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 4
Initial Lumens: 220
Color Temperature: 3000K
CRI: 90
Power Supply Type: Transformer
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: ELV
Bulb Max Wattage: 4

Polished Chrome **2961.01**



2962

Champagne Bubbles 3-Light Chandelier

Dimensions:

Height: 4.5" Diameter: 8.5"
Canopy: Height: 0.75" Diameter: 6"
Hanging Details: 10' Adjustable Cord
Size: 3-Light

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: G4 Base LED
Bulb Quantity: 3
Input Voltage: 120VAC
Wattage: 12
Initial Lumens: 660
Color Temperature: 3000K
CRI: 90
Power Supply Type: Transformer
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: ELV
Bulb Max Wattage: 4

Polished Chrome **2962.01**



2963

Champagne Bubbles 6-Light Chandelier

Dimensions:

Height: 4.5" Diameter: 12"
Canopy: Height: 0.75" Diameter: 10"
Hanging Details: 10' Adjustable Cord
Size: 6-Light

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: G4 Base LED
Bulb Quantity: 6
Input Voltage: 120VAC
Wattage: 24
Initial Lumens: 1320
Color Temperature: 3000K
CRI: 90
Power Supply Type: Transformer
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: ELV
Bulb Max Wattage: 4

Polished Chrome **2963.01**



2964

Champagne Bubbles 9-Light Chandelier

Dimensions:

Height: 4.5" Diameter: 14"
Canopy: Height: 1" Diameter: 12"
Hanging Details: 10' Adjustable Cord
Size: 9-Light

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: G4 Base LED
Bulb Quantity: 9
Input Voltage: 120VAC
Wattage: 36
Initial Lumens: 1980
Color Temperature: 3000K
CRI: 90
Power Supply Type: Transformer
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: ELV
Bulb Max Wattage: 4

Polished Chrome **2964.01**



2965

Champagne Bubbles 12-Light Chandelier

Dimensions:

Height: 4.5" Diameter: 17.25"
Canopy: Height: 1" Diameter: 15"
Hanging Details: 10' Adjustable Cord
Size: 12-Light

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: G4 Base LED
Bulb Quantity: 12
Input Voltage: 120VAC
Wattage: 48
Initial Lumens: 2640
Color Temperature: 3000K
CRI: 90
Power Supply Type: Transformer
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: ELV
Bulb Max Wattage: 4

Polished Chrome **2965.01**



2966

Champagne Bubbles 24-Light Chandelier

Dimensions:

Height: 4.5" Diameter: 27.25"
Canopy: Height: 1" Diameter: 25"
Hanging Details: 10' Adjustable Cord
Size: 24-Light

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: G4 Base LED
Bulb Quantity: 24
Input Voltage: 120VAC
Wattage: 96
Initial Lumens: 5280
Color Temperature: 3000K
CRI: 90
Power Supply Type: Transformer
Power Supply Quantity: 2
Power Supply Location: Canopy
Dimming Type: ELV
Bulb Max Wattage: 4

Polished Chrome **2966.01**

Atelier

A civilized approach to an industrial aesthetic, its distinct simplicity and expansive sculptural presence makes this collection ideal for open spaces. Originally launched with an urban modern industrial black finish, Atelier is now also available in the rich luster of solid brass.



4540.38



4540

Atelier Sconce

Dimensions:

Height: 12.75" Width: 19"
Extension: 17.75"
Wall Plate: Height: 11" Width: 4.5"

Electrical Specs:

Bulb(s) Included?: No
Bulb 1 Type: Candelabra Base
Bulb Quantity: 3
Input Voltage: 120VAC
Wattage: 60
Bulb Max Wattage: 60
Shown with available 3W Vintage Carbon Filament T8 LED Light Bulb 2200K

Satin Black **4540.25**
Satin Brass **4540.38**



4546

Atelier 6-Light Chandelier

Dimensions:

Height: 15.75" Diameter: 40.25"
Canopy: 6" Hang Straight
Hanging Details (3) 12" + (1) 6" Stem Kit

Electrical Specs:

Bulb(s) Included?: No
Bulb 1 Type: Candelabra Base
Bulb Quantity: 6
Input Voltage: 120VAC
Wattage: 60
Bulb Max Wattage: 60
Shown with available 3W Vintage Carbon Filament T8 LED Light Bulb 2200K

Satin Black **4546.25**
Satin Brass **4546.38**



4548

Atelier 8-Light Chandelier

Dimensions:

Height: 16.75" Diameter: 60"
Canopy: 6" Hang Straight
Hanging Details (3) 12" + (1) 6" Stem Kit

Electrical Specs:

Bulb(s) Included?: No
Bulb 1 Type: Candelabra Base
Bulb Quantity: 8
Input Voltage: 120VAC
Wattage: 60
Bulb Max Wattage: 60
Shown with available 3W Vintage Carbon Filament T8 LED Light Bulb 2200K

Satin Black **4548.25**
Satin Brass **4548.38**



4548.38



4291.25

Chelsea

Suspended from its black metal cord and held by its industrial socket, Chelsea's historic carbon filament lamp is encapsulated in a voluptuous glass form that echoes its classic shape. Available as a Bath Sconce, Sconce, and Chandelier.

4291

Chelsea 1-Light Pendant

Dimensions:

Height: 8.75" Diameter: 4.5"
Canopy: Diameter: 5"
Hanging Details: 10' Adjustable Cord
Size: 1-Light

Electrical Specs:

Bulb(s) Included?: No
Bulb 1 Type: Medium Base
Bulb Quantity:1
Wattage: 60
Shown with available 60w Vintage Carbon Filament Bulb

Satin Black **4291.25**



4293

Chelsea 3-Light Chandelier

Dimensions:

Height: 8.75" Diameter: 12"
Canopy: Diameter: 9.5"
Hanging Details: 10' Adjustable Cord
Size: 3-Light

Electrical Specs:

Bulb(s) Included?: No
Bulb 1 Type: Medium Base
Bulb Quantity:3
Wattage: 60
Shown with available 60w Vintage Carbon Filament Bulb

Satin Black **4293.25**



4294

Chelsea 3-Arm Chandelier

Dimensions:

Height: 17" Diameter: 15"
Canopy: Diameter: 5"
Hanging Details: (3) 12" + (1) 6" Stem Kit
Size: 3-Arm

Electrical Specs:

Bulb(s) Included?: No
Bulb 1 Type: Medium Base
Bulb Quantity:3
Wattage: 60
Shown with available 60w Vintage Carbon Filament Bulb

Satin Black **4294.25**



4295

Chelsea 5-Light Chandelier

Dimensions:

Height: 8.75" Diameter: 16.5"
Canopy: Diameter: 14"
Hanging Details: 10' Adjustable Cord
Size: 5-Light

Electrical Specs:

Bulb(s) Included?: No
Bulb 1 Type: Medium Base
Bulb Quantity:5
Wattage: 60
Shown with available 60w Vintage Carbon Filament Bulb

Satin Black **4295.25**



4290

Chelsea Sconce

Dimensions:

Height: 14" Width: 4.5"
Wall Plate: Height: 6" Width: 4.25
Extension: 7.25"
Size: Single

Electrical Specs:

Bulb(s) Included?: No
Bulb 1 Type: Medium Base
Bulb Quantity:3
Wattage: 60
Shown with available 60w Vintage Carbon Filament Bulb

Satin Black **4290.25**



4286

Chelsea Bath Sconce

Dimensions:

Height: 12.5" Width: 5.25"
Wall Plate: Height: 6" Width: 5.25
Extension: 7.5"
Size: 1-Light

Electrical Specs:

Bulb(s) Included?: No
Bulb 1 Type: Medium Base
Bulb Quantity:1
Wattage: 60
Shown with available 60w Vintage Carbon Filament Bulb

Satin Black **4286.25**



4287

Chelsea 2-Light Bath Bar

Dimensions:

Height: 12.5" Width: 12.25"
Wall Plate: Height: 6" Width: 12.25
Extension: 7.5"
Size: 2-Light

Electrical Specs:

Bulb(s) Included?: No
Bulb 1 Type: Medium Base
Bulb Quantity:2
Wattage: 60
Shown with available 60w Vintage Carbon Filament Bulb

Satin Black **4287.25**



4288

Chelsea 3-Light Bath Bar

Dimensions:

Height: 12.5" Width: 19.25"
Wall Plate: Height: 6" Width: 19.25
Extension: 7.5"
Size: 3-Light

Electrical Specs:

Bulb(s) Included?: No
Bulb 1 Type: Medium Base
Bulb Quantity:3
Wattage: 60
Shown with available 60w Vintage Carbon Filament Bulb

Satin Black **4288.25**



4289

Chelsea 4-Light Bath Bar

Dimensions:

Height: 12.5" Width: 26.25"
Wall Plate: Height: 6" Width: 26.25
Extension: 7.5"
Size: 4-Light

Electrical Specs:

Bulb(s) Included?: No
Bulb 1 Type: Medium Base
Bulb Quantity:3
Wattage: 60
Shown with available 60w Vintage Carbon Filament Bulb

Satin Black **4289.25**

Mela

Exquisite in the subtle contours of its volume, Mela reveals the color of its surroundings within its sensual shape. Available in three sizes, as single pendants or in multiples of the same size, Mela radiates a sophisticated presence within its space.



3074.25



3072

Mela Medium Pendant

Dimensions:

Height: 11.5" Diameter: 10.25"
Canopy: Height: 0.75" Diameter: 4.5"
Hanging Details: 6' Adjustable Cord
Size: 1-Light Medium

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 10
Initial Lumens: 840
Delivered Lumens: 590
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
Bulb Max Wattage: 10

Satin Black **3072.25**



3073

Mela Large Pendant

Dimensions:

Height: 15" Diameter: 13.75"
Canopy: Height: 0.75" Diameter: 4.5"
Hanging Details: 6' Adjustable Cord
Size: 1-Light Large

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 10
Initial Lumens: 840
Delivered Lumens: 590
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
Bulb Max Wattage: 10

Satin Black **3073.25**



3074

Mela 3-Light Chandelier

Dimensions:

Height: 30" Diameter: 20"
Canopy: Height: 1.25" Diameter: 12"
Hanging Details: 6' Adjustable Cord
Size: 3-Light

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 3
Input Voltage: 120-277VAC
Wattage: 30
Initial Lumens: 2600
Delivered Lumens: 1820
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V
Bulb Max Wattage: 30

Satin Black **3074.25**



3285.03

Vines

Organically sweeping curves undulate in flowing vine-like configurations on which illuminated glass seedpods extend from the softly intersecting branches.

3285

Vines Large Chandelier

Dimensions:

Height: 46" Width: 158.5" Length: 49.5"
Canopy(2): Height: 2" Diameter: 5"
Hanging Details: 6' Adjustable Cord/Cable
Size: Large

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 26
Input Voltage: 100-277VAC
Wattage: 26
Initial Lumens: 2900
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 2
Power Supply Location: Canopy
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V
Bulb Max Wattage: 26

Satin White w/White Crushed Glass **3285.03**
Satin Black w/White Crushed Glass **3285.25**
Coffee Bronze w/Amber Crushed Glass **3285.27**



3281

Vines Small Chandelier

Dimensions:

Height: 48" Width: 38.25" Length: 25.75"
Canopy: Height: 0.5" Diameter: 4.5"
Hanging Details: 6' Adjustable Cord/Cable
Size: Small

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 7
Input Voltage: 100-277VAC
Wattage: 7
Initial Lumens: 800
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V
Bulb Max Wattage: 7

Satin White w/White Crushed Glass **3281.03**
Satin Black w/White Crushed Glass **3281.25**
Coffee Bronze w/Amber Crushed Glass **3281.27**



3283

Vines Chandelier

Dimensions:

Height: 39" Width: 77.25" Length: 34"
Canopy: Height: 2" Diameter: 5"
Hanging Details: 6' Adjustable Cord/Cable
Size: Standard

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 14
Input Voltage: 120VAC
Wattage: 14
Initial Lumens: 1550
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Canopy
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V
Bulb Max Wattage: 14

Satin White w/White Crushed Glass **3283.03**
Satin Black w/White Crushed Glass **3283.25**
Coffee Bronze w/Amber Crushed Glass **3283.27**



3287

Vines Semi-Flush

Dimensions:

Height: 16" Width: 55.25" Length: 51.5"
Canopy: Height: 2" Diameter: 5"
Hanging Details: 6' Adjustable Cord/Cable
Size: Standard

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 17
Input Voltage: 100-277VAC
Wattage: 17
Initial Lumens: 1350
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Canopy
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V
Bulb Max Wattage: 17

Satin White w/White Crushed Glass **3287.03**
Satin Black w/White Crushed Glass **3287.25**
Coffee Bronze w/Amber Crushed Glass **3287.27**

Aileron

Flat Panel Lighting System

This slender and graceful wing-like form mounts horizontally or vertically, and can provide direct or indirect illumination by simply rotating the panel: towards the wall for ambient light, or away from the wall to illuminate a subject or surface.



2704.16

2700

Aileron 12" LED Sconce

Dimensions:

Height: 4" Diameter: 12.25"
Wall Plate: Height: 2.75" Diameter: 12.25"
Extension: 3" - 4.75" Adjustable
Size: 12"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 10
Initial Lumens: 900
Delivered Lumens: 551
Color Temperature: 3000K
CRI: 80
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
Optional Mounting Rails for 4" Outlet Box Available

Bright Satin Aluminum **2700.16**
Textured White **2700.98**

2702

Aileron 24" LED Sconce

Dimensions:

Height: 4" Diameter: 24"
Wall Plate: Height: 2.75" Diameter: 24"
Extension: 3" - 4.75" Adjustable
Size: 24"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 20
Initial Lumens: 1800
Delivered Lumens: 1169
Color Temperature: 3000K
CRI: 80
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
Optional Mounting Rails for 4" Outlet Box Available

Bright Satin Aluminum **2702.16**
Textured White **2702.98**

2704

Aileron 36" LED Sconce

Dimensions:

Height: 4" Diameter: 36"
Wall Plate: Height: 2.75" Diameter: 36"
Extension: 3" - 4.75" Adjustable
Size: 36"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 100-277VAC
Wattage: 30
Initial Lumens: 2700
Delivered Lumens: 1642
Color Temperature: 3000K
CRI: 80
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V
Optional Mounting Rails for 4" Outlet Box Available

Bright Satin Aluminum **2704.16**
Textured White **2704.98**

Urban Edge

Uptown sophistication with a Downtown edge allows the glow of this helix filament to radiate through the texture of black wire mesh. The grit of the hip urban edge is captured in the coolness of the Urban Edge pendants that can be used singularly or in infinite clusters.



4941.97

Urban Edge 1-Light Pendant

Dimensions:

Height: 17.5" Diameter: 2.75"
Canopy: Diameter: 5"
Hanging Details: 10' Adjustable Cord
Size: 1-Light

Electrical Specs:

Bulb(s) Included?: No
Bulb 1 Type: Medium Base
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 60
Shown with available 60w Helix Filament T10 Bulb

Textured Black **4941.97**



4941-5

Urban Edge 5-Light Chandelier

Dimensions:

Height: 17.5" Diameter: 12"
Canopy: Diameter: 12"
Hanging Details: 10' Adjustable Cord
Size: 5-Light

Electrical Specs:

Bulb(s) Included?: No
Bulb 1 Type: Medium Base
Bulb Quantity: 5
Input Voltage: 120VAC
Wattage: 60
Shown with available 60w Helix Filament T10 Bulb

Textured Black **4941.97-5**



4942

Urban Edge Sconce

Dimensions:

Height: 14.25" Width: 5"
Wall Plate: Diameter: 5"
Extension: 4"

Electrical Specs:

Bulb(s) Included?: No
Bulb 1 Type: Medium Base
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 60
Shown with available 60w Helix Filament T10 Bulb
ADA

Textured Black **4942.97**



4943

Urban Edge Panel Sconce

Dimensions:

Height: 16" Width: 5"
Wall Plate: Height: 16" Width: 5"
Extension: 4"

Electrical Specs:

Bulb(s) Included?: No
Bulb 1 Type: Medium Base
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 60
Shown with available 60w Helix Filament T10 Bulb
ADA

Textured Black **4943.97**



4944

Urban Edge 2-Light Sconce

Dimensions:

Height: 24" Width: 5"
Wall Plate: Diameter: 5"
Extension: 4"

Electrical Specs:

Bulb(s) Included?: No
Bulb 1 Type: Medium Base
Bulb Quantity: 2
Input Voltage: 120VAC
Wattage: 60
Shown with available 60w Helix Filament T10 Bulb
ADA

Textured Black **4944.97**



4945

Urban Edge 2-Light Panel Sconce

Dimensions:

Height: 26" Width: 5"
Wall Plate: Height: 26" Width: 5""
Extension: 4"

Electrical Specs:

Bulb(s) Included?: No
Bulb 1 Type: Medium Base
Bulb Quantity: 2
Input Voltage: 120VAC
Wattage: 60
Shown with available 60w Helix Filament T10 Bulb
ADA

Textured Black **4945.97**



2650.03W

Light Guide Ring

Floating within an aluminum ring, an LED source edge-lights a light guide disk that redirects its luminance to its upper and lower surfaces, producing a glare-free radiance. Arranged in single and multiple configurations, Light Guide Rings offers exciting illuminating solutions to both larger and smaller environments.

2650

Light Guide Ring Sconce

Dimensions:

Height: 1.5" Width: 8"
Wall Plate: 5"
Extension: 9"
Size: Single

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 13
Initial Lumens: 1055
Delivered Lumens: 930
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
Bulb Max Wattage: 13

- Satin White w/Apricot **2650.03A**
- Satin White w/White **2650.03W**
- Satin Black w/Apricot **2650.25A**
- Satin Black w/White **2650.25W**



2656.25A



2655

Light Guide Ring 4-Light Bar Chandelier

Dimensions:

Height: 1.5" Width: 37.5" Length: 17.5"
Canopy: Height: 1.25" Width: 8" Length: 5"
Hanging Details: 6' Adjustable Cord
Size: 4-Light Bar

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 4
Input Voltage: 120-277VAC
Wattage: 38
Initial Lumens: 3310
Delivered Lumens: 2920
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Canopy
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V
Bulb Max Wattage: 38

- Satin Black w/White **2655.25W**



2656

Light Guide Ring 9-Light Chandelier

Dimensions:

Height: 1.5" Diameter: 48.25"
Canopy: Height: 1.25" Diameter: 8"
Hanging Details: 6' Adjustable Cord
Size: 9-Light

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 9
Input Voltage: 120-277VAC
Wattage: 60
Initial Lumens: 5517
Delivered Lumens: 4860
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Canopy
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V
Bulb Max Wattage: 38

- Satin White w/Apricot **2656.03A**
- Satin White w/White **2656.03W**
- Satin Black w/Apricot **2656.25A**
- Satin Black w/White **2656.25W**



2897.25

Ballet

Poised in opposing positions, softly tapered acrylic forms radiate LED illumination. Asymmetrically counterbalanced, these double tapered elements are arranged in a symmetrical cluster to form a dazzling luminous dance of interactivity. Suspended from a single multi-arm canopy or mounted individually to the ceiling in a radial pattern allows for scaling of the diameter of the fixture.



2893

Ballet 9-Light Swag LED Chandelier

Dimensions:

Height: 3.25" Diameter: 21.25"
Canopy: Height: 1.75" Diameter: 12"
Hanging Details: 10' Adjustable Cord
Size: Swag

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 9
Input Voltage: 120-277VAC
Wattage: 41
Initial Lumens: 5540
Delivered Lumens: 3880
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Canopy
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V
Bulb Max Wattage: 41

Bright Satin Aluminum	**2893.16**
Satin Black	**2893.25**



2894

Ballet 9-Light Spreader LED Chandelier

Dimensions:

Height: 3.25" Diameter: 21.25"
Canopy: Height: 1.25" Diameter: 8"
Hanging Details: 6' Adjustable Cord
Size: Spreader

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 9
Input Voltage: 120-277VAC
Wattage: 41
Initial Lumens: 5540
Delivered Lumens: 3880
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Canopy
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V
Bulb Max Wattage: 41

Bright Satin Aluminum	**2894.16**
Satin Black	**2894.25**



2895

Ballet 13-Light Swag LED Chandelier

Dimensions:

Height: 3.25" Diameter: 27.25"
Canopy: Height: 1.75" Diameter: 12"
Hanging Details: 10' Adjustable Cord
Size: Swag

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 13
Input Voltage: 120-277VAC
Wattage: 55
Initial Lumens: 7730
Delivered Lumens: 5410
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Canopy
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V
Bulb Max Wattage: 55

Bright Satin Aluminum	**2895.16**
Satin Black	**2895.25**



2896

Ballet 13-Light Spreader LED Chandelier

Dimensions:

Height: 3.25" Diameter: 27.25"
Canopy: Height: 1.25" Diameter: 8"
Hanging Details: 6' Adjustable Cord
Size: Spreader

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 13
Input Voltage: 120-277VAC
Wattage: 55
Initial Lumens: 7730
Delivered Lumens: 5410
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Canopy
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V
Bulb Max Wattage: 55

Bright Satin Aluminum	**2896.16**
Satin Black	**2896.25**



2897

Ballet 24-Light Swag LED Chandelier

Dimensions:

Height: 3.25" Diameter: 48.5"
Canopy: Height: 1.75" Diameter: 14"
Hanging Details: 10' Adjustable Cord
Size: Swag

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 24
Input Voltage: 120-277VAC
Wattage: 110
Initial Lumens: 14780
Delivered Lumens: 10340
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 2
Power Supply Location: Canopy
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V
Bulb Max Wattage: 110

Bright Satin Aluminum	**2897.16**
Satin Black	**2897.25**



2907.25M

Papillons

Delicately floating in suspension, these iconically modern, whimsical shapes bring the presence of Modernism and the colors of Mondrian and Miró to the technology of today's art of light. Available in several configurations and as a single pendant, these light sculptures offer scale to modern primitive environments that playfully allow the activity of movement within its space.

Shade A:

Satin Black w/Satin Black Shade	**2901.25-AK**
Satin Black w/Satin White Shade	**2901.25-AW**

Shade B:

Satin Black w/Satin Black Shade	**2901.25-BK**
Satin Black w/Satin Red Shade	**2901.25-BR**
Satin Black w/Satin White Shade	**2901.25-BW**

Shade C:

Satin Black w/Satin Black Shade	**2901.25-CK**
Satin Black w/Satin White Shade	**2901.25-CW**
Satin Black w/Satin Yellow Shade	**2901.25-CY**

Shade D:

Satin Black w/Satin Black Shade	**2901.25-DK**
Satin Black w/Satin White Shade	**2901.25-DW**





2901

Papillons LED Pendant

Dimensions:

Ax Option: Height: 5" Width: 11.75" Length: 4"
Bx Option: Height: 6.75" Width: 12.5" Length: 5.25"
Cx Option: Height: 4.5" Width: 16" Length: 3.5"
Dx Option: Height: 4.75" Width: 12.5" Length: 3.75"
Canopy: Diameter: 4.5" Height: 0.5"
Hanging Details: 10' Adjustable Cord
Size: Single

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 8
Initial Lumens: 800
Delivered Lumens: 520
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: ELV/TRIAC
Bulb Max Wattage: 8

Shade Finishes on previous page.



2902

Papillons 4-Light LED Chandelier

Dimensions:

Height: 19" Diameter: 31"
Canopy: Diameter: 4.5" Height: 0.5"
Hanging Details: 10' Adjustable Cord
Size: 4-Light Standard

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 4
Input Voltage: 120VAC
Wattage: 22
Initial Lumens: 2000
Delivered Lumens: 1300
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: ELV/TRIAC
Bulb Max Wattage: 22

Satin Black w/Satin Black Shades	**2902.25K**
Satin Black w/Assorted Shade Colors	**2902.25M**
Satin Black w/Satin White Shades	**2902.25W**



2904

Papillons 4-Light Large LED Chandelier

Dimensions:

Height: 26" Diameter: 53.5"
Canopy: Diameter: 4.5" Height: 0.5"
Hanging Details: 10' Adjustable Cord
Size: 4-Light Large

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 4
Input Voltage: 120VAC
Wattage: 22
Initial Lumens: 2000
Delivered Lumens: 1150
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: ELV/TRIAC
Bulb Max Wattage: 22

Satin Black w/Satin Black Shades	**2904.25K**
Satin Black w/Assorted Shade Colors	**2904.25M**
Satin Black w/Satin White Shades	**2904.25W**



2905

Papillons 9-Light Swag LED Chandelier

Dimensions:

Height: 6.75" Diameter: 24" to 192"
Canopy: Diameter: 12" Height: 1.75"
Hanging Details: 10' Adjustable Cord
Size: 9-Light Swag

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 9
Input Voltage: 120-277VAC
Wattage: 38
Initial Lumens: 3600
Delivered Lumens: 2070
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Canopy
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V
Bulb Max Wattage: 38

Satin Black w/Satin Black Shades	**2905.25K**
Satin Black w/Assorted Shade Colors	**2905.25M**
Satin Black w/Satin White Shades	**2905.25W**



2907

Papillons 13-Light Swag LED Chandelier

Dimensions:

Height: 6.75" Diameter: 30" to 192"
Canopy: Diameter: 12" Height: 1.75"
Hanging Details: 10' Adjustable Cord
Size: 13-Light Swag

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 13
Input Voltage: 120-277VAC
Wattage: 50
Initial Lumens: 4800
Delivered Lumens: 2760
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Canopy
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V
Bulb Max Wattage: 50

Satin Black w/Satin Black Shades	**2907.25K**
Satin Black w/Assorted Shade Colors	**2907.25M**
Satin Black w/Satin White Shades	**2907.25W**



2909

Papillons 24-Light Swag LED Chandelier

Dimensions:

Height: 6.75" Diameter: 36" to 192"
Canopy: Diameter: 14" Height: 1.75"
Hanging Details: 10' Adjustable Cord
Size: 13-Light Swag

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 24
Input Voltage: 120-277VAC
Wattage: 100
Initial Lumens: 9600
Delivered Lumens: 5520
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 2
Power Supply Location: Canopy
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V
Bulb Max Wattage: 100

Satin Black w/Satin Black Shades	**2909.25K**
Satin Black w/Assorted Shade Colors	**2909.25M**
Satin Black w/Satin White Shades	**2909.25W**



2996.25C

Cantina

A flask-like flat oval glass profile, suspended from a slender cable, rotates randomly to various orientations creating an asymmetric relationship to its surroundings. A single point source of LED illumination within the void of the larger glass volume creates a special aesthetic tension of scales.



2990-LRG

Cantina Large LED Pendant

Dimensions:

Height: 18.75" Width: 15" Length: 4.5"
Canopy: Height: 0.75" Diameter: 5"
Hanging Details: 10' Adjustable Cord
Size: Large

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: G4 Base LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 4
Initial Lumens: 200
Color Temperature: 3000K
CRI: 90
Power Supply Type: Transformer
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: ELV
Bulb Max Wattage: 4

Satin Black w/Clear Glass	**2990.25C-LRG**
Satin Black w/Smoke Fade Glass	**2990.25K-LRG**
Satin Black w/Poured White Glass	**2990.25W-LRG**



2990-MED

Cantina Medium LED Pendant

Dimensions:

Height: 14" Width: 12" Length: 3.75"
Canopy: Height: 0.75" Diameter: 5"
Hanging Details: 10' Adjustable Cord
Size: Medium

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: G4 Base LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 4
Initial Lumens: 200
Color Temperature: 3000K
CRI: 90
Power Supply Type: Transformer
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: ELV
Bulb Max Wattage: 4

Satin Black w/Clear Glass	**2990.25C-MED**
Satin Black w/Smoke Fade Glass	**2990.25K-MED**
Satin Black w/Poured White Glass	**2990.25W-MED**



2990-SML

Cantina Small LED Pendant

Dimensions:

Height: 11.25" Width: 9" Length: 3"
Canopy: Height: 0.75" Diameter: 5"
Hanging Details: 10' Adjustable Cord
Size: Small

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: G4 Base LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 4
Initial Lumens: 200
Color Temperature: 3000K
CRI: 90
Power Supply Type: Transformer
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: ELV
Bulb Max Wattage: 4

Satin Black w/Clear Glass	**2990.25C-SML**
Satin Black w/Smoke Fade Glass	**2990.25K-SML**
Satin Black w/Poured White Glass	**2990.25W-SML**



2995

Cantina 3-Light Tri-Spreader Chandelier

Dimensions:

Height: 12" to 19.5" Diameter: 30" to 36"
Canopy: Height: 1.25" Diameter: 6"
Hanging Details: 10' Adjustable Cord
Size: 3-Light Tri-Spreader

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: G4 Base LED
Bulb Quantity: 3
Input Voltage: 120VAC
Wattage: 12
Initial Lumens: 600
Color Temperature: 3000K
CRI: 90
Power Supply Type: Transformer
Power Supply Quantity: 1
Power Supply Location: Canopy
Dimming Type: ELV
Bulb Max Wattage: 4

Satin Black w/Clear Glass*	**2995.25C-**
Satin Black w/Smoke Fade Glass*	**2995.25K-**
Satin Black w/Poured White Glass*	**2995.25W-**



2996

Cantina 6-Light Tri-Spreader Chandelier

Dimensions:

Height: 14.75" Diameter: 42"
Canopy: Height: 1.25" Diameter: 6"
Hanging Details: 10' Adjustable Cord
Size: 6-Light Tri-Spreader

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: G4 Base LED
Bulb Quantity: 6
Input Voltage: 120VAC
Wattage: 24
Initial Lumens: 1200
Color Temperature: 3000K
CRI: 90
Power Supply Type: Transformer
Power Supply Quantity: 1
Power Supply Location: Canopy
Dimming Type: ELV
Bulb Max Wattage: 4

Satin Black w/Clear Glass	**2996.25C**
Satin Black w/Smoke Fade Glass	**2996.25K**
Satin Black w/Poured White Glass	**2996.25W**



2997

Cantina 9-Light Tri-Spreader Chandelier

Dimensions:

Height: 19.25" Diameter: 57"
Canopy: Height: 1.25" Diameter: 6"
Hanging Details: 10' Adjustable Cord
Size: 9-Light Tri-Spreader

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: G4 Base LED
Bulb Quantity: 9
Input Voltage: 120VAC
Wattage: 36
Initial Lumens: 1800
Color Temperature: 3000K
CRI: 90
Power Supply Type: Transformer
Power Supply Quantity: 1
Power Supply Location: Canopy
Dimming Type: ELV
Bulb Max Wattage: 4

Satin Black w/Clear Glass	**2997.25C**
Satin Black w/Smoke Fade Glass	**2997.25K**
Satin Black w/Poured White Glass	**2997.25W**

**Add -SML, -MED, or -LRG at the end of the SKU number to select pendant sizes.*

Ilios

Set within a crisp round drum, the soft curvature of the interior surface reflects the luminance of a shallow dome diffuser. The result is a glow of unified radiance from within the volume, which delivers brightness with a soft ambiance within a space.



3735.03



3738.03

3733

Ilios 6" LED Surface Mount

Dimensions:

Height: 4" Diameter: 6"
Canopy: Diameter: 6"
Size: 6"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 9
Initial Lumens: 950
Delivered Lumens: 760
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Fixture
Dimming Type: TRIAC/ELV
Bulb Max Wattage: 9

Satin White	**3733.03**
Dove Gray	**3733.18**

3734

Ilios 10" LED Surface Mount

Dimensions:

Height: 4" Diameter: 10"
Canopy: Diameter: 10"
Size: 10"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120-277VAC
Wattage: 11
Initial Lumens: 1200
Delivered Lumens: 960
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Fixture
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V
Bulb Max Wattage: 11

Satin White	**3734.03**
Dove Gray	**3734.18**

3735

Ilios 14" LED Surface Mount

Dimensions:

Height: 4.5" Diameter: 14"
Canopy: Diameter: 14"
Size: 14"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120-277VAC
Wattage: 19
Initial Lumens: 2150
Delivered Lumens: 1720
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Fixture
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V
Bulb Max Wattage: 19

Satin White	**3735.03**
Dove Gray	**3735.18**

3736

Ilios 18" LED Surface Mount

Dimensions:

Height: 5" Diameter: 18"
Canopy: Diameter: 18"
Size: 18"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120-277VAC
Wattage: 22
Initial Lumens: 2350
Delivered Lumens: 1880
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Fixture
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V
Bulb Max Wattage: 22

Satin White	**3736.03**
Dove Gray	**3736.18**

3738

Ilios 22" LED Surface Mount

Dimensions:

Height: 5.25" Diameter: 22"
Canopy: Diameter: 22"
Size: 22"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120-277VAC
Wattage: 34
Initial Lumens: 4220
Delivered Lumens: 3170
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Fixture
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V
Bulb Max Wattage: 34

Satin White*	**3738.03**
Dove Gray*	**3738.18**

**For 3500K add -35 at the end of the SKU number.*



2430.01-DT

Tubo Slim

Bath Bars + Sconces

Elegantly slender tubular glass LED bath bar and sconce lighting system. Available with 3 end trims, in a choice of finishes and sizes.

2430

Tubo Slim 18" LED Bath Bar

Dimensions:

Height: 4.25" Width: 18" - 19.5"
Backplate: Height: 4.25" Width: 4.25"
Extension: 3" - 3.25"
Size: 18"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 13
Initial Lumens: 900
Delivered Lumens: 744
Color Temperature: 3000K
CRI: 90
Power Supply Type: Transformer
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: ELV
ADA

Polished Chrome **2430.01-**
Satin Nickel **2430.13-**

2431

Tubo Slim 24" LED Bath Bar

Dimensions:

Height: 4.25" Width: 24" - 25.5"
Backplate: Height: 4.25" Width: 4.25"
Extension: 3" - 3.25"
Size: 24"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 16
Initial Lumens: 1080
Delivered Lumens: 868
Color Temperature: 3000K
CRI: 90
Power Supply Type: Transformer
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: ELV
ADA

Polished Chrome **2431.01-**
Satin Nickel **2431.13-**

2432

Tubo Slim 32" LED Bath Bar

Dimensions:

Height: 4.25" Width: 32" - 33.5"
Backplate: Height: 4.25" Width: 4.25"
Extension: 3" - 3.25"
Size: 32"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 21
Initial Lumens: 1440
Delivered Lumens: 1095
Color Temperature: 3000K
CRI: 90
Power Supply Type: Transformer
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: ELV
ADA

Polished Chrome **2432.01-**
Satin Nickel **2432.13-**

2433

Tubo Slim 40" LED Bath Bar

Dimensions:

Height: 4.25" Width: 40" - 41.5"
Backplate: Height: 4.25" Width: 4.25"
Extension: 3" - 3.25"
Size: 40"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 26
Initial Lumens: 1800
Delivered Lumens: 1262
Color Temperature: 3000K
CRI: 90
Power Supply Type: Transformer
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: ELV
ADA

Polished Chrome **2433.01-**
Satin Nickel **2433.13-**

2440

Tubo Slim 12" LED Sconce

Dimensions:

Height: 4.25" Width: 12" - 13.25"
Backplate: Height: 4.25" Width: 4.25"
Extension: 3" - 3.25"
Size: 12"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 8
Initial Lumens: 540
Delivered Lumens: 433
Color Temperature: 3000K
CRI: 85
Power Supply Type: Transformer
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: ELV
ADA

Polished Chrome **2440.01-**
Satin Nickel **2440.13-**

2441

Tubo Slim 12" LED Panel Sconce

Dimensions:

Height: 15" Width: 4.75"
Backplate: Height: 15" Width: 4.75"
Extension: 3" - 3.25"
Size: 12"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 8
Initial Lumens: 540
Delivered Lumens: 433
Color Temperature: 3000K
CRI: 90
Power Supply Type: Transformer
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: ELV
ADA

Polished Chrome **2441.01-**
Satin Nickel **2441.13-**

2442

Tubo Slim 18" LED Sconce

Dimensions:

Height: 4.25" Width: 18" - 19.25"
Backplate: Height: 4.25" Width: 4.25"
Extension: 3" - 3.25"
Size: 18"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 13
Initial Lumens: 900
Delivered Lumens: 679
Color Temperature: 3000K
CRI: 85
Power Supply Type: Transformer
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: ELV
ADA

Polished Chrome **2442.01-**
Satin Nickel **2442.13-**

2443

Tubo Slim 18" LED Panel Sconce

Dimensions:

Height: 21" Width: 4.75"
Backplate: Height: 21" Width: 4.75"
Extension: 3" - 3.25"
Size: 18"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 13
Initial Lumens: 900
Delivered Lumens: 679
Color Temperature: 3000K
CRI: 90
Power Supply Type: Transformer
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: ELV
ADA

Polished Chrome **2443.01-**
Satin Nickel **2443.13-**



2421.01

SQ-bar

SQ-Bar represents pristine and even LED illumination with its sleek, rectangular, white diffuser design. This bath bar's simplicity of form and minimal geometric profile brings decorative interest to any luxurious setting. With a perfect combination of form and function, this bath bar is a great fit for a vanity or general bathroom lighting.

2420

SQ-bar 18" LED Bath Bar

Dimensions:

Height: 4.25" Width: 18"
Backplate: Height: 4.25" Width: 4.25"
Extension: 3"
Size: 18"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 13
Initial Lumens: 900
Delivered Lumens: 606
Color Temperature: 3000K
CRI: 90
Power Supply Type: Transformer
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: ELV
ADA

Polished Chrome **2420.01**
Satin Nickel **2420.13**

2421

SQ-bar 24" LED Bath Bar

Dimensions:

Height: 4.25" Width: 24"
Backplate: Height: 4.25" Width: 4.25"
Extension: 3"
Size: 24"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 16
Initial Lumens: 1080
Delivered Lumens: 745
Color Temperature: 3000K
CRI: 90
Power Supply Type: Transformer
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: ELV
ADA

Polished Chrome **2421.01**
Satin Nickel **2421.13**

2422

SQ-bar 32" LED Bath Bar

Dimensions:

Height: 4.25" Width: 32"
Backplate: Height: 4.25" Width: 4.25"
Extension: 3"
Size: 32"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 21
Initial Lumens: 1440
Delivered Lumens: 971
Color Temperature: 3000K
CRI: 90
Power Supply Type: Transformer
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: ELV
ADA

Polished Chrome **2422.01**
Satin Nickel **2422.13**

2423

SQ-bar 40" LED Bath Bar

Dimensions:

Height: 4.25" Width: 40"
Backplate: Height: 4.25" Width: 4.25"
Extension: 3"
Size: 40"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 26
Initial Lumens: 1800
Delivered Lumens: 1170
Color Temperature: 3000K
CRI: 90
Power Supply Type: Transformer
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: ELV
ADA

Polished Chrome **2423.01**
Satin Nickel **2423.13**



2549.01

Vanity

Vanity LED Bath Bars are able to mount flush to an existing mirror installation.

2549

Vanity Extra Wide 36" Bath Bar

Dimensions:

Height: 4.5" Width: 36.5"
Wall Plate: Height: 4.5" Width: 36.5"
Extension: 1.75"
Size: Wide Extra Wide 36"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 21
Initial Lumens: 1930
Delivered Lumens: 1350
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
Bulb Max Wattage: 21
ADA

Polished Chrome **2549.01**



2554.01

2554

Vanity Wide Vertical Mirror Kit

Dimensions:

Height: 36.25" Width: 30"
Extension: 1.75"
Size: Wide Vertical

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 2
Input Voltage: 120VAC
Wattage: 80
Initial Lumens: 4800
Delivered Lumens: 4288
Color Temperature: 3000K
CRI: 90
Power Supply Type: Transformer
Power Supply Quantity: 2
Power Supply Location: Outlet Box
Dimming Type: ELV
Bulb Max Wattage: 80
ADA

Polished Chrome **2554.01**

2544

Vanity Wide 36" Bath Bar

Dimensions:

Height: 3" Width: 36.25"
Wall Plate: Height: 36" Depth: 3"
Extension: 1.75"
Size: Wide 36"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 40
Initial Lumens: 2400
Delivered Lumens: 2144
Color Temperature: 3000K
CRI: 90
Power Supply Type: Transformer
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: ELV
Optional 4" outlet box cover available
ADA

Polished Chrome **2544.01**

2545

Vanity Wide 48" Bath Bar

Dimensions:

Height: 3" Width: 48.25"
Wall Plate: Height: 48" Depth: 3"
Extension: 1.75"
Size: Wide 48"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 54
Initial Lumens: 3200
Delivered Lumens: 2340
Color Temperature: 3000K
CRI: 90
Power Supply Type: Transformer
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: ELV
Optional 4" outlet box cover available
ADA

Polished Chrome **2545.01**

2546

Vanity Extra Wide 12" Bath Bar

Dimensions:

Height: 4.5" Width: 12.5"
Wall Plate: Height: 4.5" Width: 12.5"
Extension: 1.75"
Size: Wide Extra Wide 12"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 9
Initial Lumens: 770
Delivered Lumens: 540
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
Bulb Max Wattage: 9
ADA

Polished Chrome **2546.01**

2540

Vanity Slim 24" Bath Bar

Dimensions:

Height: 1.5" Width: 24.25"
Wall Plate: Height: 24" Depth: 1.5"
Extension: 1.75"
Size: Slim 24"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 18
Initial Lumens: 1100
Delivered Lumens: 998
Color Temperature: 3000K
CRI: 90
Power Supply Type: Transformer
Power Supply Quantity: 1
Power Supply Location: Remote
Dimming Type: ELV
Optional 4" outlet box cover available
ADA

Polished Chrome **2540.01**

2541

Vanity Slim 36" Bath Bar

Dimensions:

Height: 1.5" Width: 36.25"
Wall Plate: Height: 36" Depth: 1.5"
Extension: 1.75"
Size: Slim 36"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 27
Initial Lumens: 1600
Delivered Lumens: 1306
Color Temperature: 3000K
CRI: 90
Power Supply Type: Transformer
Power Supply Quantity: 1
Power Supply Location: Remote
Dimming Type: ELV
Optional 4" outlet box cover available
ADA

Polished Chrome **2541.01**

2542

Vanity Slim 48" Bath Bar

Dimensions:

Height: 1.5" Width: 48.25"
Wall Plate: Height: 48" Depth: 1.5"
Extension: 1.75"
Size: Slim 48"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 36
Initial Lumens: 2200
Delivered Lumens: 1776
Color Temperature: 3000K
CRI: 90
Power Supply Type: Transformer
Power Supply Quantity: 1
Power Supply Location: Remote
Dimming Type: ELV
Optional 4" outlet box cover available
ADA

Polished Chrome **2542.01**

2543

Vanity Wide 24" Bath Bar

Dimensions:

Height: 3" Width: 24.25"
Wall Plate: Height: 24" Depth: 3"
Extension: 1.75"
Size: Wide 24"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 27
Initial Lumens: 1600
Delivered Lumens: 1450
Color Temperature: 3000K
CRI: 90
Power Supply Type: Transformer
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: ELV
Optional 4" outlet box cover available
ADA

Polished Chrome **2543.01**

2547

Vanity Extra Wide 18" Bath Bar

Dimensions:

Height: 4.5" Width: 18.5"
Wall Plate: Height: 4.5" Width: 18.5"
Extension: 1.75"
Size: Wide Extra Wide 18"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 13
Initial Lumens: 1160
Delivered Lumens: 800
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
Bulb Max Wattage: 13
ADA

Polished Chrome **2547.01**

2548

Vanity Extra Wide 24" Bath Bar

Dimensions:

Height: 4.5" Width: 24.5"
Wall Plate: Height: 4.5" Width: 24.5"
Extension: 1.75"
Size: Wide Extra Wide 24"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 17
Initial Lumens: 1550
Delivered Lumens: 1100
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
Bulb Max Wattage: 17
ADA

Polished Chrome **2548.01**

2550

Vanity Slim Vertical Mirror Kit

Dimensions:

Height: 36.25" Width: 27"
Extension: 1.75"
Size: Slim Vertical

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 2
Input Voltage: 120VAC
Wattage: 54
Initial Lumens: 3200
Delivered Lumens: 2612
Color Temperature: 3000K
CRI: 90
Power Supply Type: Transformer
Power Supply Quantity: 2
Power Supply Location: Outlet Box
Dimming Type: ELV
Bulb Max Wattage: 54
ADA

Polished Chrome **2550.01**

2551

Vanity Extra Wide 48" Bath Bar

Dimensions:

Height: 4.5" Width: 48.5"
Wall Plate: Height: 4.5" Width: 48.5"
Extension: 1.75"
Size: Wide Extra Wide 48"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 29
Initial Lumens: 2700
Delivered Lumens: 1900
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V
ADA

Polished Chrome **2551.01**

Piccolo Encore

Recalling the dramatic play of simple elements of varying scales, this flute-like sconce is dramatically reenvisioned with a refined execution and a powerful LED light engine.



3842.01

3842

Piccolo Encore LED Sconce

Dimensions:

Height: 24" Width: 2"
Wall Plate: Height: 6" Width: 3" Depth: 0.5"
Extension: 4"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity:1
Input Voltage: 120VAC
Wattage: 12
Initial Lumens: 1380
Delivered Lumens: 940
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
Bulb Max Wattage: 12
ADA

Polished Chrome	**3842.01**
Satin Nickel	**3842.13**
Satin Black	**3842.25**



2594.13

Solid Glass Bar

A thick, Solid Glass Bar reveals a generous yet pristine luminous edge from a white glass surface. Captured precisely within a chrome rectilinear beam, this luxury modern LED bar is ingeniously mounted to a surface by concealed magnets, with no visible screws or surface interruptions. Use where perfection is demanded.

2590

Solid Glass Bar 18" LED Bath Bar

Dimensions:

Height: 18" Width: 2.75"
Extension: 2.25"
Size: 18"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 19
Initial Lumens: 800
Delivered Lumens: 430
Color Temperature: 3000K
CRI: 90
Power Supply Type: Transformer
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
Bulb Max Wattage: 19
ADA

Polished Chrome	**2590.01**
Satin Nickel	**2590.13**

2592

Solid Glass Bar 24" LED Bath Bar

Dimensions:

Height: 24" Width: 2.75"
Extension: 2.25"
Size: 24"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 24
Initial Lumens: 1040
Delivered Lumens: 560
Color Temperature: 3000K
CRI: 90
Power Supply Type: Transformer
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
Bulb Max Wattage: 24
ADA

Polished Chrome	**2592.01**
Satin Nickel	**2592.13**

2594

Solid Glass Bar 32" LED Bath Bar

Dimensions:

Height: 32" Width: 2.75"
Extension: 2.25"
Size: 32"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 32
Initial Lumens: 1400
Delivered Lumens: 750
Color Temperature: 3000K
CRI: 90
Power Supply Type: Transformer
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
Bulb Max Wattage: 32
ADA

Polished Chrome	**2594.01**
Satin Nickel	**2594.13**



3799.25

New Edge

Rescaled, resized, and reenergized with LED illumination in a reduced, more minimal form, New Edge LED bath bars are a perfectly proportioned, powerful rendition of a classically successful bath and sconce design.

3797

New Edge 24" LED Bath Bar

Dimensions:

Height: 24" Width: 5"
Wall Plate: Height: 24" Width: 5" Length: 0.5"
Extension: 2.75"
Size: 24"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity:1
Input Voltage: 120VAC
Wattage: 12
Initial Lumens: 1150
Delivered Lumens: 700
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
ADA

Polished Chrome	**3797.01**
Satin Nickel	**3797.13**
Satin Black	**3797.25**

3798

New Edge 32" LED Bath Bar

Dimensions:

Height: 32" Width: 5"
Wall Plate: Height: 32" Width: 5" Length: 0.5"
Extension: 2.75"
Size: 32"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity:1
Input Voltage: 120VAC
Wattage: 16
Initial Lumens: 1590
Delivered Lumens: 950
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
ADA

Polished Chrome	**3798.01**
Satin Nickel	**3798.13**
Satin Black	**3798.25**

3799

New Edge 40" LED Bath Bar

Dimensions:

Height: 40" Width: 5"
Wall Plate: Height: 40" Width: 5" Length: 0.5"
Extension: 2.75"
Size: 40"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity:1
Input Voltage: 120VAC
Wattage: 21
Initial Lumens: 2120
Delivered Lumens: 1280
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
ADA

Polished Chrome	**3799.01**
Satin Nickel	**3799.13**
Satin Black	**3799.25**



2680.16

Planes

Pristine in its geometric simplicity, precisely framed minimal profiles capture technologically advanced edge-lit light panels, producing a high level of efficient LED illumination. Available in single and double versions, Double Planes can be mounted in vertical or horizontal orientations.

2680

Planes LED Sconce

Dimensions:

Height: 18" Width: 2.5"
Wall Plate: Height: 4.5" Width: 4.5"
Extension: 2.5"
Size: Single 18"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 6
Initial Lumens: 700
Delivered Lumens: 250
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
ADA

Satin White	**2680.03**
Bright Satin Aluminum	**2680.16**
Satin Black	**2680.25**

2682

Planes 24" LED Double Sconce

Dimensions:

Height: 24.25" Width: 2.5"
Wall Plate: Height: 4.5" Width: 4.5"
Extension: 2.5"
Size: Double 24"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 2
Input Voltage: 120VAC
Wattage: 9
Initial Lumens: 970
Delivered Lumens: 250
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
ADA

Satin White	**2682.03**
Bright Satin Aluminum	**2682.16**
Satin Black	**2682.25**

2683

Planes 32" LED Double Sconce

Dimensions:

Height: 32" Width: 2.5"
Wall Plate: Height: 4.5" Width: 4.5"
Extension: 2.5"
Size: Double 32"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 2
Input Voltage: 120VAC
Wattage: 12
Initial Lumens: 1450
Delivered Lumens: 450
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
ADA

Satin White	**2683.03**
Bright Satin Aluminum	**2683.16**
Satin Black	**2683.25**

2684

Planes 40" LED Double Sconce

Dimensions:

Height: 40" Width: 2.5"
Wall Plate: Height: 4.5" Width: 4.5"
Extension: 2.5"
Size: Double 40"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 2
Input Voltage: 120VAC
Wattage: 17
Initial Lumens: 1870
Delivered Lumens: 900
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
ADA

Satin White	**2684.03**
Bright Satin Aluminum	**2684.16**
Satin Black	**2684.25**



2501.23

Bauhaus Columns

Less is definitely more when solid geometry defines functional utility with the elegance of minimal simplicity. Strong modern columns of powerful LED light command a sophisticated and solid presence.

2501

Bauhaus Columns 18" LED Bath Bar

Dimensions:

Height: 18" Width: 2.25"
Wall Plate: Diameter: 4.5" Depth: 0.5"
Extension: 4"
Size: 18"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 11
Initial Lumens: 1260
Delivered Lumens: 770
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
ADA

Polished Chrome	**2501.01**
Satin Chrome	**2501.23**

2502

Bauhaus Columns 24" LED Bath Bar

Dimensions:

Height: 24" Width: 2.25"
Wall Plate: Diameter: 4.5" Depth: 0.5"
Extension: 4"
Size: 24"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 15
Initial Lumens: 1650
Delivered Lumens: 1000
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
ADA

Polished Chrome	**2502.01**
Satin Chrome	**2502.23**

2503

Bauhaus Columns 32" LED Bath Bar

Dimensions:

Height: 32" Width: 2.25"
Wall Plate: Diameter: 4.5" Depth: 0.5"
Extension: 4"
Size: 32"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 21
Initial Lumens: 2380
Delivered Lumens: 1430
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
ADA

Polished Chrome	**2503.01**
Satin Chrome	**2503.23**



3740.25

Zoom

In a fluid transition from square to round, Zoom sculpturally resolves the plane of the ceiling surface with the round aperture of a luminous source. Used singularly or in multiples, Zoom can be arranged in linear, square, or offset arrangements across a space.



3740.03

3740

Zoom LED Surface Mount

Dimensions:

Height: 2" Width: 6" Length: 6"
Canopy: Height: 6" Width: 6"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 8
Initial Lumens: 950
Delivered Lumens: 500
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
Bulb Max Wattage: 8

Satin White	**3740.03**
Dove Gray	**3740.18**
Satin Black	**3740.25**



3122.25

Tela

Elegantly draped along the axis of a tubular LED source, this flowing reflector directs the linear illumination downward. Tela can be used singularly or in an end-to-end linear configuration of multiple lengths as desired. Its sophisticated simplicity brings a sculptural flowing rhythm along a surface or within a linear space.

3121

Tela Pendant

Dimensions:

Height: 3.5" Width: 40" Length: 3.75"
Canopy: Height: 0.5" Diameter: 4.5"
Hanging Details: 6' Adjustable Cord/Cable
Size: Single Pendant

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity:1
Input Voltage: 120VAC
Wattage: 15
Initial Lumens: 2100
Delivered Lumens: 1470
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
Bulb Max Wattage: 15

Satin White	**3121.03**
Dove Gray	**3121.18**
Satin Black	**3121.25**

3122

Tela Double Pendant

Dimensions:

Height: 3.5" Width: 78.75" Length: 3.75"
Canopy: Height: 2" Diameter: 5"
Hanging Details: 6' Adjustable Cord/Cable
Size: Double Pendant

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity:2
Input Voltage: 120-277VAC
Wattage: 30
Initial Lumens: 4200
Delivered Lumens: 2940
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Canopy
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V
Bulb Max Wattage: 30

Satin White	**3122.03**
Dove Gray	**3122.18**
Satin Black	**3122.25**



3151.25

Torc

The movement of offset arcs rotate in suspension to form a modern interplay of deconstruction.



3153.25

3151

Torc Pendant

Dimensions:

Height: 24.25" Width:24.5" Length: 4.5"
Canopy: Height: 0.5" Diameter: 4.5"
Hanging Details: 6' Adjustable Cord
Size: Single Pendant

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 17
Initial Lumens: 1600
Delivered Lumens: 1040
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
Bulb Max Wattage: 17

Satin White	**3151.03**
Satin Black	**3151.25**

3152

Torc Double Pendant

Dimensions:

Height: 40" Diameter:24.75"
Canopy: Height: 2" Diameter: 5"
Hanging Details: 6' Adjustable Cord
Size: Double Pendant

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 2
Input Voltage: 120-277VAC
Wattage: 34
Initial Lumens: 3200
Delivered Lumens: 2080
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Canopy
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V
Bulb Max Wattage: 34

Satin White	**3152.03**
Satin Black	**3152.25**

3153

Torc Triple Pendant

Dimensions:

Height: 56" Diameter:24.75"
Canopy: Height: 2" Diameter: 5"
Hanging Details: 6' Adjustable Cord
Size: Triple Pendant

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 3
Input Voltage: 120-277VAC
Wattage: 51
Initial Lumens: 4800
Delivered Lumens: 3120
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Canopy
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V
Bulb Max Wattage: 51

Satin White	**3153.03**
Satin Black	**3153.25**



2690.98 - 2692.98 - 2694.98

Abstract Panels

LED illumination is emitted through the layered voids of abstract-shaped panels. The river-stone shapes infuse these surface mounted panels with a natural essence. Used individually or set in composition with others, Abstract Panels brings an intriguing tone of sculptured art to a surface, wall, or ceiling.

2690

Abstract Panels Small 2-Plate Sconce

Dimensions:

Diameter: 11.25"
Wall Plate: Diameter: 6.75"
Extension: 2"
Size: Small 2-Plate

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity:1
Input Voltage: 120VAC
Wattage: 14
Initial Lumens: 780
Delivered Lumens: 300
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
ADA

	Textured White	**2690.98**

2692

Abstract Panels Large 2-Plate Sconce

Dimensions:

Diameter: 14.5"
Wall Plate: Diameter: 6.75"
Extension: 2"
Size: Large 2-Plate

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity:1
Input Voltage: 120VAC
Wattage: 14
Initial Lumens: 780
Delivered Lumens: 300
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
ADA

	Textured White	**2692.98**

2694

Abstract Panels 4-Plate Sconce

Dimensions:

Diameter: 18"
Wall Plate: Diameter: 6.75"
Extension: 3.75"
Size: 4-Plate

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity:1
Input Voltage: 120VAC
Wattage: 14
Initial Lumens: 780
Delivered Lumens: 300
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
ADA

	Textured White	**2694.98**



3115.25E

Meclisse

Circular medallions shield an LED illuminated core, reflecting dazzling illumination through the planes of a ribbed glass disc. Suspended from lariats as singles or clustered in multiples, Meclisse pendants rotate freely to form stunning arrays of spectacular arrangements. Also available as a Sconce.

3111

Meclisse Pendant

Dimensions:

Diameter: 9" Length: 1"
Canopy: Diameter: 4.5" Height: 0.5"
Hanging Details: 10' Adjustable Cord
Size: 1-Light

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 15
Initial Lumens: 1910
Delivered Lumens: 1340
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
Bulb Max Wattage: 15

	Polished Chrome w/Clear Glass	**3111.01C**
	Polished Chrome w/Etched Glass	**3111.01E**
	Satin Black w/Clear Glass	**3111.25C**
	Satin Black w/Etched Glass	**3111.25E**

3113

Meclisse 3-Light Chandelier

Dimensions:

Diameter: 9" Length: 1"
Canopy: Diameter: 12" Height: 1.25"
Hanging Details: 10' Adjustable Cord
Size: 3-Light

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 3
Input Voltage: 120-277VAC
Wattage: 30
Initial Lumens: 3650
Delivered Lumens: 2560
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Canopy
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V
Bulb Max Wattage: 30

	Polished Chrome w/Clear Glass	**3113.01C**
	Polished Chrome w/Etched Glass	**3113.01E**
	Satin Black w/Clear Glass	**3113.25C**
	Satin Black w/Etched Glass	**3113.25E**

3115

Meclisse 5-Light Chandelier

Dimensions:

Diameter: 9" Length: 1"
Canopy: Diameter: 15" Height: 1.25"
Hanging Details: 10' Adjustable Cord
Size: 5-Light

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 5
Input Voltage: 120-277VAC
Wattage: 50
Initial Lumens: 6100
Delivered Lumens: 4270
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Canopy
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V
Bulb Max Wattage: 50

	Polished Chrome w/Clear Glass	**3115.01C**
	Polished Chrome w/Etched Glass	**3115.01E**
	Satin Black w/Clear Glass	**3115.25C**
	Satin Black w/Etched Glass	**3115.25E**



3110.25C

3110

Meclisse Sconce

Dimensions:

Diameter: 9"
Wall Plate: Diameter: 4.5" Depth: 1"
Extension: 2.75"
Size: 9"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 15
Initial Lumens: 1910
Delivered Lumens: 1340
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
Bulb Max Wattage: 15
ADA

	Polished Chrome w/Clear Glass	**3110.01C**
	Polished Chrome w/Etched Glass	**3110.01E**
	Satin Black w/Clear Glass	**3110.25C**
	Satin Black w/Etched Glass	**3110.25E**



From Left: 3055.25-BK25 / 3056.25-GK25 / 3057.25-SK25 / 3058.25-FK25 / 3059.25-CK25

ALC

Architectural Lighting Cylinders

A classic modern architectural lighting form, Architectural Lighting Cylinders are available in a variety of sizes, configurations, and finishes, with multiple beam spread options and a number of glass and metal trims. Used singularly, in clusters, or in an aligned arrangement, ALC offers limitless possibilities to express individual style and unique creativity. The system extends through a range of configurations, including pendant, surface-, and wall-mounted fixtures in a variety of lighting and finish options.

3055

ALC 2" Small LED Pendant

Dimensions:

Height: 10" Diameter: 2"
Canopy: Diameter: 4.5" Height: 0.5"
Hanging Details: 10' Adjustable Cord
Size: 2" Small

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 10
Initial Lumens: 1060
Delivered Lumens: 800
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
Bulb Max Wattage: 10

Polished Chrome	**3055.01-**
Satin White	**3055.03-**
Satin Nickel	**3055.13-**
Satin Black	**3055.25-**

3056

ALC 2" Tall LED Pendant

Dimensions:

Height: 16" Diameter: 2"
Canopy: Diameter: 4.5" Height: 0.5"
Hanging Details: 10' Adjustable Cord
Size: 2" Tall

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 10
Initial Lumens: 1060
Delivered Lumens: 800
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
Bulb Max Wattage: 10

Polished Chrome	**3056.01-**
Satin White	**3056.03-**
Satin Nickel	**3056.13-**
Satin Black	**3056.25-**

See **ALC** trims options and beam spreads at sonnemanlight.com.



3059.01-GC25

3057

ALC 3" Small LED Pendant

Dimensions:

Height: 9.25" Diameter: 3"
Canopy: Diameter: 4.5" Height: 0.5"
Hanging Details: 10' Adjustable Cord
Size: 3" Small

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 20
Initial Lumens: 2110
Delivered Lumens: 1400
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
Bulb Max Wattage: 20

Polished Chrome	**3057.01-**
Satin White	**3057.03-**
Satin Nickel	**3057.13-**
Satin Black	**3057.25-**

3058

ALC 3" Medium LED Pendant

Dimensions:

Height: 15.25" Diameter: 3"
Canopy: Diameter: 4.5" Height: 0.5"
Hanging Details: 10' Adjustable Cord
Size: 3" Medium

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 20
Initial Lumens: 2110
Delivered Lumens: 1400
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
Bulb Max Wattage: 20

Polished Chrome	**3058.01-**
Satin White	**3058.03-**
Satin Nickel	**3058.13-**
Satin Black	**3058.25-**

3059

ALC 3" Tall LED Pendant

Dimensions:

Height: 21.25" Diameter: 3"
Canopy: Diameter: 4.5" Height: 0.5"
Hanging Details: 10' Adjustable Cord
Size: 3" Tall

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 20
Initial Lumens: 2110
Delivered Lumens: 1400
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
Bulb Max Wattage: 20

Polished Chrome	**3059.01-**
Satin White	**3059.03-**
Satin Nickel	**3059.13-**
Satin Black	**3059.25-**



From Left: 3050.13-BN25 / 3050.13-SN25 / 3051.13-GN25-GN25 / 3052.13-FN25 / 3053.13-GN25-GN25

3050

ALC 2" One-Sided Sconce

Dimensions:

Height: 6.5" Diameter: 2"
Wall Plate: Diameter: 4.5" Depth: 0.5"
Extension: 3.5"
Size: 2" One-Sided

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 10
Initial Lumens: 1060
Delivered Lumens: 800
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
ADA

Polished Chrome	**3050.01-**
Satin White	**3050.03-**
Satin Nickel	**3050.13-**
Satin Black	**3050.25-**

3051

ALC 2" Two-Sided Sconce

Dimensions:

Height: 6.5" Diameter: 2"
Wall Plate: Diameter: 4.5" Depth: 0.5"
Extension: 3.5"
Size: 2" Two-Sided

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 2
Input Voltage: 120VAC
Wattage: 20
Initial Lumens: 2120
Delivered Lumens: 1600
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
ADA

Polished Chrome	**3051.01-**
Satin White	**3051.03-**
Satin Nickel	**3051.13-**
Satin Black	**3051.25-**

3052

ALC 3" One-Sided Sconce

Dimensions:

Height: 6.5" Diameter: 3"
Wall Plate: Diameter: 4.5" Depth: 0.5"
Extension: 4.25"
Size: 3" One-Sided

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 20
Initial Lumens: 2110
Delivered Lumens: 1400
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
Bulb Max Wattage: 20

Polished Chrome	**3052.01-**
Satin White	**3052.03-**
Satin Nickel	**3052.13-**
Satin Black	**3052.25-**

3053

ALC 3" Two-Sided Sconce

Dimensions:

Height: 8" Diameter: 3"
Wall Plate: Diameter: 4.5" Depth: 0.5"
Extension: 4.25"
Size: 3" Two-Sided

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 2
Input Voltage: 100-277VAC
Wattage: 40
Initial Lumens: 4210
Delivered Lumens: 2800
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V

Polished Chrome	**3053.01-**
Satin White	**3053.03-**
Satin Nickel	**3053.13-**
Satin Black	**3053.25-**

See **ALC** trims options and beam spreads at sonnemanlight.com.



3060

ALC 2" Small Surface Mount

Dimensions:

Height: 6.5" Diameter: 2"
Canopy: Diameter: 4.5" Height: 0.5"
Size: 2" Small

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 10
Initial Lumens: 1060
Delivered Lumens: 800
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
Bulb Max Wattage: 10

Polished Chrome	**3060.01-**
Satin White	**3060.03-**
Satin Nickel	**3060.13-**
Satin Black	**3060.25-**



3061

ALC 2" Tall Surface Mount

Dimensions:

Height: 10" Diameter: 2"
Canopy: Diameter: 4.5" Height: 0.5"
Size: 2" Tall

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 10
Initial Lumens: 1060
Delivered Lumens: 800
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
Bulb Max Wattage: 10

Polished Chrome	**3061.01-**
Satin White	**3061.03-**
Satin Nickel	**3061.13-**
Satin Black	**3061.25-**



3062

ALC 3" Small Surface Mount

Dimensions:

Height: 6.5" Diameter: 3"
Canopy: Diameter: 4.5" Height: 0.5"
Size: 3" Small

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 20
Initial Lumens: 2110
Delivered Lumens: 1400
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
Bulb Max Wattage: 20

Polished Chrome	**3062.01-**
Satin White	**3062.03-**
Satin Nickel	**3062.13-**
Satin Black	**3062.25-**



3063

ALC 3" Medium Surface Mount

Dimensions:

Height: 9.25" Diameter: 3"
Canopy: Diameter: 4.5" Height: 0.5"
Size: 3" Medium

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 20
Initial Lumens: 2110
Delivered Lumens: 1400
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
Bulb Max Wattage: 20

Polished Chrome	**3063.01-**
Satin White	**3063.03-**
Satin Nickel	**3063.13-**
Satin Black	**3063.25-**



3064

ALC 3" Tall Surface Mount

Dimensions:

Height: 15.25" Diameter: 3"
Canopy: Diameter: 4.5" Height: 0.5"
Size: 3" Tall

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 20
Initial Lumens: 2110
Delivered Lumens: 1400
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
Bulb Max Wattage: 20

Polished Chrome	**3064.01-**
Satin White	**3064.03-**
Satin Nickel	**3064.13-**
Satin Black	**3064.25-**



3066

ALC 3" Small Conduit Mount

Dimensions:

Height: 6.5" Diameter: 3"
Size: 3" Small

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 20
Initial Lumens: 2110
Delivered Lumens: 1400
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
Bulb Max Wattage: 20

Polished Chrome	**3066.01-**
Satin White	**3066.03-**
Satin Nickel	**3066.13-**
Satin Black	**3066.25-**



2191.16-06-02-01-02

Coral Surface

Flowing sculptural shapes connect clusters of luminaires across wall or ceiling surfaces in this organically modern system of light. Dramatically undulating patterns and paths characterize connected configurations of any size, while individually mounted three-light modules highlight the flowing forms, bringing a soft approach of artistic expression to this expandable system.



2191.03-06-02-01-02

2191

Coral Surface Surface Mount

Dimensions:

Height: 1" Width: 13.25" Length: 12.75"
Canopy: Height: 1" Diameter: 6"
Size: 1-Luminaire

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 14
Initial Lumens: 1300
Delivered Lumens: 600
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
Bulb Max Wattage: 14
ADA

Satin White	**2191.03**
Bright Satin Aluminum	**2191.16**

2191.xx-03-01-00-01

Coral Surface 3-Luminaire Surface Mount

Dimensions:

Height: 1" Width: 47" Length: 15"
Canopy: Height: 1" Diameter: 6"
Size: 3-Luminaire

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 100-277VAC
Wattage: 42
Initial Lumens: 3600
Delivered Lumens: 2400
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Remote
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V
Bulb Max Wattage: 42
ADA

Satin White	**2191.03-03-01-00-01**
Bright Satin Aluminum	**2191.16-03-01-00-01**

2191.xx-06-02-01-02

Coral Surface 6-Luminaire Surface Mount

Dimensions:

Height: 1" Width: 91" Length: 32"
Canopy: Height: 1" Diameter: 6"
Size: 6-Luminaire

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 100-277VAC
Wattage: 66
Initial Lumens: 7200
Delivered Lumens: 4800
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Remote
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V
Bulb Max Wattage: 66
ADA

Satin White	**2191.03-06-02-01-02**
Bright Satin Aluminum	**2191.16-06-02-01-02**



2181.25-S1-M1-L1



2181.03-L

Abstract

Indirect LED illumination is reflected on a wall or ceiling from a prism-shaped reflector that hovers over the surface on thin rods extended in tension from each of the three triangular corners. Reflectors are available in three sizes and can be arranged into a unique, abstract surface sculpture of illumination.

2181.xx-S

Abstract Small Surface Mount

Dimensions:

Height: 25.5" Width: 41"
Wall Plate: Height: 0.75" Width: 1.75" Depth: 0.5"
Extension: 8.25"
Size: Small Reflector

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 11
Initial Lumens: 1140
Delivered Lumens: 710
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Remote
Dimming Type: TRIAC/ELV

Satin White	**2181.03-S**
Satin Black	**2181.25-S**

2181.xx-M

Abstract Medium Surface Mount

Dimensions:

Height: 25.5" Width: 41"
Wall Plate: Height: 0.75" Width: 1.75" Depth: 0.5"
Extension: 8.25"
Size: Medium Reflector

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 11
Initial Lumens: 1140
Delivered Lumens: 710
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Remote
Dimming Type: TRIAC/ELV

Satin White	**2181.03-M**
Satin Black	**2181.25-M**

2181.xx-L

Abstract Large Surface Mount

Dimensions:

Height: 25.5" Width: 41"
Wall Plate: Height: 0.75" Width: 1.75" Depth: 0.5"
Extension: 8.25"
Size: Medium Reflector

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 11
Initial Lumens: 1140
Delivered Lumens: 710
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Remote
Dimming Type: TRIAC/ELV

Satin White	**2181.03-L**
Satin Black	**2181.25-L**

For multiple **Abstract** fixtures or to build custom configurations contact us at sonnemanlight.com/contact-us.

Dazzle

Glittering and alive, LED points of light refract through hundreds of crushed and fused glass nuggets that dance and shimmer in a spectacular display.



2560

Dazzle 18" Bath Bar

Dimensions:

Height: 5" Width: 18"
Wall Plate: Height: 4.25" Width: 16"
Extension: 1.75"
Size: 18"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 20
Initial Lumens: 1200
Color Temperature: 3000K
CRI: 90
Power Supply Type: Transformer
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: ELV
ADA

Polished Chrome **2560.01**



2561

Dazzle 24" Bath Bar

Dimensions:

Height: 5" Width: 24"
Wall Plate: Height: 4.25" Width: 22"
Extension: 1.75"
Size: 24"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 27
Initial Lumens: 1600
Color Temperature: 3000K
CRI: 90
Power Supply Type: Transformer
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: ELV
ADA

Polished Chrome **2561.01**



2562

Dazzle 36" Bath Bar

Dimensions:

Height: 5" Width: 36"
Wall Plate: Height: 4.25" Width: 34"
Extension: 1.75"
Size: 24"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 40
Initial Lumens: 2400
Color Temperature: 3000K
CRI: 90
Power Supply Type: Transformer
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: ELV
ADA

Polished Chrome **2562.01**



2565

Dazzle 12" Round Pendant

Dimensions:

Height: 1.75" Diameter: 12"
Canopy: Diameter: 4.5"
Hanging Details: 6' Adjustable Cable
Size: 12"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 30
Initial Lumens: 1800
Color Temperature: 3000K
CRI: 90
Power Supply Type: Transformer
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: ELV

Polished Chrome **2565.01**



2566

Dazzle 8" Round Surface Mount

Dimensions:

Height: 1.75" Diameter: 8"
Canopy: Diameter: 6"
Size: 8"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 17
Initial Lumens: 1000
Color Temperature: 3000K
CRI: 90
Power Supply Type: Transformer
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: ELV
ADA

Polished Chrome **2566.01**



2567

Dazzle 12" Round Surface Mount

Dimensions:

Height: 1.75" Diameter: 12"
Canopy: Diameter: 10"
Size: 12"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 30
Initial Lumens: 1800
Color Temperature: 3000K
CRI: 90
Power Supply Type: Transformer
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: ELV
ADA

Polished Chrome **2567.01**



2568

Dazzle 6" Square Surface Mount

Dimensions:

Height: 1.75" Width: 6" Length: 6"
Canopy: Height: 4.25" Width: 4.25"
Size: 6"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 8
Initial Lumens: 450
Color Temperature: 3000K
CRI: 90
Power Supply Type: Transformer
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: ELV
ADA

Polished Chrome **2568.01**



2569

Dazzle 10" Square Surface Mount

Dimensions:

Height: 1.75" Width: 10" Length: 10"
Canopy: Height: 8" Width: 8"
Size: 10"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 25
Initial Lumens: 1500
Color Temperature: 3000K
CRI: 90
Power Supply Type: Transformer
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: ELV
ADA

Polished Chrome **2569.01**



3703.25

Vuoto

Light radiates from the perimeter and reflects off the surface of a circular void, symmetrically cut within the square volume of this bold solid geometry.

3701

Vuoto 10" Sconce

Dimensions:

Height: 10" Width: 10"
Wall Plate: Height: 9" Width: 9"
Extension: 2.5"
Size: 10"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 13
Initial Lumens: 1500
Delivered Lumens: 650
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
ADA

Satin White **3701.03**
Dove Gray **3701.18**
Satin Black **3701.25**

3702

Vuoto 15" Sconce

Dimensions:

Height: 15" Width: 15"
Wall Plate: Height: 14" Width: 14"
Extension: 2.5"
Size: 15"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 19
Initial Lumens: 2200
Delivered Lumens: 1150
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
ADA

Satin White **3702.03**
Dove Gray **3702.18**
Satin Black **3702.25**

3703

Vuoto 20" Sconce

Dimensions:

Height: 20" Width: 20"
Wall Plate: Height: 19" Width: 19"
Extension: 2.5"
Size: 20"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120-277VAC
Wattage: 27
Initial Lumens: 3000
Delivered Lumens: 1750
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Fixture
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V
ADA

Satin White **3703.03**
Dove Gray **3703.18**
Satin Black **3703.25**

Abstraction

Inspired by Organic Abstractionism, a thin profile is formed into sweeping curves that surround the LED light pods as it defines its sculptural path–a luminous biomophic sculpture of organically flowing asymmetrical shapes.



3272.03



3274.25

3272

Abstraction Linear Pendant

Dimensions:

Height: 0.75" Width: 54" Length: 17.5"
Canopy: Diameter: 7" Height: 1.25"
Hanging Details: 6' Adjustable Cord/Cable

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 8
Input Voltage: 120VAC
Wattage: 26
Initial Lumens: 1800
Delivered Lumens: 1350
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
Bulb Max Wattage: 26

Satin White	**3272.03**
Bright Satin Aluminum	**3272.16**
Satin Black	**3272.25**

3274

Abstraction Pendant

Dimensions:

Height: 0.75" Width: 40" Length: 32.75"
Canopy: Diameter: 7" Height: 1.25"
Hanging Details: 6' Adjustable Cord/Cable

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 9
Input Voltage: 120VAC
Wattage: 26
Initial Lumens: 2000
Delivered Lumens: 1500
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
Bulb Max Wattage: 26

Satin White	**3274.03**
Bright Satin Aluminum	**3274.16**
Satin Black	**3274.25**



2390.25

Micro Tube

Brighten and ornament a space.

2390

Micro Tube Pendant

Dimensions:

Height: 8.5" Diameter: 1.5"
Canopy: Diameter: 4.5"
Hanging Details: 6' Adjustable Cord

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 8
Initial Lumens: 600
Color Temperature: 3000K
CRI: 80
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
Bulb Max Wattage: 8

Bright Satin Aluminum	**2390.16**
Satin Black	**2390.25**



7427.72

Marue

Simplicity flows from the rhythm of rings of diffused light along its height. These surface-mounted fixtures have a crisp refined presence with a modern edge.



7420

Marue 7" Round Surface Mount

Dimensions:

Height: 3.5" Diameter: 7.75"
Canopy: Diameter: 7.25"
Size: 7"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 100-277VAC
Wattage: 19
Initial Lumens: 1900
Delivered Lumens: 1330
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Canopy
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V

Textured Bronze	**7420.72**
Textured Gray	**7420.74**
Textured White	**7420.98**



7421

Marue 10" Round Surface Mount

Dimensions:

Height: 3.5" Diameter: 10.75"
Canopy: Diameter: 10.25"
Size: 10"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 100-277VAC
Wattage: 30
Initial Lumens: 3000
Delivered Lumens: 2100
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Canopy
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V

Textured Bronze	**7421.72**
Textured Gray	**7421.74**
Textured White	**7421.98**



7422

Marue 14" Round Surface Mount

Dimensions:

Height: 3.5" Diameter: 14.75"
Canopy: Diameter: 14.25"
Size: 14"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 100-277VAC
Wattage: 50
Initial Lumens: 5100
Delivered Lumens: 3600
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Canopy
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V

Textured Bronze	**7422.72**
Textured Gray	**7422.74**
Textured White	**7422.98**



7425

Marue 7" Square Surface Mount

Dimensions:

Height: 3.5" Width: 7.75" Length: 7.75"
Canopy: Height: 7.25" Width: 7.25"
Size: 7"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 100-277VAC
Wattage: 19
Initial Lumens: 1900
Delivered Lumens: 1330
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Canopy
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V

Textured Bronze	**7425.72**
Textured Gray	**7425.74**
Textured White	**7425.98**



7426

Marue 10" Square Surface Mount

Dimensions:

Height: 3.5" Width: 10.75" Length: 10.75"
Canopy: Height: 10.25" Width: 10.25"
Size: 10"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 100-277VAC
Wattage: 30
Initial Lumens: 3000
Delivered Lumens: 2100
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Canopy
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V

Textured Bronze	**7426.72**
Textured Gray	**7426.74**
Textured White	**7426.98**



7427

Marue 14" Square Surface Mount

Dimensions:

Height: 3.5" Width: 14.75" Length: 14.75"
Canopy: Height: 14.25" Width: 14.25"
Size: 14"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 100-277VAC
Wattage: 50
Initial Lumens: 5100
Delivered Lumens: 3600
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Canopy
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V

Textured Bronze	**7427.72**
Textured Gray	**7427.74**
Textured White	**7427.98**



7289.72-WL

Jazz Notes

A welcoming rhythm of thick and thin LED-lit spaces, cut into this crisp-edged aluminum and acrylic rectangular column, brings a dramatic, architectural feel to an exterior or interior wall.

7287

Jazz Notes 21" Sconce

Dimensions:

Height: 21" Width: 6"
Wall Plate: Height: 20" Width: 5.25" Depth: 0.5"
Extension: 3"
Size: 21"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 13
Initial Lumens: 1300
Delivered Lumens: 530
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
Bulb Max Wattage: 13
Wet Location, ADA

Textured Bronze	**7287.72-WL**
Textured Gray	**7287.74-WL**
Textured White	**7287.98-WL**

7289

Jazz Notes 36" Sconce

Dimensions:

Height: 36" Width: 6"
Wall Plate: Height: 35" Width: 5.25" Depth: 0.5"
Extension: 3"
Size: 36"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 20
Initial Lumens: 1870
Delivered Lumens: 900
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
Bulb Max Wattage: 20
Wet Location, ADA

Textured Bronze	**7289.72-WL**
Textured Gray	**7289.74-WL**
Textured White	**7289.98-WL**



7115.72-WL

Stripe

This square vertical column is a strong and commanding element, with presence and dramatic impact. Light is indirectly reflected off the surface it is mounted upon, haloing the white LED front stripe, which can be made red, blue, or yellow by an interchangeable color strip.

7113

Stripe 24" Sconce

Dimensions:

Height: 24" Width: 1.5"
Wall Plate: Height: 6" Width: 4.5" Depth: 0.5"
Extension: 3"
Size: 24"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 2
Input Voltage: 120VAC
Wattage: 11
Initial Lumens: 990
Delivered Lumens: 530
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
Bulb Max Wattage: 11
Wet Location, ADA

Textured Bronze	**7113.72-WL**
Textured Gray	**7113.74-WL**
Textured White	**7113.98-WL**

7115

Stripe 30" Sconce

Dimensions:

Height: 30" Width: 1.5"
Wall Plate: Height: 6" Width: 4.5" Depth: 0.5"
Extension: 3"
Size: 30"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 2
Input Voltage: 120VAC
Wattage: 15
Initial Lumens: 1390
Delivered Lumens: 740
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
Bulb Max Wattage: 15
Wet Location, ADA

Textured Bronze	**7115.72-WL**
Textured Gray	**7115.74-WL**
Textured White	**7115.98-WL**



2363.98-WL

Angled Plane

Equally at home inside or out, Angled Plane downlight reflects downward LED illumination for outdoor applications, and can also be used as an uplight for indoor use. This sconce pairs well with its slimmer, perfectly poised, rectangular counterpart, Angled Plane Narrow Downlight Sconce, which can be installed outdoors.

2361

Angled Plane Narrow Downlight Sconce

Dimensions:

Height: 7.75" Width: 4"
Wall Plate: Height: 5.25" Width: 2.5"
Extension: 2.25"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 10
Initial Lumens: 420
Delivered Lumens: 360
Color Temperature: 3000K
CRI: 90
Power Supply Type: Transformer
Power Supply Quantity: 1
Power Supply Location: Canopy
Dimming Type: ELV
Bulb Max Wattage: 10
Wet Location, ADA

Textured Bronze	**2361.72-WL**
Textured Gray	**2361.74-WL**
Textured White	**2361.98-WL**

2363

Angled Plane Downlight Sconce

Dimensions:

Height: 7.75" Width: 7"
Wall Plate: Height: 5.25" Width: 5.5"
Extension: 2.25"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 13
Initial Lumens: 840
Delivered Lumens: 661
Color Temperature: 3000K
CRI: 90
Power Supply Type: Transformer
Power Supply Quantity: 1
Power Supply Location: Canopy
Dimming Type: ELV
Bulb Max Wattage: 13
Wet Location, ADA

Textured Bronze	**2363.72-WL**
Textured Gray	**2363.74-WL**
Textured White	**2363.98-WL**



7105.74-WL

Flat Box

The subtle architectural geometry of a long flat plane, offset from the surface, reflects LED illumination from the flat box mounted upon it. Available in bidirectional and downlight only configurations. Also available as a Sconce, Up/Down Panel Sconce, and Panel Sconce.



7105

Flat Box Sconce

Dimensions:

Height: 7" Width: 6"
Wall Plate: Height: 6.5" Width: 5.5" Depth: 0.5"
Extension: 2.5"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 11
Initial Lumens: 990
Delivered Lumens: 450
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
Bulb Max Wattage: 11
Wet Location, ADA

Textured Bronze	**7105.72-WL**
Textured Gray	**7105.74-WL**
Textured White	**7105.98-WL**



7106

Flat Box Panel Sconce

Dimensions:

Height: 17" Width: 6"
Wall Plate: Height: 16.5" Width: 5.5" Depth: 0.5"
Extension: 2.5"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 11
Initial Lumens: 990
Delivered Lumens: 450
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
Bulb Max Wattage: 11
Wet Location, ADA

Textured Bronze	**7106.72-WL**
Textured Gray	**7106.74-WL**
Textured White	**7106.98-WL**



7107

Flat Box Up/Down Sconce

Dimensions:

Height: 7" Width: 6"
Wall Plate: Height: 6.5" Width: 5.5" Depth: 0.5"
Extension: 2.5"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 2
Input Voltage: 120VAC
Wattage: 21
Initial Lumens: 1980
Delivered Lumens: 990
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
Bulb Max Wattage: 21
Wet Location, ADA

Textured Bronze	**7107.72-WL**
Textured Gray	**7107.74-WL**
Textured White	**7107.98-WL**



7108

Flat Box Up/Down Panel Sconce

Dimensions:

Height: 25" Width: 6"
Wall Plate: Height: 24.5" Width: 5.5" Depth: 0.5"
Extension: 2.5"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 2
Input Voltage: 120VAC
Wattage: 21
Initial Lumens: 1980
Delivered Lumens: 900
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
Bulb Max Wattage: 21
Wet Location, ADA

Textured Bronze	**7108.72-WL**
Textured Gray	**7108.74-WL**
Textured White	**7108.98-WL**



2711.72-WL

Folds

Rounded ends of planar surface are folded to form a simple volume of reflected LED illumination, scaled in two sizes and designed for indoor or outdoor applications.

2710

Folds Sconce

Dimensions:

Height: 8" Width: 8"
Wall Plate: Height: 6.5" Width: 6.5"
Extension: 2.25"
Size: Standard

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 15
Initial Lumens: 840
Delivered Lumens: 454
Color Temperature: 3000K
CRI: 90
Power Supply Type: Transformer
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: ELV
Bulb Max Wattage: 15
Wet Location, ADA

Textured Bronze	**2710.72-WL**
Textured Gray	**2710.74-WL**
Textured White	**2710.98-WL**

2711

Folds Tall Sconce

Dimensions:

Height: 13.75" Width: 6.5"
Wall Plate: Height: 12.5" Width: 5"
Extension: 2"
Size: Tall

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 20
Initial Lumens: 1300
Delivered Lumens: 500
Color Temperature: 3000K
CRI: 90
Power Supply Type: Transformer
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: ELV
Bulb Max Wattage: 20
Wet Location, ADA

Textured Bronze	**2711.72-WL**
Textured Gray	**2711.74-WL**
Textured White	**2711.98-WL**



7480.98-WL

Flue

Dramatically powerful in scale and presence, these bold pipes make a strong statement about the materials and details of the industrial aesthetic.

7480

Flue 30" Sconce

Dimensions:

Height: 30" Width: 5"
Wall Plate: Height: 12" Width: 4.5"
Extension: 4.75"
Size: 30"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Input Voltage: 120VAC
Wattage: 9
Initial Lumens: 900
Delivered Lumens: 600
Downlight Bulb: 7.5W, GU10 Base LED, MR16 (available)
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
Wet Location

Textured Bronze	**7480.72-WL**
Textured Gray	**7480.74-WL**
Textured Black	**7480.97-WL**
Textured White	**7480.98-WL**

7482

Flue 40" Sconce

Dimensions:

Height: 40" Width: 5"
Wall Plate: Height: 12" Width: 4.5"
Extension: 4.75"
Size: 40"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Input Voltage: 120VAC
Wattage: 15
Initial Lumens: 1500
Delivered Lumens: 1000
Downlight Bulb: 7.5W, GU10 Base LED, MR16 (available)
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
Wet Location

Textured Bronze	**7482.72-WL**
Textured Gray	**7482.74-WL**
Textured Black	**7482.97-WL**
Textured White	**7482.98-WL**



7102.72-WL

Prisma

The angled cuts of these triangular forms reveal the LED illuminated surface within. Two sizes and scales of Prisma, tall and narrow or short and wide, offer alternate proportional renditions of this dramatically angular lighting form, at home inside or out.

7100

Prisma Sconce

Dimensions:

Height: 11" Width: 7"
Wall Plate: Height: 9.75" Width: 5.75" Depth: 0.5"
Extension: 4"
Size: Standard

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 2
Input Voltage: 120VAC
Wattage: 21
Initial Lumens: 1980
Delivered Lumens: 900
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
Bulb Max Wattage: 21
Wet Location, ADA

Textured Bronze	**7100.72-WL**
Textured Gray	**7100.74-WL**
Textured White	**7100.98-WL**

7102

Prisma Tall Sconce

Dimensions:

Height: 18" Width: 5"
Wall Plate: Height: 17.5" Width: 4.5" Depth: 0.5"
Extension: 3"
Size: Tall

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 2
Input Voltage: 120VAC
Wattage: 16
Initial Lumens: 1490
Delivered Lumens: 470
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
Bulb Max Wattage: 16
Wet Location, ADA

Textured Bronze	**7102.72-WL**
Textured Gray	**7102.74-WL**
Textured White	**7102.98-WL**



From left: 7265.74-WL - 7264.74-WL

Reveal

An illuminated perimeter is revealed between the layered planes of this LED luminaire, casting light indirectly on three of its textured sides.

7264

Reveal Short Sconce

Dimensions:

Height: 11.75" Width: 8"
Wall Plate: Height: 10.75" Width: 7"
Extension: 1.75"
Size: Short

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 21
Initial Lumens: 1335
Delivered Lumens: 560
Color Temperature: 3000K
CRI: 90
Power Supply Type: Transformer
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: ELV
Bulb Max Wattage: 21
Wet Location, ADA

Textured Bronze	**7264.72-WL**
Textured Gray	**7264.74-WL**
Textured White	**7264.98-WL**

7265

Reveal Tall Sconce

Dimensions:

Height: 19" Width: 8"
Wall Plate: Height: 18" Width: 7"
Extension: 1.75"
Size: Tall

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 27
Initial Lumens: 1700
Delivered Lumens: 850
Color Temperature: 3000K
CRI: 90
Power Supply Type: Transformer
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: ELV
Bulb Max Wattage: 27
Wet Location, ADA

Textured Bronze	**7265.72-WL**
Textured Gray	**7265.74-WL**
Textured White	**7265.98-WL**



2725.72-WL

Midtown

The classic modern elegance of straightforward geometry sets a frosted glass rectangle against a crisp rectangular beam, radiating the glow of its LED illumination.

2724

Midtown Short Sconce

Dimensions:

Height: 10.75" Width: 7"
Wall Plate: Height: 4.5" Width: 4.5"
Extension: 4"
Size: Short

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 14
Initial Lumens: 1120
Delivered Lumens: 793
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
Bulb Max Wattage: 14
Wet Location, ADA

Textured Bronze	**2724.72-WL**
Textured Gray	**2724.74-WL**
Textured White	**2724.98-WL**

2725

Midtown Tall Sconce

Dimensions:

Height: 18" Width: 7"
Wall Plate: Height: 4.5" Width: 4.5"
Extension: 4"
Size: Tall

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 20
Initial Lumens: 1600
Delivered Lumens: 1349
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
Bulb Max Wattage: 20
Wet Location, ADA

Textured Bronze	**2725.72-WL**
Textured Gray	**2725.74-WL**
Textured White	**2725.98-WL**



7240.98-WL

Sword

The power of simplicity is defined by the less-is-more declaration of this rectangular blade of light.

7240

Sword 24" Sconce

Dimensions:

Height: 24.25" Width: 1.75"
Wall Plate: Height: 4.5" Width: 4.5"
Extension: 2.75"
Size: 24"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 13
Initial Lumens: 1190
Delivered Lumens: 708
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
Bulb Max Wattage: 13
Wet Location, ADA

Textured Bronze	**7240.72-WL**
Textured Gray	**7240.74-WL**
Textured White	**7240.98-WL**



7256.72-WL

Sideways

Broad and powerful LED illumination projects from the sides of a simple linear profile.

7254

Sideways 24" Sconce

Dimensions:

Height: 24" Width: 3.25"
Wall Plate: Height: 23.5" Width: 2.5"
Extension: 3.25"
Size: 24"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 31
Initial Lumens: 1730
Delivered Lumens: 1130
Color Temperature: 3000K
CRI: 90
Power Supply Type: Transformer
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
Bulb Max Wattage: 31
Wet Location (vertical mounting only), ADA

Textured Bronze	**7254.72-WL**
Textured Gray	**7254.74-WL**
Textured White	**7254.98-WL**

7256

Sideways 36" Sconce

Dimensions:

Height: 36" Width: 3.25"
Wall Plate: Height: 35.75" Width: 2.5"
Extension: 3.25"
Size: 24"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 55
Initial Lumens: 2690
Delivered Lumens: 1675
Color Temperature: 3000K
CRI: 90
Power Supply Type: Transformer
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
Bulb Max Wattage: 55
Wet Location (vertical mounting only), ADA

Textured Bronze	**7256.72-WL**
Textured Gray	**7256.74-WL**
Textured White	**7256.98-WL**



7110.98-WL

Offset Panels

Shielded LED illumination reflects dramatically off the slightly hidden, offset surfaces of this layered panel composition, at home inside or out.

7110

Offset Panels Sconce

Dimensions:

Height: 20.75" Width: 11"
Wall Plate: Height: 21.25" Width: 5.5" Depth: 0.5
Extension: 3"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 20
Initial Lumens: 2080
Delivered Lumens: 840
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
Bulb Max Wattage: 20
Wet Location, ADA

Textured Bronze	**7110.72-WL**
Textured Gray	**7110.74-WL**
Textured White	**7110.98-WL**



7413.72-WL

Tawa

A rectilinear column crisply delineates its white acrylic diffuser with rectangular ribs along its length. This rhythmically aligned composition has a solid, straightforward presence that echoes the idiom of modern architecture.



7410

Tawa 13" Slim Sconce

Dimensions:

Height: 13" Width: 4.75"
Wall Plate: Height: 13" Width: 4.5"
Extension: 3.25"
Size: 13" Slim

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 13
Initial Lumens: 1300
Delivered Lumens: 850
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
Wet Location, ADA

Textured Bronze	**7410.72-WL**
Textured Gray	**7410.74-WL**
Textured White	**7410.98-WL**



7411

Tawa 21" Slim Sconce

Dimensions:

Height: 21" Width: 4.75"
Wall Plate: Height: 21" Width: 4.5"
Extension: 3.25"
Size: 21" Slim

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 20
Initial Lumens: 2000
Delivered Lumens: 1300
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
Wet Location, ADA

Textured Bronze	**7411.72-WL**
Textured Gray	**7411.74-WL**
Textured White	**7411.98-WL**



7412

Tawa 13" Sconce

Dimensions:

Height: 13" Width: 6.25"
Wall Plate: Height: 13" Width: 6"
Extension: 3.25"
Size: 13" Standard

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 17
Initial Lumens: 1700
Delivered Lumens: 1100
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
Wet Location, ADA

Textured Bronze	**7412.72-WL**
Textured Gray	**7412.74-WL**
Textured White	**7412.98-WL**



7413

Tawa 21" Sconce

Dimensions:

Height: 21" Width: 6.25"
Wall Plate: Height: 21" Width: 6"
Extension: 3.25"
Size: 21" Standard

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 22
Initial Lumens: 2200
Delivered Lumens: 1430
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
Wet Location, ADA

Textured Bronze	**7413.72-WL**
Textured Gray	**7413.74-WL**
Textured White	**7413.98-WL**



7414

Tawa 13" Wide Sconce

Dimensions:

Height: 13" Width: 8.25"
Wall Plate: Height: 13" Width: 8"
Extension: 3.25"
Size: 13" Wide

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 20
Initial Lumens: 2000
Delivered Lumens: 1300
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
Wet Location, ADA

Textured Bronze	**7414.72-WL**
Textured Gray	**7414.74-WL**
Textured White	**7414.98-WL**



7415

Tawa 21" Wide Sconce

Dimensions:

Height: 21" Width: 8.25"
Wall Plate: Height: 21" Width: 8"
Extension: 3.25"
Size: 21" Wide

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 30
Initial Lumens: 3000
Delivered Lumens: 1950
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
Wet Location, ADA

Textured Bronze	**7415.72-WL**
Textured Gray	**7415.74-WL**
Textured White	**7415.98-WL**



7473.74-WL

Mezza Vetro

A white glass half dome on a circular disc integrates harmonious geometry across volume and plane, radiating light in full circumference.

7471

Mezza Vetro 5" Sconce

Dimensions:

Diameter: 5"
Wall Plate: Diameter: 5"
Extension: 3"
Size: 5"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 8
Initial Lumens: 950
Delivered Lumens: 600
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
Bulb Max Wattage: 8
Wet Location, ADA

Textured Bronze	**7471.72-WL**
Textured Gray	**7471.74-WL**
Textured White	**7471.98-WL**

7473

Mezza Vetro 8" Sconce

Dimensions:

Diameter: 8"
Wall Plate: Diameter: 8"
Extension: 4.5"
Size: 8"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 13
Initial Lumens: 1500
Delivered Lumens: 850
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
Bulb Max Wattage: 13
Wet Location

Textured Bronze	**7473.72-WL**
Textured Gray	**7473.74-WL**
Textured White	**7473.98-WL**



7470.98-WL

Mezza Cupola

A cast aluminum half dome on a circular disc integrates harmonious geometry across volume and plane, directing light downward.

7470

Mezza Cupola 5" Sconce

Dimensions:

Diameter: 5"
Wall Plate: Diameter: 5"
Extension: 3"
Size: 5"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 8
Initial Lumens: 950
Delivered Lumens: 430
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
Bulb Max Wattage: 8
Wet Location, ADA

Textured Bronze	**7470.72-WL**
Textured Gray	**7470.74-WL**
Textured White	**7470.98-WL**

7472

Mezza Cupola 8" Sconce

Dimensions:

Diameter: 8"
Wall Plate: Diameter: 8"
Extension: 4.5"
Size: 8"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 13
Initial Lumens: 1500
Delivered Lumens: 630
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
Bulb Max Wattage: 13
Wet Location

Textured Bronze	**7472.72-WL**
Textured Gray	**7472.74-WL**
Textured White	**7472.98-WL**



7452.97-WL

Dotwave

A progressive array of gradient pinholes in a variety of patterns permits illumination to penetrate the surface of the luminaire.

7450

Dotwave Small Round Sconce

Dimensions:

Diameter: 7.5"
Wall Plate: Diameter: 6.25"
Extension: 2"
Size: Small

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 19
Initial Lumens: 2000
Delivered Lumens: 650
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
Bulb Max Wattage: 19
Wet Location, ADA

Textured Black	**7450.97-WL**
Textured White	**7450.98-WL**

7451

Dotwave Medium Round Sconce

Dimensions:

Diameter: 10"
Wall Plate: Diameter: 8.75"
Extension: 2"
Size: Medium

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 20
Initial Lumens: 2200
Delivered Lumens: 720
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
Bulb Max Wattage: 20
Wet Location, ADA

Textured Black	**7451.97-WL**
Textured White	**7451.98-WL**



7456.98-WL

7452

Dotwave Large Round Sconce

Dimensions:

Diameter: 15"
Wall Plate: Diameter: 13.75"
Extension: 2"
Size: Large

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120-277VAC
Wattage: 27
Initial Lumens: 3000
Delivered Lumens: 1000
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V
Bulb Max Wattage: 27
Wet Location, ADA

Textured Black	**7452.97-WL**
Textured White	**7452.98-WL**

7456

Dotwave Square Sconce

Dimensions:

Height: 10.25" Width: 10.25"
Wall Plate: Height: 8.75" Width: 8.75"
Extension: 2"
Size: Standard

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 20
Initial Lumens: 2200
Delivered Lumens: 650
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
Bulb Max Wattage: 20
Wet Location, ADA

Textured Black	**7456.97-WL**
Textured White	**7456.98-WL**

7458

Dotwave Rectangle Sconce

Dimensions:

Height: 15.25" Width: 6"
Wall Plate: Height: 13.75" Width: 4.75"
Extension: 2"
Size: Standard

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 20
Initial Lumens: 2200
Delivered Lumens: 650
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
Bulb Max Wattage: 20
Wet Location, ADA

Textured Black	**7458.97-WL**
Textured White	**7458.98-WL**



7437.72-WL

Backgate

Rolling one edge of the wall plate over forms the illumination cavity and allows directional light to graze and reflect across the face of the plate. The intersecting offset plane is commentary on the sculptural industrial aesthetic.



7434

Backgate 20" Right Sconce

Dimensions:

Height: 20" Width: 8.25"
Wall Plate: Height: 17.75" Width: 4.5"
Extension: 3.75"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 13
Initial Lumens: 1300
Delivered Lumens: 750
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
Bulb Max Wattage: 13
Wet Location, ADA

Textured Bronze	**7434.72-WL**
Textured Gray	**7434.74-WL**
Textured White	**7434.98-WL**



7435

Backgate 30" Right Sconce

Dimensions:

Height: 30" Width: 8.25"
Wall Plate: Height: 27.75" Width: 4.5"
Extension: 3.75"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 17
Initial Lumens: 1700
Delivered Lumens: 1000
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
Bulb Max Wattage: 17
Wet Location, ADA

Textured Bronze	**7435.72-WL**
Textured Gray	**7435.74-WL**
Textured White	**7435.98-WL**



7436

Backgate 20" Left Sconce

Dimensions:

Height: 20" Width: 8.25"
Wall Plate: Height: 17.75" Width: 4.5"
Extension: 3.75"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 13
Initial Lumens: 1300
Delivered Lumens: 750
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
Bulb Max Wattage: 13
Wet Location, ADA

Textured Bronze	**7436.72-WL**
Textured Gray	**7436.74-WL**
Textured White	**7436.98-WL**



7437

Backgate 30" Left Sconce

Dimensions:

Height: 30" Width: 8.25"
Wall Plate: Height: 27.75" Width: 4.5"
Extension: 3.75"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 17
Initial Lumens: 1700
Delivered Lumens: 1000
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
Bulb Max Wattage: 17
Wet Location, ADA

Textured Bronze	**7437.72-WL**
Textured Gray	**7437.74-WL**
Textured White	**7437.98-WL**





7417.74-WL

Kengo

Square wooden louvers are mortised into the edges of a rectilinear opening in an aluminum box beam. Light is directed downward from within the space and reflected through the gaps in the plantation teak louvers providing a warm tone and even rhythm to the luminaire.

7417

Kengo 20" Sconce

Dimensions:

Height: 20.25" Width: 10"
Wall Plate: Height: 19" Width: 5"
Extension: 4.5"
Size: 20"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120-277VAC
Wattage: 19
Initial Lumens: 1900
Delivered Lumens: 100
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Fixture
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V
Bulb Max Wattage: 19
Wet Location

Textured Bronze	**7417.72-WL**
Textured Gray	**7417.74-WL**

7418

Kengo 30" LED Sconce

Dimensions:

Height: 30.25" Width: 10"
Wall Plate: Height: 29" Width: 5"
Extension: 4.5"
Size: 30"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120-277VAC
Wattage: 19
Initial Lumens: 1900
Delivered Lumens: 200
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Fixture
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V
Bulb Max Wattage: 19
Wet Location

Textured Bronze	**7418.72-WL**
Textured Gray	**7418.74-WL**



7204.74-WL

Light Frames

Framed LED radiance is internally directed and reflected to illuminate indoor or outdoor surfaces. Light is projected up and down to halo the bold yet thin profile.

7200

Light Frames Downlight Sconce

Dimensions:

Height: 13" Width: 7"
Wall Plate: Height: 4.5" Depth: 6.5"
Extension: 2.25"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 14
Initial Lumens: 1820
Delivered Lumens: 640
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
Bulb Max Wattage: 14
Wet Location, ADA

Textured Bronze	**7200.72-WL**
Textured Gray	**7200.74-WL**
Textured White	**7200.98-WL**

7202

Light Frames 14" Up/Down Sconce

Dimensions:

Height: 14" Width: 7"
Wall Plate: Height: 4.5" Depth: 6.5"
Extension: 2.25"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 21
Initial Lumens: 2570
Delivered Lumens: 1260
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
Bulb Max Wattage: 21
Wet Location, ADA

Textured Bronze	**7202.72-WL**
Textured Gray	**7202.74-WL**
Textured White	**7202.98-WL**

7204

Light Frames 21" Up/Down Sconce

Dimensions:

Height: 21" Width: 7"
Wall Plate: Height: 4.5" Depth: 6.5"
Extension: 2.25"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 100-277VAC
Wattage: 29
Initial Lumens: 3710
Delivered Lumens: 1550
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC @ 120VAC/ELV @ 120VAC/0-10V
Bulb Max Wattage: 29
Wet Location, ADA

Textured Bronze	**7204.72-WL**
Textured Gray	**7204.74-WL**
Textured White	**7204.98-WL**



7383.72-WL

Square Column

Square columns of light emit the glow of smoothly reflected LED illumination.



7380

Square Column Sconce

Dimensions:

Height: 19.5" Width: 3"
Wall Plate: Height: 4.5" Width: 4.5" Depth: 0.5"
Extension: 4.5"

Electrical Specs:

Bulb(s) Included?: No
Bulb 1 Type: GU10 Base LED, MR16
Bulb Quantity: 2
Input Voltage: 120VAC
Wattage: 8
Color Temperature: 3000K
CRI: 90
Bulb Max Wattage: 17
Wet Location

Textured Bronze	**7380.72**
Textured Gray	**7380.74**
Textured White	**7380.98**



7381

Square Column 16" Bollard

Dimensions:

Height: 16" Width: 3" Length: 3"
Base: Height: 0.25" Width: 4" Length:4"
Size: 16"

Electrical Specs:

Bulb(s) Included?: No
Bulb 1 Type: GU5.3 Base LED, MR16
Bulb Quantity: 1
Input Voltage: 12VAC
Wattage: 8
Power Supply Type: Transformer
Power Supply Quantity: 1
Power Supply Location: Remote (Sold Separately)
Dimming Type: Non-Dimmable
Bulb Max Wattage: 8
Wet Location

Textured Bronze	**7381.72 -WL**
Textured Gray	**7381.74-WL**



7382

Square Column 22" Bollard

Dimensions:

Height: 22" Width: 3" Length: 3"
Base: Height: 0.25" Width: 4" Length:4"
Size: 22"

Electrical Specs:

Bulb(s) Included?: No
Bulb 1 Type: GU5.3 Base LED, MR16
Bulb Quantity: 1
Input Voltage: 12VAC
Wattage: 8
Power Supply Type: Transformer
Power Supply Quantity: 1
Power Supply Location: Remote (Sold Separately)
Dimming Type: Non-Dimmable
Bulb Max Wattage: 8
Wet Location

Textured Bronze	**7382.72 -WL**
Textured Gray	**7382.74-WL**



7383

Square Column 28" Bollard

Dimensions:

Height: 28" Width: 3" Length: 3"
Base: Height: 0.25" Width: 4" Length:4"
Size: 28"

Electrical Specs:

Bulb(s) Included?: No
Bulb 1 Type: GU5.3 Base LED, MR16
Bulb Quantity: 1
Input Voltage: 12VAC
Wattage: 8
Power Supply Type: Transformer
Power Supply Quantity: 1
Power Supply Location: Remote (Sold Separately)
Dimming Type: Non-Dimmable
Bulb Max Wattage: 8
Wet Location

Textured Bronze	**7383.72 -WL**
Textured Gray	**7383.74-WL**

12VAC Power supply required, sold separately. Consult website for requirements and available options.



7300.DC.DL.74-WL

REALS®

Round Exterior Architectural Lighting System

Architectural strength from geometric simplicity; engineered for utility and built for performance. This modular system of precision components allows for dozens of possible configurations and lighting effects, inside or out.

7300

REALS Downlight Sconce

Dimensions:

Height: 1.5" - 5" Max Width: 5"
Wall Plate: Height: 4.5" Width: 4.5"
Extension: 6.5"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 10
Initial Lumens: 1040
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
Bulb Max Wattage: 15
Wet Location

Options and finishes on this item at:
sonnemanlight.com

7302

REALS Up/Down Sconce

Dimensions:

Height: 1.5" - 5" Max Width: 5"
Wall Plate: Height: 4.5" Width: 4.5"
Extension: 6.5"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 2
Input Voltage: 120VAC
Wattage: 20
Initial Lumens: 2080
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
Bulb Max Wattage: 20
Wet Location

Options and finishes on this item at:
sonnemanlight.com



7309

REALS Surface Mount

Dimensions:

Height: 1.5" - 3.25" Max Width: 5"
Canopy: Diameter: 5"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 10
Initial Lumens: 1040
Color Temperature: 3000K
CRI: 90
Power Supply Type: Driver
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: TRIAC/ELV
Bulb Max Wattage: 10
Wet Location, ADA

Options and finishes on this item at:
sonnemanlight.com



7303

REALS 16" Bollard

Dimensions:

Height: 16" - 17.75" Max Width: 5" Length: 7.75"
Base: Height: 0.25" Diameter: 4"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 12VAC Input
Wattage: 10
Initial Lumens: 1040
Color Temperature: 3000K
CRI: 90
Power Supply Type: Transformer
Power Supply Quantity: 1
Power Supply Location: Remote (Sold Separately)
Dimming Type: Non-Dimmable
Bulb Max Wattage: 10
Wet Location

Options and finishes on this item at:
sonnemanlight.com



7304

REALS 22" Bollard

Dimensions:

Height: 22" - 23.75" Max Width: 5" Length: 7.75"
Base: Height: 0.25" Diameter: 4"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 12VAC Input
Wattage: 10
Initial Lumens: 1040
Color Temperature: 3000K
CRI: 90
Power Supply Type: Transformer
Power Supply Quantity: 1
Power Supply Location: Remote (Sold Separately)
Dimming Type: Non-Dimmable
Bulb Max Wattage: 10
Wet Location

Options and finishes on this item at:
sonnemanlight.com



7305

REALS 28" Bollard

Dimensions:

Height: 28" - 29.75" Max Width: 5" Length: 7.75"
Base: Height: 0.25" Diameter: 4"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 12VAC Input
Wattage: 10
Initial Lumens: 1040
Color Temperature: 3000K
CRI: 90
Power Supply Type: Transformer
Power Supply Quantity: 1
Power Supply Location: Remote (Sold Separately)
Dimming Type: Non-Dimmable
Bulb Max Wattage: 10
Wet Location

Options and finishes on this item at:
sonnemanlight.com



7306

REALS 16" Double Bollard

Dimensions:

Height: 16" - 17.75" Max Width: 5" Length: 13.5"
Base: Height: 0.25" Diameter: 4"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 2
Input Voltage: 12VAC Input
Wattage: 20
Initial Lumens: 2080
Color Temperature: 3000K
CRI: 90
Power Supply Type: Transformer
Power Supply Quantity: 1
Power Supply Location: Remote (Sold Separately)
Dimming Type: Non-Dimmable
Bulb Max Wattage: 20
Wet Location

Options and finishes on this item at:
sonnemanlight.com



7307

REALS 22" Double Bollard

Dimensions:

Height: 22" - 23.75" Max Width: 5" Length: 13.5"
Base: Height: 0.25" Diameter: 4"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 2
Input Voltage: 12VAC Input
Wattage: 20
Initial Lumens: 2080
Color Temperature: 3000K
CRI: 90
Power Supply Type: Transformer
Power Supply Quantity: 1
Power Supply Location: Remote (Sold Separately)
Dimming Type: Non-Dimmable
Bulb Max Wattage: 20
Wet Location

Options and finishes on this item at:
sonnemanlight.com



7308

REALS 28" Double Bollard

Dimensions:

Height: 28" - 29.75" Max Width: 5" Length: 13.5"
Base: Height: 0.25" Diameter: 4"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 2
Input Voltage: 12VAC Input
Wattage: 20
Initial Lumens: 2080
Color Temperature: 3000K
CRI: 90
Power Supply Type: Transformer
Power Supply Quantity: 1
Power Supply Location: Remote (Sold Separately)
Dimming Type: Non-Dimmable
Bulb Max Wattage: 20
Wet Location

Options and finishes on this item at:
sonnemanlight.com

12VAC Power supply required, sold separately. Visit sonnemanlight.com for requirements and available options.





Top: 7222.72-WL Bottom: 7223.72-WL

Shear

Solid die-cast forms in subtle sensuous shapes punctuate LED illumination with precision, in perfect architectural harmony.

7222

Shear Small Sconce

Dimensions:

Height: 4.75" Width: 3.5"
Wall Plate: Height: 4.75" Width: 3.5"
Extension: 3"
Size: Small

Electrical Specs:

Bulb(s) Included?: No
Bulb 1 Type: LED MR16, GU10 Base
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 9
Delivered Lumens: 325
Color Temperature: 3000K
CRI: 95
Dimming Type: TRIAC/ELV
Bulb Max Wattage: 9
Wet Location, ADA

Textured Bronze	**7222.72-WL**
Textured Gray	**7222.74-WL**
Textured White	**7222.98-WL**

7223

Shear Large Sconce

Dimensions:

Height: 6.25" Width: 5"
Wall Plate: Height: 6.25" Width: 5"
Extension: 4"
Size: Large

Electrical Specs:

Bulb(s) Included?: No
Bulb 1 Type: LED PAR20, Medium Base
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 13
Delivered Lumens: 398
Color Temperature: 3000K
CRI: 95
Dimming Type: TRIAC/ELV
Bulb Max Wattage: 13
Wet Location, ADA

Textured Bronze	**7223.72-WL**
Textured Gray	**7223.74-WL**
Textured White	**7223.98-WL**

7311

Shear 16" Bollard

Height: 16" Width: 3.5" Length: 4.25"

7312

Shear 22" Bollard

Height: 22" Width: 3.5" Length: 4.25"

7313

Shear 28" Bollard

Height: 28" Width: 3.5" Length: 4.25"

Dimensions:
Base: Height: 0.25" Width: 5.5" Length: 3.25"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: GU5.3 Base LED MR16
Bulb Quantity: 1
Input Voltage: 12VAC
Wattage: 9
Power Supply Type: Transformer
Power Supply Quantity: 1
Power Supply Location: Remote (Sold Separately)
Dimming Type: Non-Dimmable
Wet Location

Textured Bronze	**7311/7312/7313.72-WL**
Textured Gray	**7311/7312/7313.74-WL**



7315

Shear 16" Double Bollard

Height: 16" Width: 3.5" Length: 7.25"

7316

Shear 22" Double Bollard

Height: 22" Width: 3.5" Length: 7.25"

Dimensions:
Base: Height: 0.25" Width: 5.5" Length: 3.25"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: GU5.3 Base LED MR16
Bulb Quantity: 2
Input Voltage: 12VAC
Wattage: 9
Power Supply Type: Transformer
Power Supply Quantity: 1
Power Supply Location: Remote (Sold Separately)
Dimming Type: Non-Dimmable
Wet Location

Textured Bronze	**7315/7316.72-WL**
Textured Gray	**7315/7316.74-WL**



12VAC Power supply required, sold separately. Visit sonnemanlight.com for requirements and available options.



Triform Compact

Compact luminaires direct light down from the pure geometry of a triangular prism.

7320

Triform Compact Sconce

Dimensions:

Height: 4.5" Width: 3.5"
Wall Plate: Height: 4.25" Width: 3"
Extension: 2.5"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 10
Initial Lumens: 980
Delivered Lumens: 385
Color Temperature: 3000K
CRI: 90
Power Supply Type: Transformer
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: Non-Dimming
Bulb Max Wattage: 10
Wet Location, ADA

Textured Bronze	**7320.72-WL**
Textured Gray	**7320.74-WL**
Textured White	**7320.98-WL**

7321

Triform Compact 16" Bollard

Height: 16" Width: 3.5" Length: 3.25"

7322

Triform Compact 22" Bollard

Height: 22" Width: 3.5" Length: 3.25"

7323

Triform Compact 28" Bollard

Height: 28" Width: 3.5" Length: 3.25"

Dimensions:
Base: Height: 0.25" Width: 5.5" Length: 3.25"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 12VAC
Wattage: 10
Initial Lumens: 980
Delivered Lumens: 385
Color Temperature: 3000K
CRI: 90
Power Supply Type: Transformer
Power Supply Quantity: 1
Power Supply Location: Remote (Sold Separately)
Dimming Type: Non-Dimmable
Wet Location

Textured Bronze	**7321/7322/7323.72-WL**
Textured Gray	**7321/7322/7323.74-WL**



7325

Triform Compact 16" Double Bollard

Height: 16" Width: 3.5" Length: 5.25"

7327

Triform Compact 28" Double Bollard

Height: 28" Width: 3.5" Length: 5.25"

Dimensions:
Base: Height: 0.25" Width: 5.5" Length: 3.25"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 2
Input Voltage: 12VAC
Wattage: 20
Initial Lumens: 1900
Delivered Lumens: 745
Color Temperature: 3000K
CRI: 90
Power Supply Type: Transformer
Power Supply Quantity: 1
Power Supply Location: Remote (Sold Separately)
Dimming Type: Non-Dimmable
Wet Location

Textured Bronze	**7325/7327.72-WL**
Textured Gray	**7325/7327.74-WL**



12VAC Power supply required, sold separately. Visit sonnemanlight.com for requirements and available options.



7343.74-WL

Box

Box LED's compact luminaires direct light down from the pure geometry of a rectangular prism.



7340.72-WL

7340

Box LED Sconce

Dimensions:

Height: 4.5" Width: 3.5"
Wall Plate: Height: 4.25" Width: 3"
Extension: 2.5"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 120VAC
Wattage: 10
Initial Lumens: 1020
Delivered Lumens: 645
Color Temperature: 3000K
CRI: 90
Power Supply Type: Transformer
Power Supply Quantity: 1
Power Supply Location: Outlet Box
Dimming Type: Non-Dimming
Bulb Max Wattage: 10
Wet Location, ADA

Textured Bronze	**7340.72-WL**
Textured Gray	**7340.74-WL**
Textured White	**7340.98-WL**

7341

Box 16" Bollard

Height: 16" Width: 3.5" Length: 3.25"

7342

Box 22" Bollard

Height: 22" Width: 3.5" Length: 3.25"

7343

Box 28" Bollard

Height: 28" Width: 3.5" Length: 3.25"

Dimensions:
Base: Height: 0.25" Width: 5.5" Length: 3.25"

Electrical Specs:

Bulb(s) Included?: Yes
Bulb 1 Type: Integral LED
Bulb Quantity: 1
Input Voltage: 12VAC
Wattage: 10
Initial Lumens: 1020
Delivered Lumens: 645
Color Temperature: 3000K
CRI: 90
Power Supply Type: Transformer
Power Supply Quantity: 1
Power Supply Location: Remote (Sold Separately)
Dimming Type: Non-Dimmable
Wet Location



Textured Bronze	**7341/7342/7343.72-WL**
Textured Gray	**7343.74-WL**

12VAC Power supply required, sold separately. Visit sonnemanlight.com for requirements and available options.

Index by Collection


Abstract 193


Abstract Panels 186


Abstraction 196


ALC 188


Aileron 162


Fino 104


Flat Box 203


Flue 205


Folds 204


Grapes 100


Angled Plane 202


Arctic Rings 84


Atelier 156


Backgate 218


Ballet 166


Haim 148


Hemisphere 140


Ilios 172


INTERVALS Linear 20


INTERVALS Recessed 18


Bauhaus Columns 182


Box 226


Bubbles 152


Cantina 170


Champagne Bubbles 154


Jazz Notes 200


Keel 80


Kengo 219


Koma 126


Labyrinth 62


Chelsea 158


Chimes 128


Constellation 26


Coral Surface 192


Corona Ring 88


Light Frames 220


Light Guide Ring 164


Liquid 114


Luna 92


Malibu Discs 118

Counterpoint 117

Cubix 38

Dazzle 194

Dotwave 216

Double Corona 90

Marue 198

Meclisse 187

Mela 160

Mezza Cupola 215

Mezza Vetro 214

Index by Collection


Micro Tube 197


Midtown 208


Nebula 108


New Edge 180

Offset 120


Stix 76


Suspenders 12


Sword 209


Systema Staccato 48


Tawa 212


Offset Panels 211


Ola 44


Papillons 168


Pi 122


Piccolo Encore 178


Tela 184


Tik-Tak 66


Thin-Line 68


Torc 185


Triform Compact 225


Pillows 144


Planes 181


Prisma 206


Proton 116


Purolinear 360 58


Tubo Slim 174


Turo 54


Urban Edge 163

Vanity 176


Vines 161


REALS 222


Reveal 207


Sabon 112


Shear 224


Sideways 210


V Panels 134


Vuoto 195


Zoom 183


Solid Glass Bar 179


SQ-Bar 175

Square Column 221

Stiletto 96

Stripe 201

Systems Index


Abstract 193


ALC 188


Constellation 26


Coral Surface 192


Cubix 38


INTERVALS Linear 20


INTERVALS Recessed 18


Ola 44


Purolinear 360 58


Suspenders 12


Tik-Tak 66

Surface Mount Index


Abstract 193


ALC 191


Coral Surface 192


Cubix 40


Dazzle 194


Haim 151


Hemisphere 142


Ilios 172


Marue 198

Offset 120


Pi 124


REALS 222


Sabon 113


Vines 161


Vuoto 195


Zoom 183

Bath + Vanity Index


Bauhaus Columns 182


Chelsea 159


Dazzle 194


Fino 106

Keel 83


New Edge 180


Piccolo Encore 178


Planes 181


Purolinear 360 58


Solid Glass Bar 179


SQ-bar 175


Stiletto 98


Stix 77


Thin-Line 68


Tubo Slim 174

Vanity 176

Indoor + Outdoor Index


Angled Plane 202


Backgate 218


Box 226


Dotwave 216


Flat Box 203


Flue 205


Folds 204


Jazz Notes 200


Kengo 219


Light Frames 220


Mezza Cupola 215


Mezza Vetro 214


Midtown 208


Offset Panels 211


Prisma 206


REALS 222


Reveal 207


Shear 224


Sideways 210


Square Column 221


Stripe 201


Sword 209


Tawa 212


Triform Compact 225

Pendants + Chandeliers Index


Abstraction 196


ALC 188


Arctic Rings 84


Atelier 156


Ballet 166


Luna 92


Malibu Discs 118


Meclisse 187


Mela 160


Micro Tube 197


Bubbles 152


Cantina 170


Champagne Bubbles 154


Chelsea 158


Chimes 128


Nebula 108


Ola 44


Papillons 168

Pi 122


Pillows 144


Constellation 16


Corona Ring 88


Counterpoint 117


Cubix 38


Dazzle 194


Proton 116


Sabon 113


Stiletto 96


Stix 76


Suspenders 12


Double Corona 90


Fino 104


Grapes 100


Hemisphere 140


INTERVALS Linear 20


Systema Staccato 48


Tela 184


Thin-Line 72


Tik-Tak 66


Torc 185

Keel 80

Koma 126

Labyrinth 62

Light Guide Ring 164

Liquid 114

Urban Edge 163

Vines 161

V Panels 134

Wall Lamps Index


Abstract 193


Abstract Panels 186


Aileron 162


ALC 190


Angled Plane 202


Mezza Vetro 214


Midtown 208


Offset Panels 211


Piccolo Encore 178


Pillows 147


Atelier 156


Backgate 218


Box 227


Chelsea 159


Chimes 133


Planes 181


Prisma 206


Purolinear 360 58


REALS 222


Reveal 207


Coral Surface 192


Dotwave 216


Flat Box 203


Flue 205


Folds 204


Sabon 112


Shear 224


Sideways 210


Square Column 221


Stripe 201


Haim 148


Hemisphere 142


Jazz Notes 200

Keel 82


Kengo 219


Suspenders 14


Sword 209


Tawa 212


Thin-Line 68


Triform Compact 225

Light Frames 220

Light Guide Ring 164

Malibu Discs 118

Meclisse 187

Mezza Cupola 215

Turo 54

Urban Edge 163

Vuoto 195

Index by Collections

A

Abstract 193
Abstract Panels 186
Abstraction 196
ACL 188
Aileron 162
Arctic Rings 84
Angled Plane 202
Atelier 156

B

Backgate 218
Ballet 166
Bauhaus Columns 182
Box 226
Bubbles 152

C

Cantina 170
Champagne Bubbles 154
Chelsea 158
Chimes 128
Constellation 26
Coral Surface 192
Corona Ring 88
Counterpoint 117
Cubix 38

D

Dazzle 194
Dotwave 216
Double Corona 90

F

Fino 104
Flat Box 203
Flue 205
Folds 204

G

Grapes 100

H

Haim 148
Hemisphere 140

I

Illios 172
INTERVALS Linear 20
INTERVALS Recessed Downlights 18

J

Jazz Notes 200

K

Keel 80
Kengo 219
Koma 126

L

Labyrinth 62
Light Frames 220
Light Guide Ring 164
Liquid 114
Luna 92

M

Malibu Discs 118
Marue 198
Meclisse 187
Mela 160
Mezza Cupola 215
Mezza Vetro 214
Micro Tube 197
Midtown 208

N

Nebula 108
New Edge 180

O

Offset 120
Offset Panels 211
Ola 44

P

Papillons 168
Pi 122
Piccolo Encore 178
Pillows 144
Planes 181
Prisma 206
Proton 116
Purolinear 360 58

R

REALS 222
Reveal 207

S

Sabon 112
Shear 224
Sideways 210
Solid Glass Bar 179
SQ-bar 175
Square Column 221
Stiletto 96
Stripe 201
Stix 76
Suspenders 12
Sword 209
Systema Staccato 48

T

Tawa 212
Tela 184
Tik-Tak 66
Thin-Line 68
Torc 185
Triform Compact 225
Tubo Slim 174
Turo 54

U

Urban Edge 163

V

Vanity 176
Vines 161
V Panels 134
Vuoto 195

Z

Zoom 183

SONNEMAN

Decorative
Architectural
Catalog

VOL. 3

SONNEMAN — A Way of Light
103 Tower Drive Middletown, NY 10941

P. 914 834 3600
csr@sonnemanawayoflight.com
www.sonnemanlight.com

©2024 SONNEMAN — A Way of Light